

# 3403.0011.24

#### 3403.0011.24 Information

| Heisener.com       | Part Number<br>Manufacturer<br>Category<br>Description<br>Package | 3403.0011.24<br>Schurter Inc.<br>Circuit Protection<br>Fuses<br>FUSE BOARD MNT 315MA 250VAC/VDC<br>2-SMD, J-Lead<br>For the pricing/inventory/lead time, please contact |                 |
|--------------------|---|---|-----------------|
| For Reference Only |   | us<br>Website: https://www.heisener.com<br>E-mail: salesdept@heisener.com   | Request a Quote |

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



### 3403.0011.24 Specifications

| Manufacturer Part Number3403.0011.24ManufacturerSchurter Inc.CategoryCircuit ProtectionFusesPackage2-SMD, J-LeadSeriesOMF 250Fuse TypeBoard Mount (Cartridge Style Excluded)Current Rating315mAVoltage Rating - AC250VPackage/ Case2-SMD, J-LeadPackage/ Case250VResponse TimeFastPackage / Case0.019Munting Type0.019Melting I2t0.019Approvalscircus CaseOperating Temperature-55°C ~ 125°CColor-Size / Dinnension0.433" L x 0.181" W x 0.154" H (11.00mm x 4.60mm x 3.90mm) |                                   |  |                |
|---|-----------------------------------|--|----------------|
| CategoryCircuit ProtectionFusesPackage2-SMD, J-LeadSeriesOMF 250Fuse TypeBoard Mount (Cartridge Style Excluded)Current Rating315mAVoltage Rating - AC250VVoltage Rating - DC250VResponse TimeFastPackage / Case2-SMD, J-LeadMounting TypeSurface MountBreaking Capacity @ Rated Voltage100AAltring I2t0.019ApprovalscURusOperating Temperature-55°C ~ 125°CColor-Size / Dimension0433" L x 0.181" W x 0.154" H (11.00mm x 4.60mm x 3.90mm)                                    | Manufacturer Part Number          | 3403.0011.24   |                |
| FusesPackage2-SMD, J-LeadSeriesOMF 250Fuse TypeBoard Mount (Cartridge Style Excluded)Current Rating315mAVoltage Rating - AC250VVoltage Rating - DC250VResponse TimeFastPackage / Case2-SMD, J-LeadMounting TypeSurface MountBreaking Capacity @ Rated Voltage100AMelting 12t0.019ApproalscIRusOperating Temperature-55°C ~ 125°CColor.Size / Dimension0.433" L x 0.181" W x 0.154" H (11.00mm x 4.60mm x 3.90mm)  | Manufacturer                      | Schurter Inc.  |                |
| Package2-SMD, J-LeadSeriesOMF 250Fuse TypeBoard Mount (Cartridge Style Excluded)Fuse TypeBoard Mount (Cartridge Style Excluded)Current Rating315mAVoltage Rating - AC250VVoltage Rating - DC250VResponse TimeFastPackage / CaseSurface MountMounting Type00ABreaking Capacity @ Rated Voltage100AApprovalscURusOperating Temperature-55°C ~ 125°CColor-Size / Dimension0.433" L x 0.151" H (11.00mm x 4.60mm x 3.90mm)  | Category                          | Circuit Protection   |                |
| Series   OMF 250     Fuse Type   Board Mount (Cartridge Style Excluded)     Current Rating   315mA     Voltage Rating - AC   250V     Voltage Rating - DC   250V     Response Time   Fast     Package / Case   2-SMD, J-Lead     Mounting Type   Surface Mount     Breaking Capacity @ Rated Voltage   100A     Approvals   cURus     Operating Temperature   -55°C ~ 125°C     Color   -     Size / Dimension   0.433" L x 0.181" W x 0.154" H (11.00mm x 4.60mm x 3.90mm)   |                                   | Fuses  |                |
| Fuse TypeBoard Mount (Cartridge Style Excluded)Furent Rating315mAVoltage Rating - AC250VVoltage Rating - DC250VResponse TimeFastPackage / Case2-SMD, J-LeadMounting TypeSurface MountBreaking Capacity @ Rated Voltage100AAlting 12t0.019ApprovalscURusOperating Temperature55°C ~ 125°CColor.Size / Dimension0.433" L x 0.151" H (11.00mm x 4.60mm x 3.90mm)   | Package                           | 2-SMD, J-Lead  |                |
| Current Rating   315mA     Voltage Rating - AC   250V     Voltage Rating - DC   250V     Response Time   Fast     Package / Case   2-SMD, J-Lead     Mounting Type   Surface Mount     Breaking Capacity @ Rated Voltage   100A     Approvals   cURus     Operating Temperature   -55°C ~ 125°C     Color   -     Size / Dimension   0.433" L x 0.181" W x 0.154" H (11.00mm x 4.60mm x 3.90mm)   | Series                            | OMF 250  |                |
| Voltage Rating - AC250VVoltage Rating - DC250VResponse TimeFastPackage / Case2-SMD, J-LeadMounting TypeSurface MountBreaking Capacity @ Rated Voltage100AMelting I2t0.019ApprovalscURusOperating Temperature-55°C ~ 125°CColor-Size / Dimension0.433" L x 0.181" W x 0.154" H (11.00mm x 4.60mm x 3.90mm)   | Fuse Type                         | Board Mount (Cartridge Style Excluded)                     |                |
| Voltage Rating - DC   250V     Response Time   Fast     Package / Case   2-SMD, J-Lead     Mounting Type   Surface Mount     Breaking Capacity @ Rated Voltage   100A     Melting I2t   0.019     Approvals   cURus     Operating Temperature   -55°C ~ 125°C     Color   -     Size / Dimension   0.433" L x 0.181" W x 0.154" H (11.00mm x 4.60mm x 3.90mm)   | Current Rating                    | 315mA  |                |
| Response Time   Fast     Package / Case   2-SMD, J-Lead     Mounting Type   Surface Mount     Breaking Capacity @ Rated Voltage   100A     Melting I2t   0.019     Approvals   cURus     Operating Temperature   -55°C ~ 125°C     Color   -     Size / Dimension   0.433" L x 0.181" W x 0.154" H (11.00mm x 4.60mm x 3.90mm)  | Voltage Rating - AC               | 250V   |                |
| Package / Case   2-SMD, J-Lead     Mounting Type   Surface Mount     Breaking Capacity @ Rated Voltage   100A     Melting I2t   0.019     Approvals   cURus     Operating Temperature   -55°C ~ 125°C     Color   -     Size / Dimension   0.433" L x 0.181" W x 0.154" H (11.00mm x 4.60mm x 3.90mm)   | Voltage Rating - DC               | 250V   |                |
| Nounting Type   Surface Mount     Breaking Capacity @ Rated Voltage   100A     Melting I2t   0.019     Approvals   cURus     Operating Temperature   -55°C ~ 125°C     Color   -     Size / Dimension   0.433" L x 0.181" W x 0.154" H (11.00mm x 4.60mm x 3.90mm)  | Response Time                     | Fast   |                |
| Breaking Capacity @ Rated Voltage 100A   Melting I2t 0.019   Approvals cURus   Operating Temperature -55°C ~ 125°C   Color -   Size / Dimension 0.433" L x 0.181" W x 0.154" H (11.00mm x 4.60mm x 3.90mm)  | Package / Case                    | 2-SMD, J-Lead  |                |
| Melting I2t   0.019     Approvals   cURus     Operating Temperature   -55°C ~ 125°C     Color   -     Size / Dimension   0.433" L x 0.181" W x 0.154" H (11.00mm x 4.60mm x 3.90mm)   | Mounting Type                     | Surface Mount  |                |
| ApprovalscURusOperating Temperature-55°C ~ 125°CColor-Size / Dimension0.433" L x 0.181" W x 0.154" H (11.00mm x 4.60mm x 3.90mm)  | Breaking Capacity @ Rated Voltage | 100A   |                |
| Main   -55°C ~ 125°C     Color   -     Size / Dimension   0.433" L x 0.181" W x 0.154" H (11.00mm x 4.60mm x 3.90mm)  | Melting I2t                       | 0.019  |                |
| Color   -     Size / Dimension   0.433" L x 0.181" W x 0.154" H (11.00mm x 4.60mm x 3.90mm)   | Approvals                         | cURus  |                |
| Size / Dimension 0.433" L x 0.181" W x 0.154" H (11.00mm x 4.60mm x 3.90mm)   | Operating Temperature             | -55°C ~ 125°C  |                |
|   | Color                             | -  |                |
| Report errors?  | Size / Dimension                  | 0.433" L x 0.181" W x 0.154" H (11.00mm x 4.60mm x 3.90mm) |                |
|   |                                   |  | Report errors? |

#### 3403.0011.24 Guarantees



Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

# SERVICE BUARANTEE

#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.



If you have any question about 3403.0011.24, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com