

### 345-010-524-804 Information

Heisener.com

Part Number 345-010-524-804 Manufacturer EDAC Inc.

**Category** Connectors, Interconnects

Card Edge Connectors - Edgeboard Connectors

**Description** CONN EDGE DUAL FMALE 10POS 0.100

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **345-010-524-804 Specifications**

Manufacturer Part Number         345-010-524-804           Manufacturer         EDAC Inc.           Category         Connectors, Interconnects           Package         -           Series         345           Card Type         Non Specified - Dual Edge           Gender         Female           Number of Positions/Bay/Row         5           Number of Positions         10           Card Thickness         0.062" (1.57mm)           Number of Rows         2           Pitch         0.100" (2.54mm)           Features         -           Mounting Type         Through Hole           Termination         Solder           Contact Material         Copper, Nickel, Tin Alloy           Contact Finish         Gold           Contact Type         -           Color         Green           Flange Feature         Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia           Operating Temperature         -65°C ~ 105°C           Report errors?	*	
Category         Connectors, Interconnects           Package         -           Series         345           Card Type         Non Specified - Dual Edge           Gender         Female           Number of Positions/Bay/Row         5           Number of Positions         10           Card Thickness         0.062" (1.57mm)           Number of Rows         2           Pitch         0.100" (2.54mm)           Features         -           Mounting Type         Through Hole           Termination         Solder           Contact Material         Copper, Nickel, Tin Alloy           Contact Finish         Gold           Contact Type         -           Color         Green           Flange Feature         Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia           Operating Temperature         -65°C ~ 105°C	Manufacturer Part Number	345-010-524-804
Package         -           Series         345           Card Type         Non Specified - Dual Edge           Gender         Female           Number of Positions/Bay/Row         5           Number of Positions         10           Card Thickness         0.062" (1.57mm)           Number of Rows         2           Pitch         0.100" (2.54mm)           Features         -           Mounting Type         Through Hole           Termination         Solder           Contact Material         Copper, Nickel, Tin Alloy           Contact Finish         Gold           Contact Type         -           Color         Green           Flange Feature         Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia           Operating Temperature         -65°C ~ 105°C	Manufacturer	EDAC Inc.
Package         -           Series         345           Card Type         Non Specified - Dual Edge           Gender         Female           Number of Positions/Bay/Row         5           Number of Positions         10           Card Thickness         0.062" (1.57mm)           Number of Rows         2           Pitch         0.100" (2.54mm)           Features         -           Mounting Type         Through Hole           Termination         Solder           Contact Material         Copper, Nickel, Tin Alloy           Contact Finish         Gold           Contact Finish Thickness         -           Contact Type         -           Color         Green           Flange Feature         Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia           Operating Temperature         -65°C ~ 105°C	Category	Connectors, Interconnects
Series345Card TypeNon Specified - Dual EdgeGenderFemaleNumber of Positions/Bay/Row5Number of Positions10Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.100" (2.54mm)Features-Mounting TypeThrough HoleTerminationSolderContact MaterialCopper, Nickel, Tin AlloyContact FinishGoldContact Type-ColorGreenFlange FeatureTop Mount Opening, Unthreaded, 0.156" (3.96mm) DiaOperating Temperature-65°C ~ 105°C		Card Edge Connectors - Edgeboard Connectors
Card TypeNon Specified - Dual EdgeGenderFemaleNumber of Positions/Bay/Row5Number of Positions10Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.100" (2.54mm)Features-Mounting TypeThrough HoleTerminationSolderContact MaterialCopper, Nickel, Tin AlloyContact FinishGoldContact Finish Thickness-Contact Type-ColorGreenFlange FeatureTop Mount Opening, Unthreaded, 0.156" (3.96mm) DiaOperating Temperature-65°C ~ 105°C	Package	-
GenderFemaleNumber of Positions/Bay/Row5Number of Positions10Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.100" (2.54mm)Features-Mounting TypeThrough HoleTerminationSolderContact MaterialCopper, Nickel, Tin AlloyContact FinishGoldContact Type-ColorGreenFlange FeatureTop Mount Opening, Unthreaded, 0.156" (3.96mm) DiaOperating Temperature-65°C ~ 105°C	Series	345
Number of Positions/Bay/Row       5         Number of Positions       10         Card Thickness       0.062" (1.57mm)         Number of Rows       2         Pitch       0.100" (2.54mm)         Features       -         Mounting Type       Through Hole         Termination       Solder         Contact Material       Copper, Nickel, Tin Alloy         Contact Finish       Gold         Contact Finish Thickness       -         Contact Type       -         Color       Green         Flange Feature       Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia         Operating Temperature       -65°C ~ 105°C	Card Type	Non Specified - Dual Edge
Number of Positions10Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.100" (2.54mm)Features-Mounting TypeThrough HoleTerminationSolderContact MaterialCopper, Nickel, Tin AlloyContact FinishGoldContact Finish Thickness-Contact Type-ColorGreenFlange FeatureTop Mount Opening, Unthreaded, 0.156" (3.96mm) DiaOperating Temperature-65°C ~ 105°C	Gender	Female
Card Thickness 0.062" (1.57mm)  Number of Rows 2  Pitch 0.100" (2.54mm)  Features - Mounting Type Through Hole  Termination Solder  Contact Material Copper, Nickel, Tin Alloy  Contact Finish Thickness -  Contact Type -  Color Green  Flange Feature Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia  Operating Temperature -65°C ~ 105°C	Number of Positions/Bay/Row	5
Number of Rows2Pitch0.100" (2.54mm)Features-Mounting TypeThrough HoleTerminationSolderContact MaterialCopper, Nickel, Tin AlloyContact FinishGoldContact Finish Thickness-Contact Type-ColorGreenFlange FeatureTop Mount Opening, Unthreaded, 0.156" (3.96mm) DiaOperating Temperature-65°C ~ 105°C	Number of Positions	10
Pitch 0.100" (2.54mm)  Features -  Mounting Type Through Hole  Termination Solder  Contact Material Copper, Nickel, Tin Alloy  Contact Finish Gold  Contact Finish Thickness -  Contact Type -  Color Green  Flange Feature Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia  Operating Temperature -65°C ~ 105°C	Card Thickness	0.062" (1.57mm)
Features - Mounting Type Through Hole  Termination Solder  Contact Material Copper, Nickel, Tin Alloy  Contact Finish Contact Finish Thickness - Contact Type - Color  Flange Feature Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia  Operating Temperature -65°C ~ 105°C	Number of Rows	2
Mounting TypeThrough HoleTerminationSolderContact MaterialCopper, Nickel, Tin AlloyContact FinishGoldContact Finish Thickness-Contact Type-ColorGreenFlange FeatureTop Mount Opening, Unthreaded, 0.156" (3.96mm) DiaOperating Temperature-65°C ~ 105°C	Pitch	0.100" (2.54mm)
Termination Solder  Contact Material Copper, Nickel, Tin Alloy  Contact Finish Gold  Contact Finish Thickness -  Contact Type -  Color Green  Flange Feature Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia  Operating Temperature -65°C ~ 105°C	Features	-
Contact Material  Copper, Nickel, Tin Alloy  Contact Finish  Gold  Contact Finish Thickness  -  Contact Type  -  Color  Green  Flange Feature  Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia  Operating Temperature  -65°C ~ 105°C	Mounting Type	Through Hole
Contact Finish  Contact Finish Thickness  Contact Type  Color  Color  Green  Flange Feature  Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia  Operating Temperature  -65°C ~ 105°C	Termination	Solder
Contact Finish Thickness -  Contact Type -  Color Green  Flange Feature Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia  Operating Temperature -65°C ~ 105°C	Contact Material	Copper, Nickel, Tin Alloy
Contact Type - Color Green  Flange Feature Top Mount Opening, Unthreaded, $0.156$ " (3.96mm) Dia  Operating Temperature $-65$ °C $\sim 105$ °C	Contact Finish	Gold
Color Green  Flange Feature Top Mount Opening, Unthreaded, $0.156$ " (3.96mm) Dia  Operating Temperature $-65$ °C $\sim 105$ °C	Contact Finish Thickness	-
Flange Feature Top Mount Opening, Unthreaded, $0.156$ " (3.96mm) Dia Operating Temperature $-65$ °C $\sim 105$ °C	Contact Type	-
Operating Temperature $-65^{\circ}\text{C} \sim 105^{\circ}\text{C}$	Color	Green
•	Flange Feature	Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia
Report errors?	Operating Temperature	-65°C ~ 105°C
		Report errors?

#### 345-010-524-804 Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## 345-010-524-804 Payment Methods



















## 345-010-524-804 Shipping Methods













If you have any question about 345-010-524-804, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com