

### 345-086-542-802 Information

Heisener.com

Part Number 345-086-542-802 Manufacturer EDAC Inc.

**Category** Connectors, Interconnects

Card Edge Connectors - Edgeboard Connectors

**Description** CONN EDGE DUAL FMALE 86POS 0.100

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **345-086-542-802 Specifications**

Manufacturer Part Number         345-086-542-802           Manufacturer         EDAC Inc.           Category         Connectors, Interconnects           Package         -           Series         345           Card Type         Non Specified - Dual Edge           Gender         Female           Number of Positions/Bay/Row         43           Number of Positions         86           Card Thickness         0.062" (1.57mm)           Number of Rows         2           Pitch         0.100" (2.54mm)           Features         -           Mounting Type         Through Hole           Termination         Wire Wrap           Contact Material         Copper, Nickel, Tin Alloy           Contact Finish         Gold           Contact Tipish Thickness         -           Cotact Type         -           Color         Green           Flange Feature         Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia           Operating Temperature         -65°C ~ 105°C	•	
Category         Connectors, Interconnects           Package         -           Series         345           Card Type         Non Specified - Dual Edge           Gender         Female           Number of Positions/Bay/Row         43           Number of Positions         86           Card Thickness         0.062" (1.57mm)           Number of Rows         2           Pitch         0.100" (2.54mm)           Features         -           Mounting Type         Through Hole           Termination         Wire Wrap           Contact Material         Copper, Nickel, Tin Alloy           Contact Finish         Gold           Contact Type         -           Color         Green           Flange Feature         Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia           Operating Temperature         -65°C ~ 105°C	Manufacturer Part Number	345-086-542-802
Package         -           Series         345           Card Type         Non Specified - Dual Edge           Gender         Female           Number of Positions/Bay/Row         43           Number of Positions         86           Card Thickness         0.062" (1.57mm)           Number of Rows         2           Pitch         0.100" (2.54mm)           Features         -           Mounting Type         Through Hole           Termination         Wire Wrap           Contact Material         Copper, Nickel, Tin Alloy           Contact Finish         Gold           Contact Type         -           Color         Green           Flange Feature         Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia           Operating Temperature         -65°C ~ 105°C	Manufacturer	EDAC Inc.
Package         -           Series         345           Card Type         Non Specified - Dual Edge           Gender         Female           Number of Positions/Bay/Row         43           Number of Positions         86           Card Thickness         0.062" (1.57mm)           Number of Rows         2           Pitch         0.100" (2.54mm)           Features         -           Mounting Type         Through Hole           Termination         Wire Wrap           Contact Material         Copper, Nickel, Tin Alloy           Contact Finish         Gold           Contact Finish Thickness         -           Contact Type         -           Color         Green           Flange Feature         Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia           Operating Temperature         -65°C ~ 105°C	Category	Connectors, Interconnects
Series 345 Card Type Non Specified - Dual Edge Gender Female Number of Positions/Bay/Row 43 Number of Positions 86 Card Thickness 0.062" (1.57mm) Number of Rows 2 Pitch 0.100" (2.54mm) Features - Mounting Type Through Hole Termination Wire Wrap Contact Material Copper, Nickel, Tin Alloy Contact Finish Gold Contact Finish Thickness - Contact Type - Color Green Flange Feature Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia Operating Temperature -65°C ~ 105°C		Card Edge Connectors - Edgeboard Connectors
Card Type Non Specified - Dual Edge  Gender Female  Number of Positions/Bay/Row 43  Number of Positions 86  Card Thickness 0.062" (1.57mm)  Number of Rows 2  Pitch 0.100" (2.54mm)  Features - Mounting Type Through Hole  Termination Wire Wrap  Contact Material Copper, Nickel, Tin Alloy  Contact Finish Thickness - Contact Type - Color Green  Flange Feature Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia  Operating Temperature - 65°C ~ 105°C	Package	-
Gender Female  Number of Positions/Bay/Row 43  Number of Positions 86  Card Thickness 0.062" (1.57mm)  Number of Rows 2  Pitch 0.100" (2.54mm)  Features -  Mounting Type Through Hole  Termination Wire Wrap  Contact Material Copper, Nickel, Tin Alloy  Contact Finish Thickness -  Contact Type -  Color Green  Flange Feature Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia  Operating Temperature -65°C ~ 105°C	Series	345
Number of Positions/Bay/Row Number of Positions 86 Card Thickness 0.062" (1.57mm) Number of Rows 2 Pitch 0.100" (2.54mm) Features - Mounting Type Through Hole Termination Wire Wrap Contact Material Copper, Nickel, Tin Alloy Contact Finish Gold Contact Finish Thickness - Contact Type Color Flange Feature Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia Operating Temperature -65°C ~ 105°C	Card Type	Non Specified - Dual Edge
Number of Positions  Card Thickness  0.062" (1.57mm)  Number of Rows  2  Pitch  0.100" (2.54mm)  Features  - Mounting Type  Through Hole  Termination  Contact Material  Copper, Nickel, Tin Alloy  Contact Finish  Gold  Contact Finish Thickness  - Contact Type  Color  Flange Feature  Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia  Operating Temperature  -65°C ~ 105°C	Gender	Female
Card Thickness 0.062" (1.57mm)  Number of Rows 2  Pitch 0.100" (2.54mm)  Features - Mounting Type Through Hole  Termination Wire Wrap  Contact Material Copper, Nickel, Tin Alloy  Contact Finish Thickness -  Contact Type -  Color Green  Flange Feature Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia  Operating Temperature -65°C ~ 105°C	Number of Positions/Bay/Row	43
Number of Rows2Pitch0.100" (2.54mm)Features-Mounting TypeThrough HoleTerminationWire WrapContact MaterialCopper, Nickel, Tin AlloyContact FinishGoldContact Finish Thickness-Contact Type-ColorGreenFlange FeatureTop Mount Opening, Unthreaded, 0.128" (3.25mm) DiaOperating Temperature-65°C ~ 105°C	Number of Positions	86
Pitch 0.100" (2.54mm)  Features - Mounting Type Through Hole  Termination Wire Wrap  Contact Material Copper, Nickel, Tin Alloy  Contact Finish Gold  Contact Finish Thickness - Contact Type - Color Green  Flange Feature Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia  Operating Temperature -65°C ~ 105°C	Card Thickness	0.062" (1.57mm)
Features - Mounting Type Through Hole  Termination Wire Wrap  Contact Material Copper, Nickel, Tin Alloy  Contact Finish  Contact Finish Thickness - Contact Type  Color Green  Flange Feature Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia  Operating Temperature -65°C ~ 105°C	Number of Rows	2
Mounting TypeThrough HoleTerminationWire WrapContact MaterialCopper, Nickel, Tin AlloyContact FinishGoldContact Finish Thickness-Contact Type-ColorGreenFlange FeatureTop Mount Opening, Unthreaded, 0.128" (3.25mm) DiaOperating Temperature-65°C ~ 105°C	Pitch	0.100" (2.54mm)
Termination Wire Wrap  Contact Material Copper, Nickel, Tin Alloy  Contact Finish Gold  Contact Finish Thickness -  Contact Type -  Color Green  Flange Feature Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia  Operating Temperature -65°C ~ 105°C	Features	-
Contact Material Copper, Nickel, Tin Alloy Contact Finish Gold Contact Finish Thickness - Contact Type - Color Green Flange Feature Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia Operating Temperature -65°C ~ 105°C	Mounting Type	Through Hole
Contact Finish Gold Contact Finish Thickness - Contact Type - Color Green Flange Feature Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia Operating Temperature -65°C ~ 105°C	Termination	Wire Wrap
Contact Finish Thickness -  Contact Type -  Color Green  Flange Feature Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia  Operating Temperature -65°C ~ 105°C	Contact Material	Copper, Nickel, Tin Alloy
Contact Type - Color Green  Flange Feature Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia Operating Temperature -65°C ~ 105°C	Contact Finish	Gold
Color Green  Flange Feature Top Mount Opening, Unthreaded, $0.128$ " ( $3.25$ mm) Dia  Operating Temperature $-65$ °C $\sim 105$ °C	Contact Finish Thickness	-
Flange Feature Top Mount Opening, Unthreaded, $0.128$ " ( $3.25$ mm) Dia Operating Temperature $-65$ °C $\sim 105$ °C	Contact Type	-
Operating Temperature $-65^{\circ}\text{C} \sim 105^{\circ}\text{C}$	Color	Green
• •	Flange Feature	Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia
Report errors?	Operating Temperature	-65°C ~ 105°C
		Report errors?

### 345-086-542-802 Guarantees



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## 345-086-542-802 Payment Methods



















## 345-086-542-802 Shipping Methods













If you have any question about 345-086-542-802, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com