

### 346-044-526-802 Information

Heisener.com

Part Number 346-044-526-802 Manufacturer EDAC Inc.

**Category** Connectors, Interconnects

Card Edge Connectors - Edgeboard Connectors

**Description** CONN EDGE DUAL FMALE 44POS 0.125

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **346-044-526-802 Specifications**

Manufacturer Part Number         346-044-526-802           Manufacturer         EDAC Inc.           Category         Connectors, Interconnects           Package         -           Series         346           Card Type         Non Specified - Dual Edge           Gender         Female           Number of Positions/Bay/Row         22           Number of Positions         44           Card Thickness         0.062" (1.57mm)           Number of Rows         2           Pitch         0.125" (3.18mm)           Features         -           Mounting Type         Through Hole           Termination         Solder           Contact Material         Copper, Nickel, Tin Alloy           Contact Finish         Gold           Contact Tips         -           Contact Tips Thickness         -           Color         Green           Flange Feature         Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia           Operating Temperature         -65°C ~ 125°C	•	
Category         Connectors, Interconnects           Package         -           Series         346           Card Type         Non Specified - Dual Edge           Gender         Female           Number of Positions/Bay/Row         22           Number of Positions         44           Card Thickness         0.062" (1.57mm)           Number of Rows         2           Pitch         0.125" (3.18mm)           Features         -           Mounting Type         Through Hole           Termination         Solder           Contact Material         Copper, Nickel, Tin Alloy           Contact Finish         Gold           Contact Type         -           Color         Green           Flange Feature         Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia           Operating Temperature         -65°C ~ 125°C	Manufacturer Part Number	346-044-526-802
Package         -           Series         346           Card Type         Non Specified - Dual Edge           Gender         Female           Number of Positions/Bay/Row         22           Number of Positions         44           Card Thickness         0.062" (1.57mm)           Number of Rows         2           Pitch         0.125" (3.18mm)           Features         -           Mounting Type         Through Hole           Termination         Solder           Contact Material         Copper, Nickel, Tin Alloy           Contact Finish         Gold           Contact Type         -           Color         Green           Flange Feature         Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia           Operating Temperature         -65°C ~ 125°C	Manufacturer	EDAC Inc.
Package         -           Series         346           Card Type         Non Specified - Dual Edge           Gender         Female           Number of Positions/Bay/Row         22           Number of Positions         44           Card Thickness         0.062" (1.57mm)           Number of Rows         2           Pitch         0.125" (3.18mm)           Features         -           Mounting Type         Through Hole           Termination         Solder           Contact Material         Copper, Nickel, Tin Alloy           Contact Finish         Gold           Contact Finish Thickness         -           Contact Type         -           Color         Green           Flange Feature         Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia           Operating Temperature         -65°C ~ 125°C	Category	Connectors, Interconnects
Series346Card TypeNon Specified - Dual EdgeGenderFemaleNumber of Positions/Bay/Row22Number of Positions44Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.125" (3.18mm)Features-Mounting TypeThrough HoleTerminationSolderContact MaterialCopper, Nickel, Tin AlloyContact FinishGoldContact Type-ColorGreenFlange FeatureTop Mount Opening, Unthreaded, 0.128" (3.25mm) DiaOperating Temperature-65°C ~ 125°C		Card Edge Connectors - Edgeboard Connectors
Card TypeNon Specified - Dual EdgeGenderFemaleNumber of Positions/Bay/Row22Number of Positions44Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.125" (3.18mm)Features-Mounting TypeThrough HoleTerminationSolderContact MaterialCopper, Nickel, Tin AlloyContact FinishGoldContact Type-ColorGreenFlange FeatureTop Mount Opening, Unthreaded, 0.128" (3.25mm) DiaOperating Temperature-65°C ~ 125°C	Package	-
GenderFemaleNumber of Positions/Bay/Row22Number of Positions44Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.125" (3.18mm)Features-Mounting TypeThrough HoleTerminationSolderContact MaterialCopper, Nickel, Tin AlloyContact FinishGoldContact Type-ColorGreenFlange FeatureTop Mount Opening, Unthreaded, 0.128" (3.25mm) DiaOperating Temperature-65°C ~ 125°C	Series	346
Number of Positions/Bay/Row22Number of Positions44Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.125" (3.18mm)Features-Mounting TypeThrough HoleTerminationSolderContact MaterialCopper, Nickel, Tin AlloyContact FinishGoldContact Finish Thickness-Contact Type-ColorGreenFlange FeatureTop Mount Opening, Unthreaded, 0.128" (3.25mm) DiaOperating Temperature-65°C ~ 125°C	Card Type	Non Specified - Dual Edge
Number of Positions Card Thickness 0.062" (1.57mm)  Number of Rows 2 Pitch 0.125" (3.18mm) Features - Mounting Type Through Hole Termination Solder Contact Material Copper, Nickel, Tin Alloy Contact Finish Gold Contact Finish Thickness - Contact Type Color Flange Feature Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia Operating Temperature -65°C ~ 125°C	Gender	Female
Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.125" (3.18mm)Features-Mounting TypeThrough HoleTerminationSolderContact MaterialCopper, Nickel, Tin AlloyContact FinishGoldContact Finish Thickness-Contact Type-ColorGreenFlange FeatureTop Mount Opening, Unthreaded, 0.128" (3.25mm) DiaOperating Temperature-65°C ~ 125°C	Number of Positions/Bay/Row	22
Number of Rows2Pitch0.125" (3.18mm)Features-Mounting TypeThrough HoleTerminationSolderContact MaterialCopper, Nickel, Tin AlloyContact FinishGoldContact Finish Thickness-Contact Type-ColorGreenFlange FeatureTop Mount Opening, Unthreaded, 0.128" (3.25mm) DiaOperating Temperature-65°C ~ 125°C	Number of Positions	44
Pitch 0.125" (3.18mm)  Features -  Mounting Type Through Hole  Termination Solder  Contact Material Copper, Nickel, Tin Alloy  Contact Finish Gold  Contact Finish Thickness -  Contact Type -  Color Green  Flange Feature Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia  Operating Temperature -65°C ~ 125°C	Card Thickness	0.062" (1.57mm)
Features  Mounting Type Through Hole  Termination Solder  Contact Material Copper, Nickel, Tin Alloy  Contact Finish Gold  Contact Finish Thickness - Contact Type - Color Green  Flange Feature Operating Temperature  -65°C ~ 125°C	Number of Rows	2
Mounting TypeThrough HoleTerminationSolderContact MaterialCopper, Nickel, Tin AlloyContact FinishGoldContact Finish Thickness-Contact Type-ColorGreenFlange FeatureTop Mount Opening, Unthreaded, 0.128" (3.25mm) DiaOperating Temperature-65°C ~ 125°C	Pitch	0.125" (3.18mm)
Termination Solder  Contact Material Copper, Nickel, Tin Alloy  Contact Finish Gold  Contact Finish Thickness -  Contact Type -  Color Green  Flange Feature Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia  Operating Temperature -65°C ~ 125°C	Features	-
Contact Material  Copper, Nickel, Tin Alloy  Contact Finish  Gold  Contact Finish Thickness  -  Contact Type  -  Color  Green  Flange Feature  Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia  Operating Temperature  -65°C ~ 125°C	Mounting Type	Through Hole
Contact Finish  Contact Finish Thickness  Contact Type  Color  Color  Green  Flange Feature  Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia  Operating Temperature  -65°C ~ 125°C	Termination	Solder
Contact Finish Thickness -  Contact Type -  Color Green  Flange Feature Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia  Operating Temperature -65°C ~ 125°C	Contact Material	Copper, Nickel, Tin Alloy
Contact Type - Color Green Flange Feature Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia Operating Temperature -65°C ~ 125°C	Contact Finish	Gold
Color Green  Flange Feature Top Mount Opening, Unthreaded, $0.128$ " ( $3.25$ mm) Dia  Operating Temperature $-65$ °C $\sim 125$ °C	Contact Finish Thickness	-
Flange Feature Top Mount Opening, Unthreaded, $0.128$ " (3.25mm) Dia Operating Temperature $-65$ °C $\sim 125$ °C	Contact Type	-
Operating Temperature $-65^{\circ}\text{C} \sim 125^{\circ}\text{C}$	Color	Green
	Flange Feature	Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia
Report errors?	Operating Temperature	-65°C ~ 125°C
		Report errors?

#### 346-044-526-802 Guarantees



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### 346-044-526-802 Payment Methods



















### **346-044-526-802 Shipping Methods**













If you have any question about 346-044-526-802, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com