

350986-4 Information

www.heisener.com

For Reference Only

Part Number 350986-4

Manufacturer TE Connectivity AMP Connectors

Category Connectors, Interconnects

Rectangular Connectors - Headers, Receptacles,

Female Sockets

Description CONN HEADER 2POS VERT .250 TIN

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









350986-4 Specifications

| Manufacturer Part Number350986-4ManufacturerTE Connectivity AMP ConnectorsCategoryConnectors, InterconnectsRectangular Connectors - Headers, Receptacles, Female SocketsPackage-SeriesUniversal MATE-N-LOKConnector TypeHeaderContact TypeFemale SocketStyleBoard to Cable/WireNumber of Positions2Number of Positions LoadedAllPitch - Mating0.250" (6.35mm)Number of Rows1Row Spacing - Mating-Mounting TypeThrough HoleTerminationSolderFastening TypeLocking RampContact Finish - Mating-Contact Finish Thickness - Mating-Insulation ColorNaturalInsulation Height0.550" (13.97mm)Contact Length - Post0.215" (5.46mm)Operating Temperature- | | |
|--|-----------------------------------|---|
| CategoryConnectors, InterconnectsRectangular Connectors - Headers, Receptacles, Female SocketsPackage-SeriesUniversal MATE-N-LOKConnector TypeHeaderContact TypeFemale SocketStyleBoard to Cable/WireNumber of Positions2Number of Positions LoadedAllPitch - Mating0.250" (6.35mm)Number of Rows1Row Spacing - Mating-Mounting TypeThrough HoleTerminationSolderFastening TypeLocking RampContact Finish - MatingTinContact Finish Thickness - Mating-Insulation ColorNaturalInsulation Height0.550" (13.97mm)Contact Length - Post0.215" (5.46mm) | Manufacturer Part Number | 350986-4 |
| Rectangular Connectors - Headers, Receptacles, Female Sockets Package - Universal MATE-N-LOK Connector Type Header Contact Type Female Socket Style Board to Cable/Wire Number of Positions 2 Number of Positions Loaded All Pitch - Mating 0.250" (6.35mm) Number of Rows 1 Row Spacing - Mating - Through Hole Termination Solder Fastening Type Locking Ramp Contact Finish - Mating Tin Contact Finish Thickness - Mating - Insulation Color Natural Insulation Height 0.550" (13.97mm) Contact Length - Post 0.215" (5.46mm) | Manufacturer | TE Connectivity AMP Connectors |
| Package - Series Universal MATE-N-LOK Connector Type Header Contact Type Female Socket Style Board to Cable/Wire Number of Positions 2 Number of Positions Loaded All Pitch - Mating 0.250" (6.35mm) Number of Rows 1 Row Spacing - Mating - Mounting Type Through Hole Termination Solder Fastening Type Locking Ramp Contact Finish - Mating Tin Contact Finish Thickness - Mating - Insulation Color Natural Insulation Height 0.550" (13.97mm) Contact Length - Post 0.215" (5.46mm) | Category | Connectors, Interconnects |
| Series Universal MATE-N-LOK Connector Type Header Contact Type Female Socket Style Board to Cable/Wire Number of Positions 2 Number of Positions Loaded All Pitch - Mating 0.250" (6.35mm) Number of Rows 1 Row Spacing - Mating - Mounting Type Through Hole Termination Solder Fastening Type Locking Ramp Contact Finish - Mating Tin Contact Finish Thickness - Mating - Insulation Color Natural Insulation Height 0.550" (13.97mm) Contact Length - Post 0.215" (5.46mm) | | Rectangular Connectors - Headers, Receptacles, Female Sockets |
| Connector TypeHeaderContact TypeFemale SocketStyleBoard to Cable/WireNumber of Positions2Number of Positions LoadedAllPitch - Mating0.250" (6.35mm)Number of Rows1Row Spacing - Mating-Mounting TypeThrough HoleTerminationSolderFastening TypeLocking RampContact Finish - MatingTinContact Finish Thickness - Mating-Insulation ColorNaturalInsulation Height0.550" (13.97mm)Contact Length - Post0.215" (5.46mm) | Package | - |
| Contact TypeFemale SocketStyleBoard to Cable/WireNumber of Positions2Number of Positions LoadedAllPitch - Mating0.250" (6.35mm)Number of Rows1Row Spacing - Mating-Mounting TypeThrough HoleTerminationSolderFastening TypeLocking RampContact Finish - MatingTinContact Finish Thickness - Mating-Insulation ColorNaturalInsulation Height0.550" (13.97mm)Contact Length - Post0.215" (5.46mm) | Series | Universal MATE-N-LOK |
| Style Board to Cable/Wire Number of Positions 2 Number of Positions Loaded All Pitch - Mating 0.250" (6.35mm) Number of Rows 1 Row Spacing - Mating - Mounting Type Through Hole Termination Solder Fastening Type Locking Ramp Contact Finish - Mating Tin Contact Finish Thickness - Mating - Insulation Color Natural Insulation Height 0.550" (13.97mm) Contact Length - Post 0.215" (5.46mm) | Connector Type | Header |
| Number of Positions2Number of Positions LoadedAllPitch - Mating0.250" (6.35mm)Number of Rows1Row Spacing - Mating-Mounting TypeThrough HoleTerminationSolderFastening TypeLocking RampContact Finish - MatingTinContact Finish Thickness - Mating-Insulation ColorNaturalInsulation Height0.550" (13.97mm)Contact Length - Post0.215" (5.46mm) | Contact Type | Female Socket |
| Number of Positions Loaded Pitch - Mating 0.250" (6.35mm) Number of Rows 1 Row Spacing - Mating - Mounting Type Through Hole Termination Solder Fastening Type Locking Ramp Contact Finish - Mating Tin Contact Finish Thickness - Mating Insulation Color Insulation Height O.550" (13.97mm) Contact Length - Post O.215" (5.46mm) | Style | Board to Cable/Wire |
| Pitch - Mating0.250" (6.35mm)Number of Rows1Row Spacing - Mating-Mounting TypeThrough HoleTerminationSolderFastening TypeLocking RampContact Finish - MatingTinContact Finish Thickness - Mating-Insulation ColorNaturalInsulation Height0.550" (13.97mm)Contact Length - Post0.215" (5.46mm) | Number of Positions | 2 |
| Number of Rows1Row Spacing - Mating-Mounting TypeThrough HoleTerminationSolderFastening TypeLocking RampContact Finish - MatingTinContact Finish Thickness - Mating-Insulation ColorNaturalInsulation Height0.550" (13.97mm)Contact Length - Post0.215" (5.46mm) | Number of Positions Loaded | All |
| Row Spacing - Mating Mounting Type Through Hole Termination Solder Fastening Type Locking Ramp Contact Finish - Mating Tin Contact Finish Thickness - Mating Insulation Color Natural Insulation Height 0.550" (13.97mm) Contact Length - Post 0.215" (5.46mm) | Pitch - Mating | 0.250" (6.35mm) |
| Mounting Type Through Hole Termination Solder Fastening Type Locking Ramp Contact Finish - Mating Tin Contact Finish Thickness - Mating - Insulation Color Natural Insulation Height 0.550" (13.97mm) Contact Length - Post 0.215" (5.46mm) | Number of Rows | 1 |
| Termination Solder Fastening Type Locking Ramp Contact Finish - Mating Tin Contact Finish Thickness - Mating - Insulation Color Natural Insulation Height 0.550" (13.97mm) Contact Length - Post 0.215" (5.46mm) | Row Spacing - Mating | - |
| Fastening Type Locking Ramp Contact Finish - Mating Tin Contact Finish Thickness - Mating - Insulation Color Natural Insulation Height 0.550" (13.97mm) Contact Length - Post 0.215" (5.46mm) | Mounting Type | Through Hole |
| Contact Finish - Mating Contact Finish Thickness - Mating Insulation Color Insulation Height O.550" (13.97mm) Contact Length - Post 0.215" (5.46mm) | Termination | Solder |
| Contact Finish Thickness - Mating Insulation Color Insulation Height O.550" (13.97mm) Contact Length - Post O.215" (5.46mm) | Fastening Type | Locking Ramp |
| Insulation Color Natural Insulation Height 0.550" (13.97mm) Contact Length - Post 0.215" (5.46mm) | Contact Finish - Mating | Tin |
| Insulation Height 0.550" (13.97mm) Contact Length - Post 0.215" (5.46mm) | Contact Finish Thickness - Mating | - |
| Contact Length - Post 0.215" (5.46mm) | Insulation Color | Natural |
| | Insulation Height | 0.550" (13.97mm) |
| Operating Temperature - | Contact Length - Post | 0.215" (5.46mm) |
| | Operating Temperature | - |
| Material Flammability Rating UL94 V-2 | Material Flammability Rating | UL94 V-2 |

| Contact Finish - Post | Tin |
|------------------------|----------------|
| Mated Stacking Heights | - |
| Ingress Protection | - |
| Features | - |
| | Report errors? |

350986-4 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

350986-4 Payment Methods



















350986-4 Shipping Methods













If you have any question about 350986-4, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com