



35TQC10M Information



For Reference Only

Part Number 35TQC10M

Manufacturer Panasonic Electronic Components

Category Capacitors

Tantalum - Polymer Capacitors

Description CAP TANT POLY 10UF 35V 2917

Package 2917 (7343 Metric)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









35TQC10M Specifications

Manufacturer Part Number 35TQC10M Manufacturer Panasonic Electronic Components Category Capacitors Tantalum - Polymer Capacitors Package 2917 (7343 Metric) Series POSCAP? TQC Capacitance 10μF Tolerance ±20% Voltage - Rated 35 V Type Molded ESR (Equivalent Series Resistance) 120 mOhm Operating Temperature -55°C ~ 105°C Lifetime @ Temp. 2000 Hrs @ 105°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm) Lead Spacing - Manufacturer Size Code D2 Features General Purpose		
Category Capacitors Tantalum - Polymer Capacitors Package 2917 (7343 Metric) Series POSCAP? TQC Capacitance 10µF Tolerance ±20% Voltage - Rated 35V Type Molded ESR (Equivalent Series Resistance) 120 mOhm Operating Temperature -55°C ~ 105°C Lifetime @ Temp. 2000 Hrs @ 105°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm) Lead Spacing - Manufacturer Size Code D2 Features General Purpose	Manufacturer Part Number	35TQC10M
Package 2917 (7343 Metric) Series POSCAP? TQC Capacitance 10μF Tolerance ±20% Voltage - Rated 35V Type Molded ESR (Equivalent Series Resistance) 120 mOhm Operating Temperature -55°C ~ 105°C Lifetime @ Temp. 2000 Hrs @ 105°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm) Lead Spacing - Manufacturer Size Code D2 Features General Purpose	Manufacturer	Panasonic Electronic Components
Package 2917 (7343 Metric) Series POSCAP? TQC Capacitance 10μF Tolerance ±20% Voltage - Rated 35 V Type Molded ESR (Equivalent Series Resistance) 120 mOhm Operating Temperature -55°C ~ 105°C Lifetime @ Temp. 2000 Hrs @ 105°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm) Lead Spacing - Manufacturer Size Code D2 Features General Purpose	Category	Capacitors
Series POSCAP? TQC Capacitance 10μF Tolerance ±20% Voltage - Rated 35V Type Molded ESR (Equivalent Series Resistance) 120 mOhm Operating Temperature -55°C ~ 105°C Lifetime @ Temp. 2000 Hrs @ 105°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm) Lead Spacing - Manufacturer Size Code D2 Features General Purpose		Tantalum - Polymer Capacitors
Capacitance 10μF Tolerance ±20% Voltage - Rated 35V Type Molded ESR (Equivalent Series Resistance) 120 mOhm Operating Temperature -55°C ~ 105°C Lifetime @ Temp. 2000 Hrs @ 105°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm) Lead Spacing - Manufacturer Size Code D2 Features General Purpose	Package	2917 (7343 Metric)
Tolerance ±20% Voltage - Rated 35V Type Molded ESR (Equivalent Series Resistance) 120 mOhm Operating Temperature -55°C ~ 105°C Lifetime @ Temp. 2000 Hrs @ 105°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm) Lead Spacing - Manufacturer Size Code D2 Features General Purpose	Series	POSCAP? TQC
Voltage - Rated35VTypeMoldedESR (Equivalent Series Resistance)120 mOhmOperating Temperature-55°C ~ 105°CLifetime @ Temp.2000 Hrs @ 105°CMounting TypeSurface MountPackage / Case2917 (7343 Metric)Size / Dimension0.287" L x 0.169" W (7.30mm x 4.30mm)Height - Seated (Max)0.079" (2.00mm)Lead Spacing-Manufacturer Size CodeD2FeaturesGeneral Purpose	Capacitance	10μF
Type Molded ESR (Equivalent Series Resistance) 120 mOhm Operating Temperature -55°C ~ 105°C Lifetime @ Temp. 2000 Hrs @ 105°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm) Lead Spacing - Manufacturer Size Code D2 Features General Purpose	Tolerance	±20%
ESR (Equivalent Series Resistance) Operating Temperature -55°C ~ 105°C Lifetime @ Temp. 2000 Hrs @ 105°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm) Lead Spacing Manufacturer Size Code Features General Purpose	Voltage - Rated	35V
Operating Temperature Lifetime @ Temp. 2000 Hrs @ 105°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm) Lead Spacing - Manufacturer Size Code Peatures General Purpose	Type	Molded
Lifetime @ Temp. 2000 Hrs @ 105°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm) Lead Spacing - Manufacturer Size Code D2 Features General Purpose	ESR (Equivalent Series Resistance)	120 mOhm
Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm) Lead Spacing - Manufacturer Size Code D2 Features General Purpose	Operating Temperature	-55°C ~ 105°C
Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm) Lead Spacing - Manufacturer Size Code D2 Features General Purpose	Lifetime @ Temp.	2000 Hrs @ 105°C
Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm) Lead Spacing - Manufacturer Size Code D2 Features General Purpose	Mounting Type	Surface Mount
Height - Seated (Max) Lead Spacing - Manufacturer Size Code Features O.079" (2.00mm) - General Purpose	Package / Case	2917 (7343 Metric)
Lead Spacing - Manufacturer Size Code D2 Features General Purpose	Size / Dimension	0.287" L x 0.169" W (7.30mm x 4.30mm)
Manufacturer Size Code D2 Features General Purpose	Height - Seated (Max)	0.079" (2.00mm)
Features General Purpose	Lead Spacing	-
	Manufacturer Size Code	D2
Report errors?	Features	General Purpose
		Report errors?

35TQC10M Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

35TQC10M Payment Methods





















35TQC10M Shipping Methods













If you have any question about 35TQC10M, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com