



369JXP Information

Heisener.com

Part Number 369JXP

Manufacturer Hammond Manufacturing

Category Transformers

Power Transformers

Description XFRMR LAMINATED 50VA CHAS MOUNT

Package

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









369JXP Specifications

Manufacturer Part Number 369JXP Manufacturer Hammond Manufacturing Category Transformers Power Transformers Power Transformers Package - Series 300 Type Laminated Core Voltage - Primary 100V, 110V, 120V, 200V, 220V, 240V Voltage - Secondary (Full Load) 500V, 6.3V Current - Output (Max) 69mA, 2.5A Primary Winding(s) Dual, Multiple Taps Secondary Winding(s) Triple Center Tap Yes Power - Max 50 VA Mounting Type Chassis Mount
Category Transformers Power Transformers Package - Series 300 Type Laminated Core Voltage - Primary 100V, 110V, 120V, 200V, 220V, 240V Voltage - Secondary (Full Load) 500V, 6.3V Current - Output (Max) 69mA, 2.5A Primary Winding(s) Dual, Multiple Taps Secondary Winding(s) Triple Center Tap Yes Power - Max 50 VA
Package - Series 300 Type Laminated Core Voltage - Primary 100V, 110V, 120V, 200V, 220V, 240V Voltage - Secondary (Full Load) 500V, 6.3V Current - Output (Max) 69mA, 2.5A Primary Winding(s) Dual, Multiple Taps Secondary Winding(s) Triple Center Tap Yes Power - Max 50 VA
Package - 300 Type Laminated Core Voltage - Primary 100V, 110V, 120V, 200V, 220V, 240V Voltage - Secondary (Full Load) 500V, 6.3V Current - Output (Max) 69mA, 2.5A Primary Winding(s) Dual, Multiple Taps Secondary Winding(s) Triple Center Tap Yes Power - Max 50 VA
Series 300 Type Laminated Core Voltage - Primary 100V, 110V, 120V, 200V, 220V, 240V Voltage - Secondary (Full Load) 500V, 6.3V Current - Output (Max) 69mA, 2.5A Primary Winding(s) Dual, Multiple Taps Secondary Winding(s) Triple Center Tap Yes Power - Max 50 VA
Type Laminated Core Voltage - Primary 100V, 110V, 120V, 200V, 220V, 240V Voltage - Secondary (Full Load) 500V, 6.3V Current - Output (Max) 69mA, 2.5A Primary Winding(s) Dual, Multiple Taps Secondary Winding(s) Triple Center Tap Yes Power - Max 50 VA
Voltage - Primary Voltage - Secondary (Full Load) Current - Output (Max) Primary Winding(s) Secondary Winding(s) Center Tap Power - Max 100V, 110V, 120V, 200V, 220V, 240V 500V, 6.3V 69mA, 2.5A Dual, Multiple Taps Yes Yes Power - Max 50 VA
Voltage - Secondary (Full Load) Current - Output (Max) Primary Winding(s) Secondary Winding(s) Triple Center Tap Yes Power - Max 500V, 6.3V 69mA, 2.5A Dual, Multiple Taps Triple Yes 50 VA
Current - Output (Max) 69mA, 2.5A Primary Winding(s) Dual, Multiple Taps Secondary Winding(s) Triple Center Tap Yes Power - Max 50 VA
Primary Winding(s) Secondary Winding(s) Triple Center Tap Yes Power - Max Dual, Multiple Taps Yes 50 VA
Secondary Winding(s) Center Tap Power - Max Triple Yes 50 VA
Center Tap Yes Power - Max 50 VA
Power - Max 50 VA
20102 22
Mounting Type Chassis Mount
* ··
Termination Style Wire Leads
Size / Dimension 69.85mm L x 63.50mm W
Height - Seated (Max) 78.74mm
Voltage - Isolation 2000Vrms
Weight 2.5 lbs (1.1kg)
Report errors?

369JXP Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

369JXP Payment Methods



















369JXP Shipping Methods













If you have any question about 369JXP, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com