



382LX472M250B082V Information



For Reference Only

Part Number 382LX472M250B082V

Manufacturer Cornell Dubilier Electronics (CDE)

Category Capacitors

Aluminum Electrolytic Capacitors

Description CAP ALUM 4700UF 20% 250V SNAP

Package Radial, Can - Snap-In - 5 Lead

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









382LX472M250B082V Specifications

Manufacturer Part Number382LX472M250B082VManufacturerCornell Dubilier Electronics (CDE)CategoryCapacitorsAluminum Electrolytic CapacitorsPackageRadial, Can - Snap-In - 5 LeadSeries382LXCapacitance4700μFTolerance±20%Voltage - Rated250VESR (Equivalent Series Resistance)-Lifetime @ Temp.3000 Hrs @ 85°C
Category Capacitors Aluminum Electrolytic Capacitors Package Radial, Can - Snap-In - 5 Lead Series 382LX Capacitance 4700µF Tolerance ±20% Voltage - Rated 250V ESR (Equivalent Series Resistance) -
Aluminum Electrolytic CapacitorsPackageRadial, Can - Snap-In - 5 LeadSeries382LXCapacitance4700μFTolerance±20%Voltage - Rated250VESR (Equivalent Series Resistance)-
PackageRadial, Can - Snap-In - 5 LeadSeries382LXCapacitance4700μFTolerance±20%Voltage - Rated250VESR (Equivalent Series Resistance)-
Series $382LX$ Capacitance $4700\mu F$ Tolerance $\pm 20\%$ Voltage - Rated $250V$ ESR (Equivalent Series Resistance)-
Capacitance $4700 \mu F$ Tolerance $\pm 20 \%$ Voltage - Rated $250 V$ ESR (Equivalent Series Resistance)-
Tolerance $\pm 20\%$ Voltage - Rated $250V$ ESR (Equivalent Series Resistance) -
Voltage - Rated 250V ESR (Equivalent Series Resistance) -
ESR (Equivalent Series Resistance) -
Lifetime @ Temp. 3000 Hrs @ 85°C
Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$
Polarization Polar
Applications General Purpose
Ripple Current - Low Frequency 9.65A @ 120Hz
Ripple Current - High Frequency 13.51A @ 20kHz
Impedance -
Lead Spacing -
Size / Dimension 1.969" Dia (50.00mm)
Height - Seated (Max) 3.228" (82.00mm)
Surface Mount Land Size -
Mounting Type Through Hole
Package / Case Radial, Can - Snap-In - 5 Lead
Report errors

382LX472M250B082V Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

382LX472M250B082V Payment Methods



















382LX472M250B082V Shipping Methods













If you have any question about 382LX472M250B082V, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com