

38508000000 Information



For Reference Only

Part Number38508000000ManufacturerLittelfuse Inc.CategoryCircuit Protection

Electrical, Specialty Fuses

Description FUSE BRD MNT 800MA 125VAC RADIAL

Package Radial, Box

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









38508000000 Specifications

Manufacturer Part Number 38508000000 Manufacturer Littelfuse Inc. Category Circuit Protection Bekage Radial, Box Series TE5? 385 Fuse Type Board Mount Current Rating 800mA Voltage Rating - AC 125V Voltage Rating - DC - Response Time Slow Applications Telecom Features - Class - Approvals cURus Operating Temperature -40°C ~ 85°C Breaking Capacity @ Rated Voltage 50A Mounting Type Through Hole Package / Case Radial, Box			
Category Circuit Protection Electrical, Specialty Fuses Package Radial, Box Series TE5? 385 Fuse Type Board Mount Current Rating 800mA Voltage Rating - AC 125V Voltage Rating - DC Response Time Slow Applications Telecom Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Package / Case Radial, Box	Manufacturer Part Number	38508000000	
Package Radial, Box Series TE5? 385 Fuse Type Board Mount Current Rating 800mA Voltage Rating - AC 125V Voltage Rating - DC - Response Time Slow Applications Telecom Features - Class - Approvals CURus Operating Temperature URus CURus Mounting Type Through Hole Package / Case Radial, Box	Manufacturer	Littelfuse Inc.	
Package Radial, Box Series TE5? 385 Fuse Type Board Mount Current Rating 800mA Voltage Rating - AC 125 V Voltage Rating - DC - Response Time Slow Applications Telecom Features - Class - Approvals cURus Operating Temperature -40°C ~ 85°C Breaking Capacity @ Rated Voltage 50A Mounting Type Through Hole Package / Case Radial, Box	Category	Circuit Protection	
Series Type Board Mount Current Rating 800mA Voltage Rating - AC 125V Voltage Rating - DC - Response Time Slow Applications Telecom Features - Class - Approvals cURus Operating Temperature -40°C ~ 85°C Breaking Capacity @ Rated Voltage Through Hole Package / Case Rating - DC Response Time Slow Telecom		Electrical, Specialty Fuses	
Fuse Type Board Mount Current Rating 800mA Voltage Rating - AC 125V Voltage Rating - DC - Response Time Slow Applications Telecom Features - Class - Approvals cURus Operating Temperature -40°C ~ 85°C Breaking Capacity @ Rated Voltage 50A Mounting Type Through Hole Package / Case Radial, Box	Package	Radial, Box	
Current Rating 800mA Voltage Rating - AC 125V Voltage Rating - DC - Response Time Slow Applications Telecom Features - Class - Approvals cURus Operating Temperature -40°C ~ 85°C Breaking Capacity @ Rated Voltage 50A Mounting Type Through Hole Package / Case Radial, Box	Series	TE5? 385	
Voltage Rating - AC Voltage Rating - DC Response Time Slow Applications Telecom Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Package / Case 125V 125	Fuse Type	Board Mount	
Voltage Rating - DC Response Time Slow Applications Telecom Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Through Hole Package / Case - Response Time Slow Cless Cless - Cless - Class - CURus -40°C ~ 85°C	Current Rating	800mA	
Response Time Slow Applications Telecom Features - Class - Approvals cURus Operating Temperature -40°C ~ 85°C Breaking Capacity @ Rated Voltage 50A Mounting Type Through Hole Package / Case Radial, Box	Voltage Rating - AC	125V	
Applications Features - Class - Approvals Operating Temperature -40°C ~ 85°C Breaking Capacity @ Rated Voltage Mounting Type Through Hole Package / Case Radial, Box	Voltage Rating - DC	-	
Features - Class - Class - Class CURus Curvals Curvals Curvals Curvals Curvals Curvals Curvals Curvals Curvals Capacity @ Rated Voltage SoA Curvals Capacity @ Rated Voltage SoA Curvals Curva	Response Time	Slow	
Class - CURus Operating Temperature -40°C ~ 85°C Breaking Capacity @ Rated Voltage 50A Mounting Type Through Hole Package / Case Radial, Box	Applications	Telecom	
Approvals cURus Operating Temperature -40°C ~ 85°C Breaking Capacity @ Rated Voltage 50A Mounting Type Through Hole Package / Case Radial, Box	Features	-	
Operating Temperature -40°C ~ 85°C Breaking Capacity @ Rated Voltage 50A Mounting Type Through Hole Package / Case Radial, Box	Class	-	
Breaking Capacity @ Rated Voltage 50A Mounting Type Through Hole Package / Case Radial, Box	Approvals	cURus	
Mounting Type Through Hole Package / Case Radial, Box	Operating Temperature	-40°C ~ 85°C	
Package / Case Radial, Box	Breaking Capacity @ Rated Voltage	50A	
•	Mounting Type	Through Hole	
0.225" 1 - 0.157" W - 0.215" I / 0.50 4.00	Package / Case	Radial, Box	
51Ze / Dimension 0.335" L x 0.15 /" w x 0.315" H (8.50mm x 4.00mm x 8.00mm)	Size / Dimension	0.335" L x 0.157" W x 0.315" H (8.50mm x 4.00mm x 8.00mm)	
Report errors?			Report errors?

38508000000 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

38508000000 Payment Methods



















38508000000 Shipping Methods













If you have any question about 38508000000, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com