

396-020-520-804 Information

Heisener.com

Part Number 396-020-520-804 Manufacturer EDAC Inc.

Category Connectors, Interconnects

Card Edge Connectors - Edgeboard Connectors

Description CONN EDGE DUAL FMALE 20POS 0.125

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









20 < 020 =	•••••	
396-020-5	20-804 St	pecifications

Manufacturer Part Number 396-020-520-804 Manufacturer EDAC Inc. Category Connectors, Interconnects Package - Series 396 Card Type Non Specified - Dual Edge Gender Female Number of Positions/Bay/Row 10 Number of Positions 20 Card Thickness 0.062" (1.57mm) Number of Rows 2 Pitch 0.125" (3.18mm) Features - Mounting Type Through Hole Termination Solder Contact Material Copper, Nickel, Tin Alloy Contact Finish Gold Contact Tipish Gold Contact Type - Color Black Flange Feature Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia Operating Temperature -65°C ~ 125°C	•		
Category Connectors, Interconnects Package - Series 396 Card Type Non Specified - Dual Edge Gender Female Number of Positions/Bay/Row 10 Number of Positions 20 Card Thickness 0.062" (1.57mm) Number of Rows 2 Pitch 0.125" (3.18mm) Features - Mounting Type Through Hole Termination Solder Contact Material Copper, Nickel, Tin Alloy Contact Finish Gold Contact Type - Color Black Flange Feature Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia Operating Temperature -65°C ~ 125°C	Manufacturer Part Number	396-020-520-804	
Package - Series 396 Card Type Non Specified - Dual Edge Gender Female Number of Positions/Bay/Row 10 Number of Positions 20 Card Thickness 0.062" (1.57mm) Number of Rows 2 Pitch 0.125" (3.18mm) Features - Mounting Type Through Hole Termination Solder Contact Material Copper, Nickel, Tin Alloy Contact Finish Gold Contact Type - Color Black Flange Feature Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia Operating Temperature -65°C ~ 125°C	Manufacturer	EDAC Inc.	
Package - Series 396 Card Type Non Specified - Dual Edge Gender Female Number of Positions/Bay/Row 10 Number of Positions 20 Card Thickness 0.062" (1.57mm) Number of Rows 2 Pitch 0.125" (3.18mm) Features - Mounting Type Through Hole Termination Solder Contact Material Copper, Nickel, Tin Alloy Contact Finish Gold Contact Finish Thickness - Contact Type - Color Black Flange Feature Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia Operating Temperature -65°C ~ 125°C	Category	Connectors, Interconnects	
Series 396 Card Type Non Specified - Dual Edge Gender Female Number of Positions/Bay/Row 10 Number of Positions 20 Card Thickness 0.062" (1.57mm) Number of Rows 2 Pitch 0.125" (3.18mm) Features - Mounting Type Through Hole Termination Solder Contact Material Copper, Nickel, Tin Alloy Contact Finish Gold Contact Finish Thickness - Contact Type - Color Black Flange Feature Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia Operating Temperature -65°C ~ 125°C		Card Edge Connectors - Edgeboard Connectors	
Card TypeNon Specified - Dual EdgeGenderFemaleNumber of Positions/Bay/Row10Number of Positions20Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.125" (3.18mm)Features-Mounting TypeThrough HoleTerminationSolderContact MaterialCopper, Nickel, Tin AlloyContact FinishGoldContact Type-ColorBlackFlange FeatureTop Mount Opening, Unthreaded, 0.156" (3.96mm) DiaOperating Temperature-65°C ~ 125°C	Package	-	
Gender Female Number of Positions/Bay/Row 10 Number of Positions 20 Card Thickness 0.062" (1.57mm) Number of Rows 2 Pitch 0.125" (3.18mm) Features - Mounting Type Through Hole Termination Solder Contact Material Copper, Nickel, Tin Alloy Contact Finish Thickness - Contact Type - Color Black Flange Feature Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia Operating Temperature -65°C ~ 125°C	Series	396	
Number of Positions/Bay/Row10Number of Positions20Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.125" (3.18mm)Features-Mounting TypeThrough HoleTerminationSolderContact MaterialCopper, Nickel, Tin AlloyContact FinishGoldContact Finish Thickness-Contact Type-ColorBlackFlange FeatureTop Mount Opening, Unthreaded, 0.156" (3.96mm) DiaOperating Temperature-65°C ~ 125°C	Card Type	Non Specified - Dual Edge	
Number of Positions20Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.125" (3.18mm)Features-Mounting TypeThrough HoleTerminationSolderContact MaterialCopper, Nickel, Tin AlloyContact FinishGoldContact Finish Thickness-Contact Type-ColorBlackFlange FeatureTop Mount Opening, Unthreaded, 0.156" (3.96mm) DiaOperating Temperature-65°C ~ 125°C	Gender	Female	
Card Thickness 0.062" (1.57mm) Number of Rows 2 Pitch 0.125" (3.18mm) Features - Mounting Type Through Hole Termination Solder Contact Material Copper, Nickel, Tin Alloy Contact Finish Gold Contact Finish Thickness - Contact Type - Color Black Flange Feature Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia Operating Temperature -65°C ~ 125°C	Number of Positions/Bay/Row	10	
Number of Rows2Pitch0.125" (3.18mm)Features-Mounting TypeThrough HoleTerminationSolderContact MaterialCopper, Nickel, Tin AlloyContact FinishGoldContact Finish Thickness-Contact Type-ColorBlackFlange FeatureTop Mount Opening, Unthreaded, 0.156" (3.96mm) DiaOperating Temperature-65°C ~ 125°C	Number of Positions	20	
Pitch 0.125" (3.18mm) Features - Mounting Type Through Hole Termination Solder Contact Material Copper, Nickel, Tin Alloy Contact Finish Gold Contact Finish Thickness - Contact Type - Color Black Flange Feature Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia Operating Temperature -65°C ~ 125°C	Card Thickness	0.062" (1.57mm)	
Features - Mounting Type Through Hole Termination Solder Contact Material Copper, Nickel, Tin Alloy Contact Finish Contact Finish Thickness - Contact Type Color Black Flange Feature Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia Operating Temperature -65°C ~ 125°C	Number of Rows	2	
Mounting TypeThrough HoleTerminationSolderContact MaterialCopper, Nickel, Tin AlloyContact FinishGoldContact Finish Thickness-Contact Type-ColorBlackFlange FeatureTop Mount Opening, Unthreaded, 0.156" (3.96mm) DiaOperating Temperature-65°C ~ 125°C	Pitch	0.125" (3.18mm)	
Termination Solder Contact Material Copper, Nickel, Tin Alloy Contact Finish Gold Contact Finish Thickness - Contact Type - Color Black Flange Feature Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia Operating Temperature -65°C ~ 125°C	Features	-	
Contact Material Copper, Nickel, Tin Alloy Contact Finish Gold Contact Finish Thickness - Contact Type - Color Black Flange Feature Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia Operating Temperature -65°C ~ 125°C	Mounting Type	Through Hole	
Contact Finish Gold Contact Finish Thickness - Contact Type - Color Black Flange Feature Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia Operating Temperature -65°C ~ 125°C	Termination	Solder	
Contact Finish Thickness - Contact Type - Color Black Flange Feature Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia Operating Temperature -65°C ~ 125°C	Contact Material	Copper, Nickel, Tin Alloy	
Contact Type - Color Black Flange Feature Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia Operating Temperature -65°C ~ 125°C	Contact Finish	Gold	
Color Black Flange Feature Top Mount Opening, Unthreaded, 0.156 " (3.96mm) Dia Operating Temperature -65 °C ~ 125 °C	Contact Finish Thickness	-	
Flange Feature Top Mount Opening, Unthreaded, 0.156 " (3.96mm) Dia Operating Temperature -65 °C ~ 125 °C	Contact Type	-	
Operating Temperature $-65^{\circ}\text{C} \sim 125^{\circ}\text{C}$	Color	Black	
• •	Flange Feature	Top Mount Opening, Unthreaded, 0.156" (3.96mm) Dia	
Report errors?	Operating Temperature	-65°C ~ 125°C	
		Report errors?	

396-020-520-804 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

396-020-520-804 Payment Methods



















396-020-520-804 Shipping Methods













If you have any question about 396-020-520-804, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com