

#### 396-056-522-802 Information

Heisener.com

396-056-522-802 Part Number

Manufacturer EDAC Inc.

Category Connectors, Interconnects

Card Edge Connectors - Edgeboard Connectors

**Description** CONN EDGE DUAL FMALE 56POS 0.125

**Package** 

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **396-056-522-802 Specifications**

Manufacturer Part Number         396-056-522-802           Manufacturer         EDAC Inc.           Category         Connectors, Interconnects           Package         -           Series         396           Card Type         Non Specified - Dual Edge           Gender         Female           Number of Positions/Bay/Row         28           Number of Positions         56           Card Thickness         0.062" (1.57mm)           Number of Rows         2           Pitch         0.125" (3.18mm)           Features         -           Mounting Type         Through Hole           Termination         Solder           Contact Material         Copper, Nickel, Tin Alloy           Contact Finish         Gold           Contact Type         -           Color         Black           Flange Feature         Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia           Operating Temperature         -65°C ~ 125°C           Report errors?	*	
Category         Connectors, Interconnects           Package         -           Series         396           Card Type         Non Specified - Dual Edge           Gender         Female           Number of Positions/Bay/Row         28           Number of Positions         56           Card Thickness         0.062" (1.57mm)           Number of Rows         2           Pitch         0.125" (3.18mm)           Features         -           Mounting Type         Through Hole           Termination         Solder           Contact Material         Copper, Nickel, Tin Alloy           Contact Finish         Gold           Contact Type         -           Color         Black           Flange Feature         Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia           Operating Temperature         -65°C ~ 125°C	Manufacturer Part Number	396-056-522-802
Package         -           Series         396           Card Type         Non Specified - Dual Edge           Gender         Female           Number of Positions/Bay/Row         28           Number of Positions         56           Card Thickness         0.062" (1.57mm)           Number of Rows         2           Pitch         0.125" (3.18mm)           Features         -           Mounting Type         Through Hole           Termination         Solder           Contact Material         Copper, Nickel, Tin Alloy           Contact Finish         Gold           Contact Type         -           Color         Black           Flange Feature         Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia           Operating Temperature         -65°C ~ 125°C	Manufacturer	EDAC Inc.
Package         -           Series         396           Card Type         Non Specified - Dual Edge           Gender         Female           Number of Positions/Bay/Row         28           Number of Positions         56           Card Thickness         0.062" (1.57mm)           Number of Rows         2           Pitch         0.125" (3.18mm)           Features         -           Mounting Type         Through Hole           Termination         Solder           Contact Material         Copper, Nickel, Tin Alloy           Contact Finish         Gold           Contact Finish Thickness         -           Contact Type         -           Color         Black           Flange Feature         Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia           Operating Temperature         -65°C ~ 125°C	Category	Connectors, Interconnects
Series         396           Card Type         Non Specified - Dual Edge           Gender         Female           Number of Positions/Bay/Row         28           Number of Positions         56           Card Thickness         0.062" (1.57mm)           Number of Rows         2           Pitch         0.125" (3.18mm)           Features         -           Mounting Type         Through Hole           Termination         Solder           Contact Material         Copper, Nickel, Tin Alloy           Contact Finish         Gold           Contact Finish Thickness         -           Contact Type         -           Color         Black           Flange Feature         Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia           Operating Temperature         -65°C ~ 125°C		Card Edge Connectors - Edgeboard Connectors
Card TypeNon Specified - Dual EdgeGenderFemaleNumber of Positions/Bay/Row28Number of Positions56Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.125" (3.18mm)Features-Mounting TypeThrough HoleTerminationSolderContact MaterialCopper, Nickel, Tin AlloyContact FinishGoldContact Type-ColorBlackFlange FeatureTop Mount Opening, Unthreaded, 0.128" (3.25mm) DiaOperating Temperature-65°C ~ 125°C	Package	-
GenderFemaleNumber of Positions/Bay/Row28Number of Positions56Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.125" (3.18mm)Features-Mounting TypeThrough HoleTerminationSolderContact MaterialCopper, Nickel, Tin AlloyContact FinishGoldContact Finish Thickness-Contact Type-ColorBlackFlange FeatureTop Mount Opening, Unthreaded, 0.128" (3.25mm) DiaOperating Temperature-65°C ~ 125°C	Series	396
Number of Positions/Bay/Row28Number of Positions56Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.125" (3.18mm)Features-Mounting TypeThrough HoleTerminationSolderContact MaterialCopper, Nickel, Tin AlloyContact FinishGoldContact Finish Thickness-Contact Type-ColorBlackFlange FeatureTop Mount Opening, Unthreaded, 0.128" (3.25mm) DiaOperating Temperature-65°C ~ 125°C	Card Type	Non Specified - Dual Edge
Number of Positions  Card Thickness  0.062" (1.57mm)  Number of Rows  2  Pitch  0.125" (3.18mm)  Features  - Mounting Type  Through Hole  Termination  Solder  Contact Material  Copper, Nickel, Tin Alloy  Contact Finish  Gold  Contact Finish Thickness  - Contact Type  Color  Black  Flange Feature  Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia  Operating Temperature  -65°C ~ 125°C	Gender	Female
Card Thickness 0.062" (1.57mm)  Number of Rows 2  Pitch 0.125" (3.18mm)  Features - Mounting Type Through Hole  Termination Solder  Contact Material Copper, Nickel, Tin Alloy  Contact Finish Thickness - Contact Type - Color Black  Flange Feature Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia  Operating Temperature -65°C ~ 125°C	Number of Positions/Bay/Row	28
Number of Rows  Pitch  0.125" (3.18mm)  Features  - Mounting Type  Through Hole  Termination  Solder  Contact Material  Copper, Nickel, Tin Alloy  Contact Finish  Contact Finish Thickness  - Contact Type  Color  Black  Flange Feature  Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia  Operating Temperature	Number of Positions	56
Pitch 0.125" (3.18mm)  Features -  Mounting Type Through Hole  Termination Solder  Contact Material Copper, Nickel, Tin Alloy  Contact Finish Gold  Contact Finish Thickness -  Contact Type -  Color Black  Flange Feature Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia  Operating Temperature -65°C ~ 125°C	Card Thickness	0.062" (1.57mm)
Features  Mounting Type Through Hole  Termination Solder  Contact Material Copper, Nickel, Tin Alloy  Contact Finish Gold  Contact Finish Thickness - Contact Type - Color Black  Flange Feature Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia  Operating Temperature  -65°C ~ 125°C	Number of Rows	2
Mounting TypeThrough HoleTerminationSolderContact MaterialCopper, Nickel, Tin AlloyContact FinishGoldContact Finish Thickness-Contact Type-ColorBlackFlange FeatureTop Mount Opening, Unthreaded, 0.128" (3.25mm) DiaOperating Temperature-65°C ~ 125°C	Pitch	0.125" (3.18mm)
Termination Solder  Contact Material Copper, Nickel, Tin Alloy  Contact Finish Gold  Contact Finish Thickness -  Contact Type -  Color Black  Flange Feature Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia  Operating Temperature -65°C ~ 125°C	Features	-
Contact Material  Copper, Nickel, Tin Alloy  Contact Finish  Gold  Contact Finish Thickness  -  Contact Type  -  Color  Black  Flange Feature  Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia  Operating Temperature  -65°C ~ 125°C	Mounting Type	Through Hole
Contact Finish  Contact Finish Thickness  Contact Type  Color  Black  Flange Feature  Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia  Operating Temperature  -65°C ~ 125°C	Termination	Solder
Contact Finish Thickness -  Contact Type -  Color Black  Flange Feature Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia  Operating Temperature -65°C ~ 125°C	Contact Material	Copper, Nickel, Tin Alloy
Contact Type -  Color Black  Flange Feature Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia  Operating Temperature -65°C ~ 125°C	Contact Finish	Gold
Color Black Flange Feature Top Mount Opening, Unthreaded, $0.128$ " ( $3.25$ mm) Dia Operating Temperature $-65$ °C $\sim 125$ °C	Contact Finish Thickness	-
Flange Feature Top Mount Opening, Unthreaded, $0.128$ " ( $3.25$ mm) Dia Operating Temperature $-65$ °C $\sim 125$ °C	Contact Type	-
Operating Temperature $-65^{\circ}\text{C} \sim 125^{\circ}\text{C}$	Color	Black
	Flange Feature	Top Mount Opening, Unthreaded, 0.128" (3.25mm) Dia
Report errors?	Operating Temperature	-65°C ~ 125°C
		Report errors?

#### 396-056-522-802 Guarantees



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### 396-056-522-802 Payment Methods



















### 396-056-522-802 Shipping Methods













If you have any question about 396-056-522-802, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com