

4-1877847-7 Information

Heisener.com

Part Number 4-1877847-7

Manufacturer TE Connectivity AMP Connectors

Category Connectors, Interconnects

Circular Connectors

Description PLUG 7POS 80 DEG GRY/YEL 4.0-5.2

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









4-1877847-7 Specifications

| Manufacturer Part Number4-1877847-7ManufacturerTE Connectivity AMP ConnectorsCategoryConnectors, InterconnectsPackage-SeriesMedical CPCConnector TypePlug, Male PinsNumber of Positions7Shell Size - Insert-Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeLatch LockOrientationKeyedIngress Protection-Shell Material, FinishThermoplasticContact FinishGoldFeaturesAssembly KitVoltage - Rated300VACCurrent Rating5A | | |
|--|--------------------------|--------------------------------|
| Category Connectors, Interconnects Circular Connectors Package - Series Medical CPC Connector Type Plug, Male Pins Number of Positions 7 Shell Size - Insert Shell Size, MIL - Mounting Type Free Hanging (In-Line) Fastening Type Latch Lock Orientation Keyed Ingress Protection Shell Material, Finish Contact Finish Gold Features Assembly Kit Voltage - Rated Current Rating 5 A | Manufacturer Part Number | 4-1877847-7 |
| Circular Connectors Package Series Medical CPC Connector Type Plug, Male Pins Number of Positions 7 Shell Size - Insert - Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Latch Lock Orientation Keyed Ingress Protection - Shell Material, Finish Gold Features Assembly Kit Voltage - Rated 300VAC Current Rating 5 | Manufacturer | TE Connectivity AMP Connectors |
| Package - Genetic Positions - Plug, Male Pins - Positions - Pree Hanging (In-Line) - Pree Hanging (In-Line) - Pree Hanging (In-Line) - Pree Hanging (In-Line) - Pree Hanging Type - Pree Hanging (In-Line) - Pree Hanging (In-Line | Category | Connectors, Interconnects |
| Series Medical CPC Connector Type Plug, Male Pins Number of Positions 7 Shell Size - Insert - Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Latch Lock Orientation Keyed Ingress Protection - Shell Material, Finish Thermoplastic Contact Finish Gold Features Assembly Kit Voltage - Rated 300VAC Current Rating 54 | | Circular Connectors |
| Connector Type Plug, Male Pins Number of Positions 7 Shell Size - Insert - Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Latch Lock Orientation Keyed Ingress Protection - Shell Material, Finish Thermoplastic Contact Finish Gold Features Assembly Kit Voltage - Rated 300VAC Current Rating 54 | Package | - |
| Number of Positions7Shell Size - Insert-Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeLatch LockOrientationKeyedIngress Protection-Shell Material, FinishThermoplasticContact FinishGoldFeaturesAssembly KitVoltage - Rated300VACCurrent Rating5A | Series | Medical CPC |
| Shell Size - Insert Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Latch Lock Orientation Keyed Ingress Protection - Shell Material, Finish Thermoplastic Contact Finish Gold Features Assembly Kit Voltage - Rated Current Rating 5A | Connector Type | Plug, Male Pins |
| Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Latch Lock Orientation Keyed Ingress Protection - Shell Material, Finish Thermoplastic Contact Finish Gold Features Assembly Kit Voltage - Rated Current Rating 5A | Number of Positions | 7 |
| Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Latch Lock Orientation Keyed Ingress Protection - Shell Material, Finish Thermoplastic Contact Finish Gold Features Assembly Kit Voltage - Rated 300VAC Current Rating 5A | Shell Size - Insert | - |
| Termination Solder Cup Fastening Type Latch Lock Orientation Keyed Ingress Protection - Shell Material, Finish Thermoplastic Contact Finish Gold Features Assembly Kit Voltage - Rated 300VAC Current Rating 5A | Shell Size, MIL | - |
| Fastening Type Corientation Ingress Protection Shell Material, Finish Contact Finish Features Assembly Kit Voltage - Rated Current Rating Latch Lock Keyed Features Gold Assembly Kit Shell Material, Finish Gold Assembly Kit Shell Material, Finish Gold Features Assembly Kit Shell Material, Finish Gold Features Assembly Kit | Mounting Type | Free Hanging (In-Line) |
| Orientation Keyed Ingress Protection - Shell Material, Finish Thermoplastic Contact Finish Gold Features Assembly Kit Voltage - Rated 300VAC Current Rating 5A | Termination | Solder Cup |
| Ingress Protection - Shell Material, Finish Thermoplastic Contact Finish Gold Features Assembly Kit Voltage - Rated 300VAC Current Rating 5A | Fastening Type | Latch Lock |
| Shell Material, FinishThermoplasticContact FinishGoldFeaturesAssembly KitVoltage - Rated300VACCurrent Rating5A | Orientation | Keyed |
| Contact Finish Gold Features Assembly Kit Voltage - Rated 300VAC Current Rating 5A | Ingress Protection | - |
| Features Assembly Kit Voltage - Rated 300VAC Current Rating 5A | Shell Material, Finish | Thermoplastic |
| Voltage - Rated 300VAC Current Rating 5A | Contact Finish | Gold |
| Current Rating 5A | Features | Assembly Kit |
| | Voltage - Rated | 300VAC |
| Report errors? | Current Rating | 5A |
| | | Report errors? |

4-1877847-7 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

4-1877847-7 Payment Methods





















4-1877847-7 Shipping Methods













If you have any question about 4-1877847-7, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com