

## 4108R-1-503LF Information



For Reference Only

Part Number 4108R-1-503LF Manufacturer Bourns Inc. Category Resistors

Resistor Networks, Arrays

**Description** RES ARRAY 4 RES 50K OHM 8DIP

**Package** 8-DIP (0.300", 7.62mm)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## 4108R-1-503LF Specifications

Manufacturer Part Number         4108R-1-503LF           Manufacturer         Bourns Inc.           Category         Resistors           Resistor Networks, Arrays           Package         8-DIP (0.300", 7.62mm)           Series         4100R           Circuit Type         Isolated           Resistance (Ohms)         50k           Tolerance         ±2%           Number of Resistors         4           Number of Pins         8           Power Per Element         250mW           Temperature Coefficient         ±100ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -           Mounting Type         Through Hole           Package / Case         8-DIP (0.300", 7.62mm)           Supplier Device Package         8-DIP           Size / Dimension         0.465" L x 0.300" W (11.81mm x 7.62mm)           Height - Seated (Max)         0.185" (4.69mm)		
Category         Resistors           Package         8-DIP (0.300", 7.62mm)           Series         4100R           Circuit Type         Isolated           Resistance (Ohms)         50k           Tolerance         ±2%           Number of Resistors         4           Number of Pins         8           Power Per Element         250mW           Temperature Coefficient         ±100ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -           Mounting Type         Through Hole           Package / Case         8-DIP (0.300", 7.62mm)           Supplier Device Package         8-DIP           Size / Dimension         0.465" L x 0.300" W (11.81mm x 7.62mm)           Height - Seated (Max)         0.185" (4.69mm)	Manufacturer Part Number	4108R-1-503LF
Resistor Networks, Arrays           Package         8-DIP (0.300", 7.62mm)           Series         4100R           Circuit Type         Isolated           Resistance (Ohms)         50k           Tolerance         ±2%           Number of Resistors         4           Number of Pins         8           Power Per Element         250mW           Temperature Coefficient         ±100ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -           Mounting Type         Through Hole           Package / Case         8-DIP (0.300", 7.62mm)           Supplier Device Package         8-DIP           Size / Dimension         0.465" L x 0.300" W (11.81mm x 7.62mm)           Height - Seated (Max)         0.185" (4.69mm)	Manufacturer	Bourns Inc.
Package         8-DIP (0.300", 7.62mm)           Series         4100R           Circuit Type         Isolated           Resistance (Ohms)         50k           Tolerance         ±2%           Number of Resistors         4           Number of Pins         8           Power Per Element         250mW           Temperature Coefficient         ±100ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -           Mounting Type         Through Hole           Package / Case         8-DIP (0.300", 7.62mm)           Supplier Device Package         8-DIP           Size / Dimension         0.465" L x 0.300" W (11.81mm x 7.62mm)           Height - Seated (Max)         0.185" (4.69mm)	Category	Resistors
Series         4100R           Circuit Type         Isolated           Resistance (Ohms)         50k           Tolerance         ±2%           Number of Resistors         4           Number of Pins         8           Power Per Element         250mW           Temperature Coefficient         ±100ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -           Mounting Type         Through Hole           Package / Case         8-DIP (0.300", 7.62mm)           Supplier Device Package         8-DIP           Size / Dimension         0.465" L x 0.300" W (11.81mm x 7.62mm)           Height - Seated (Max)         0.185" (4.69mm)		Resistor Networks, Arrays
Circuit TypeIsolatedResistance (Ohms)50kTolerance±2%Number of Resistors4Number of Pins8Power Per Element250mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-DIP (0.300", 7.62mm)Size / Dimension0.465" L x 0.300" W (11.81mm x 7.62mm)Height - Seated (Max)0.185" (4.69mm)	Package	8-DIP (0.300", 7.62mm)
Resistance (Ohms)       50k         Tolerance       ±2%         Number of Resistors       4         Number of Pins       8         Power Per Element       250mW         Temperature Coefficient       ±100ppm/°C         Operating Temperature       -55°C ~ 125°C         Applications       -         Mounting Type       Through Hole         Package / Case       8-DIP (0.300", 7.62mm)         Supplier Device Package       8-DIP         Size / Dimension       0.465" L x 0.300" W (11.81mm x 7.62mm)         Height - Seated (Max)       0.185" (4.69mm)	Series	4100R
Tolerance±2%Number of Resistors4Number of Pins8Power Per Element250mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-DIP (0.300", 7.62mm)Supplier Device Package8-DIPSize / Dimension0.465" L x 0.300" W (11.81mm x 7.62mm)Height - Seated (Max)0.185" (4.69mm)	Circuit Type	Isolated
Number of Resistors4Number of Pins8Power Per Element250mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-DIP (0.300", 7.62mm)Supplier Device Package8-DIPSize / Dimension0.465" L x 0.300" W (11.81mm x 7.62mm)Height - Seated (Max)0.185" (4.69mm)	Resistance (Ohms)	50k
Number of Pins 8  Power Per Element 250mW  Temperature Coefficient ±100ppm/°C  Operating Temperature -55°C ~ 125°C  Applications -  Mounting Type Through Hole  Package / Case 8-DIP (0.300", 7.62mm)  Supplier Device Package 8-DIP  Size / Dimension 0.465" L x 0.300" W (11.81mm x 7.62mm)  Height - Seated (Max) 0.185" (4.69mm)	Tolerance	±2%
Power Per Element  250mW  Temperature Coefficient  ±100ppm/°C  Operating Temperature  -55°C ~ 125°C  Applications  -  Mounting Type  Through Hole  Package / Case  8-DIP (0.300", 7.62mm)  Supplier Device Package  8-DIP  Size / Dimension  0.465" L x 0.300" W (11.81mm x 7.62mm)  Height - Seated (Max)  0.185" (4.69mm)	Number of Resistors	4
Temperature Coefficient $\pm 100 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Applications $-$ Mounting Type Through Hole Package / Case 8-DIP $(0.300'', 7.62 \text{mm})$ Supplier Device Package 8-DIP Size / Dimension $0.465'' \text{L x } 0.300'' \text{W } (11.81 \text{mm x } 7.62 \text{mm})$ Height - Seated (Max) $0.185'' (4.69 \text{mm})$	Number of Pins	8
Operating Temperature  -55°C ~ 125°C  Applications  -  Mounting Type  Through Hole  Package / Case  8-DIP (0.300", 7.62mm)  Supplier Device Package  8-DIP  Size / Dimension  0.465" L x 0.300" W (11.81mm x 7.62mm)  Height - Seated (Max)  0.185" (4.69mm)	Power Per Element	250mW
Applications - Mounting Type Through Hole Package / Case 8-DIP (0.300", 7.62mm) Supplier Device Package 8-DIP Size / Dimension 0.465" L x 0.300" W (11.81mm x 7.62mm) Height - Seated (Max) 0.185" (4.69mm)	Temperature Coefficient	±100ppm/°C
Mounting Type Through Hole Package / Case 8-DIP (0.300", 7.62mm)  Supplier Device Package 8-DIP Size / Dimension 0.465" L x 0.300" W (11.81mm x 7.62mm)  Height - Seated (Max) 0.185" (4.69mm)	Operating Temperature	-55°C ~ 125°C
Package / Case       8-DIP (0.300", 7.62mm)         Supplier Device Package       8-DIP         Size / Dimension       0.465" L x 0.300" W (11.81mm x 7.62mm)         Height - Seated (Max)       0.185" (4.69mm)	Applications	-
Supplier Device Package  Size / Dimension  0.465" L x 0.300" W (11.81mm x 7.62mm)  Height - Seated (Max)  0.185" (4.69mm)	Mounting Type	Through Hole
Size / Dimension       0.465" L x 0.300" W (11.81mm x 7.62mm)         Height - Seated (Max)       0.185" (4.69mm)	Package / Case	8-DIP (0.300", 7.62mm)
Height - Seated (Max) 0.185" (4.69mm)	Supplier Device Package	8-DIP
	Size / Dimension	0.465" L x 0.300" W (11.81mm x 7.62mm)
Report errors?	Height - Seated (Max)	0.185" (4.69mm)
		Report errors?

#### 4108R-1-503LF Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## 4108R-1-503LF Payment Methods





















## 4108R-1-503LF Shipping Methods













If you have any question about 4108R-1-503LF, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com