



### 4114R-1-184LF Information



For Reference Only

Part Number 4114R-1-184LF Manufacturer Bourns Inc. Category Resistors

Resistor Networks, Arrays

**Description** RES ARRAY 7 RES 180K OHM 14DIP

**Package** 14-DIP (0.300", 7.62mm)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# 4114R-1-184LF Specifications

Manufacturer Part Number         4114R-1-184LF           Manufacturer         Bourns Inc.           Category         Resistors           Package         14-DIP (0.300", 7.62mm)           Series         4100R           Circuit Type         Isolated           Resistance (Ohms)         180k           Tolerance         ±2%           Number of Resistors         7           Number of Pins         14           Power Per Element         250mW           Temperature Coefficient         ±100ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -           Mounting Type         Through Hole           Package / Case         14-DIP (0.300", 7.62mm)           Supplier Device Package         14-DIP           Size / Dimension         0.765" L x 0.300" W (19.43mm x 7.62mm)           Height - Seated (Max)         0.185" (4.69mm)	_	
Category         Resistors           Package         14-DIP (0.300", 7.62mm)           Series         4100R           Circuit Type         Isolated           Resistance (Ohms)         180k           Tolerance         ±2%           Number of Resistors         7           Number of Pins         14           Power Per Element         250mW           Temperature Coefficient         ±100ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -           Mounting Type         Through Hole           Package / Case         14-DIP (0.300", 7.62mm)           Supplier Device Package         14-DIP           Size / Dimension         0.765" L x 0.300" W (19.43mm x 7.62mm)	Manufacturer Part Number	4114R-1-184LF
Resistor Networks, Arrays           Package         14-DIP (0.300", 7.62mm)           Series         4100R           Circuit Type         Isolated           Resistance (Ohms)         180k           Tolerance         ±2%           Number of Resistors         7           Number of Pins         14           Power Per Element         250mW           Temperature Coefficient         ±100ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -           Mounting Type         Through Hole           Package / Case         14-DIP (0.300", 7.62mm)           Supplier Device Package         14-DIP           Size / Dimension         0.765" L x 0.300" W (19.43mm x 7.62mm)	Manufacturer	Bourns Inc.
Package       14-DIP (0.300", 7.62mm)         Series       4100R         Circuit Type       Isolated         Resistance (Ohms)       180k         Tolerance       ±2%         Number of Resistors       7         Number of Pins       14         Power Per Element       250mW         Temperature Coefficient       ±100ppm/°C         Operating Temperature       -55°C ~ 125°C         Applications       -         Mounting Type       Through Hole         Package / Case       14-DIP (0.300", 7.62mm)         Supplier Device Package       14-DIP         Size / Dimension       0.765" L x 0.300" W (19.43mm x 7.62mm)	Category	Resistors
Series         4100R           Circuit Type         Isolated           Resistance (Ohms)         180k           Tolerance         ±2%           Number of Resistors         7           Number of Pins         14           Power Per Element         250mW           Temperature Coefficient         ±100ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -           Mounting Type         Through Hole           Package / Case         14-DIP (0.300", 7.62mm)           Supplier Device Package         14-DIP           Size / Dimension         0.765" L x 0.300" W (19.43mm x 7.62mm)		Resistor Networks, Arrays
Circuit TypeIsolatedResistance (Ohms)180kTolerance±2%Number of Resistors7Number of Pins14Power Per Element250mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case14-DIP (0.300", 7.62mm)Supplier Device Package14-DIPSize / Dimension0.765" L x 0.300" W (19.43mm x 7.62mm)	Package	14-DIP (0.300", 7.62mm)
Resistance (Ohms)       180k         Tolerance       ±2%         Number of Resistors       7         Number of Pins       14         Power Per Element       250mW         Temperature Coefficient       ±100ppm/°C         Operating Temperature       -55°C ~ 125°C         Applications       -         Mounting Type       Through Hole         Package / Case       14-DIP (0.300", 7.62mm)         Supplier Device Package       14-DIP         Size / Dimension       0.765" L x 0.300" W (19.43mm x 7.62mm)	Series	4100R
Tolerance ±2%  Number of Resistors 7  Number of Pins 14  Power Per Element 250mW  Temperature Coefficient ±100ppm/°C  Operating Temperature -55°C ~ 125°C  Applications -  Mounting Type Through Hole  Package / Case 14-DIP (0.300", 7.62mm)  Supplier Device Package 14-DIP  Size / Dimension 0.765" L x 0.300" W (19.43mm x 7.62mm)	Circuit Type	Isolated
Number of Resistors7Number of Pins14Power Per Element250mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case14-DIP (0.300", 7.62mm)Supplier Device Package14-DIPSize / Dimension0.765" L x 0.300" W (19.43mm x 7.62mm)	Resistance (Ohms)	180k
Number of Pins14Power Per Element250mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case14-DIP (0.300", 7.62mm)Supplier Device Package14-DIPSize / Dimension0.765" L x 0.300" W (19.43mm x 7.62mm)	Tolerance	±2%
Power Per Element 250mW  Temperature Coefficient ±100ppm/°C  Operating Temperature -55°C ~ 125°C  Applications -  Mounting Type Through Hole  Package / Case 14-DIP (0.300", 7.62mm)  Supplier Device Package 14-DIP  Size / Dimension 0.765" L x 0.300" W (19.43mm x 7.62mm)	Number of Resistors	7
Temperature Coefficient $\pm 100 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Applications $-$ Mounting Type Through Hole  Package / Case $14\text{-DIP} (0.300^{\circ}, 7.62 \text{mm})$ Supplier Device Package $14\text{-DIP}$ Size / Dimension $0.765^{\circ}\text{L} \times 0.300^{\circ} \text{W} (19.43 \text{mm} \times 7.62 \text{mm})$	Number of Pins	14
Operating Temperature  -55°C ~ 125°C  Applications  - Mounting Type  Through Hole  Package / Case  14-DIP (0.300", 7.62mm)  Supplier Device Package  14-DIP  Size / Dimension  0.765" L x 0.300" W (19.43mm x 7.62mm)	Power Per Element	250mW
Applications - Mounting Type Through Hole  Package / Case 14-DIP (0.300", 7.62mm)  Supplier Device Package 14-DIP  Size / Dimension 0.765" L x 0.300" W (19.43mm x 7.62mm)	Temperature Coefficient	±100ppm/°C
Mounting Type Through Hole Package / Case 14-DIP (0.300", 7.62mm) Supplier Device Package 14-DIP Size / Dimension 0.765" L x 0.300" W (19.43mm x 7.62mm)	Operating Temperature	-55°C ~ 125°C
Package / Case       14-DIP (0.300", 7.62mm)         Supplier Device Package       14-DIP         Size / Dimension       0.765" L x 0.300" W (19.43mm x 7.62mm)	Applications	-
Supplier Device Package 14-DIP Size / Dimension 0.765" L x 0.300" W (19.43mm x 7.62mm)	Mounting Type	Through Hole
Size / Dimension 0.765" L x 0.300" W (19.43mm x 7.62mm)	Package / Case	14-DIP (0.300", 7.62mm)
· · · · · · · · · · · · · · · · · · ·	Supplier Device Package	14-DIP
Height - Seated (Max) 0.185" (4.69mm)	Size / Dimension	0.765" L x 0.300" W (19.43mm x 7.62mm)
1105 (1107 IIII)	Height - Seated (Max)	0.185" (4.69mm)
Report errors?		Report errors?

#### 4114R-1-184LF Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### 4114R-1-184LF Payment Methods



















### 4114R-1-184LF Shipping Methods













If you have any question about 4114R-1-184LF, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com