

4116R-2-150LF Information



For Reference Only

Part Number 4116R-2-150LF Manufacturer Bourns Inc. Category Resistors

Resistor Networks, Arrays

Description RES ARRAY 15 RES 15 OHM 16DIP

Package 16-DIP (0.300", 7.62mm)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









4116R-2-150LF Specifications

| Manufacturer Part Number 4116R-2-150LF Manufacturer Bourns Inc. Category Resistors Resistor Networks, Arrays Package 16-DIP (0.300", 7.62mm) Series 4100R Circuit Type Bussed Resistance (Ohms) 15 Tolerance ±1 Ohm Number of Resistors 15 Number of Pins 16 Power Per Element 125mW Temperature Coefficient ±250ppm/°C Operating Temperature -55°C ~ 125°C |
|---|
| Category Resistors Resistor Networks, Arrays Package 16-DIP (0.300", 7.62mm) Series 4100R Circuit Type Bussed Resistance (Ohms) 15 Tolerance ±1 Ohm Number of Resistors 15 Number of Pins 16 Power Per Element 125mW Temperature Coefficient ±250ppm/°C |
| Resistor Networks, Arrays Package 16-DIP (0.300", 7.62mm) Series 4100R Circuit Type Bussed Resistance (Ohms) 15 Tolerance ±1 Ohm Number of Resistors 15 Number of Pins 16 Power Per Element 125mW Temperature Coefficient ±250ppm/°C |
| Package 16-DIP (0.300", 7.62mm) Series 4100R Circuit Type Bussed Resistance (Ohms) 15 Tolerance ±1 Ohm Number of Resistors 15 Number of Pins 16 Power Per Element 125mW Temperature Coefficient ±250ppm/°C |
| Series 4100R Circuit Type Bussed Resistance (Ohms) 15 Tolerance ±1 Ohm Number of Resistors 15 Number of Pins 16 Power Per Element 125mW Temperature Coefficient ±250ppm/°C |
| Circuit Type Bussed Resistance (Ohms) 15 Tolerance ±1 Ohm Number of Resistors 15 Number of Pins 16 Power Per Element 125mW Temperature Coefficient ±250ppm/°C |
| Resistance (Ohms) 15 Tolerance ±1 Ohm Number of Resistors 15 Number of Pins 16 Power Per Element 125mW Temperature Coefficient ±250ppm/°C |
| Tolerance ±1 Ohm Number of Resistors 15 Number of Pins 16 Power Per Element 125mW Temperature Coefficient ±250ppm/°C |
| Number of Resistors15Number of Pins16Power Per Element125mWTemperature Coefficient±250ppm/°C |
| Number of Pins 16 Power Per Element 125mW Temperature Coefficient ±250ppm/°C |
| Power Per Element 125mW Temperature Coefficient ±250ppm/°C |
| Temperature Coefficient ±250ppm/°C |
| - |
| Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ |
| |
| Applications - |
| Mounting Type Through Hole |
| Package / Case 16-DIP (0.300", 7.62mm) |
| Supplier Device Package 16-DIP |
| Size / Dimension 0.865" L x 0.300" W (21.97mm x 7.62mm) |
| Height - Seated (Max) 0.185" (4.69mm) |
| Report errors |

4116R-2-150LF Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

4116R-2-150LF Payment Methods



















4116R-2-150LF Shipping Methods













If you have any question about 4116R-2-150LF, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com