



416F40012AAT Information



For Reference Only

Part Number 416F40012AAT

Manufacturer CTS-Frequency Controls

Category Crystals, Oscillators, Resonators

Crystals

Description CRYSTAL 40.000 MHZ 10PF SMT

Package 4-SMD, No Lead

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









416F40012AAT Specifications

Manufacturer Part Number416F40012AATManufacturerCTS-Frequency ControlsCategoryCrystals, Oscillators, ResonatorsCrystalsCrystalsPackage4-SMD, No LeadSeries416TypeMHz CrystalFrequency40MHzFrequency Stability±20ppmFrequency Tolerance±10ppmLoad Capacitance10pFESR (Equivalent Series Resistance)100 OhmOperating ModeFundamentalOperating Temperature-10°C ~ 60°C
Category Crystals, Oscillators, Resonators Crystals Package 4-SMD, No Lead Series 416 Type MHz Crystal Frequency 40MHz Frequency Stability ±20ppm Frequency Tolerance ±10ppm Load Capacitance 10pF ESR (Equivalent Series Resistance) 100 Ohm Operating Mode Operating Temperature -10°C ~ 60°C
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Package4-SMD, No LeadSeries416TypeMHz CrystalFrequency40MHzFrequency Stability ± 20 ppmFrequency Tolerance ± 10 ppmLoad Capacitance 10 pFESR (Equivalent Series Resistance) 100 OhmOperating ModeFundamentalOperating Temperature -10 °C ~ 60 °C
Series 416 TypeMHz CrystalFrequency 40MHz Frequency Stability $\pm 20 \text{ppm}$ Frequency Tolerance $\pm 10 \text{ppm}$ Load Capacitance 10ppm ESR (Equivalent Series Resistance) 100 Ohm Operating ModeFundamentalOperating Temperature $-10^{\circ}\text{C} \sim 60^{\circ}\text{C}$
Type MHz Crystal Frequency 40MHz Frequency Stability ± 20 ppm Frequency Tolerance ± 10 ppm Load Capacitance 10 pF ESR (Equivalent Series Resistance) 100 Ohm Operating Mode Fundamental Operating Temperature -10° C $\sim 60^{\circ}$ C
Frequency Stability $\pm 20 \mathrm{ppm}$ Frequency Tolerance $\pm 10 \mathrm{ppm}$ Load Capacitance $10 \mathrm{pF}$ ESR (Equivalent Series Resistance) $100 \mathrm{Ohm}$ Operating Mode Fundamental Operating Temperature $-10^{\circ}\mathrm{C} \sim 60^{\circ}\mathrm{C}$
Frequency Stability ± 20 ppm Frequency Tolerance ± 10 ppm Load Capacitance 10 pF ESR (Equivalent Series Resistance) 100 Ohm Operating Mode Fundamental Operating Temperature -10° C $\sim 60^{\circ}$ C
Frequency Tolerance $\pm 10 \mathrm{ppm}$ Load Capacitance $10 \mathrm{pF}$ ESR (Equivalent Series Resistance) $100 \mathrm{Ohm}$ Operating Mode Fundamental Operating Temperature $-10 \mathrm{^{\circ}C} \sim 60 \mathrm{^{\circ}C}$
Load Capacitance $10pF$ ESR (Equivalent Series Resistance) $100 Ohm$ Operating ModeFundamentalOperating Temperature $-10^{\circ}C \sim 60^{\circ}C$
ESR (Equivalent Series Resistance) 100 Ohm Operating Mode Fundamental Operating Temperature $-10^{\circ}\text{C} \sim 60^{\circ}\text{C}$
Operating Mode Fundamental Operating Temperature $-10^{\circ}\text{C} \sim 60^{\circ}\text{C}$
Operating Temperature $-10^{\circ}\text{C} \sim 60^{\circ}\text{C}$
Ratings -
Mounting Type Surface Mount
Package / Case 4-SMD, No Lead
Size / Dimension 0.063" L x 0.047" W (1.60mm x 1.20mm)
Height - Seated (Max) 0.018" (0.45mm)
Report errors?

416F40012AAT Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

416F40012AAT Payment Methods





















416F40012AAT Shipping Methods













If you have any question about 416F40012AAT, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com