

4232-222F

4232-222F Information

Contact territors	Part Number Manufacturer Category Description Package	4232-222F API Delevan Inc. Inductors, Coils, Chokes Fixed Inductors FIXED IND 2.2UH 416MA 1.2 OHM 2-SMD For the pricing/inventory/lead time, please contact	
For Reference Only		us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



4232-222F Specifications

Manufacturer Part Number	4232-222F		
Manufacturer	API Delevan Inc.		
Category	Inductors, Coils, Chokes		
	Fixed Inductors		
Package	2-SMD		
Series	4232		
Туре	Wirewound		
Material - Core	Iron		
Inductance	2.2µH		
Tolerance	$\pm 1\%$		
Current Rating	416mA		
Current - Saturation	-		
Shielding	Unshielded		
DC Resistance (DCR)	1.2 Ohm Max		
Q @ Freq	30 @ 7.9MHz		
Frequency - Self Resonant	55MHz		
Ratings	-		
Operating Temperature	-55°C ~ 125°C		
Frequency - Test	7.9MHz		
Features	-		
Mounting Type	Surface Mount		
Package / Case	2-SMD		
Supplier Device Package	-		
Size / Dimension	0.138" L x 0.105" W (3.51mm x 2.67mm)		

Height - Seated (Max)		0.101" (2.57mm)							
					Report errors?				
4232-222F Guarantees									
QUALITY	Quality Guarantees We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.								
Service Guarantees We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.									
4232-222F Payment Methods									
WIRE transfer	PayPal Western UNION moving money	for better	Alipay		Union Pay				
4232-222F Shipping Methods									
-	<i>EHL</i> Fed	x. 🕫 TRT	TEMS						

If you have any question about 4232-222F, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com