



## 4304M-102-220LF Information

Heisener.com

**Part Number** 4304M-102-220LF

Manufacturer Bourns Inc.
Category Resistors

Resistor Networks, Arrays

**Description** RES ARRAY 2 RES 22 OHM 4SIP

Package 4-SIP

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com

Request a Quote



# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# 4304M-102-220LF Specifications

Manufacturer Part Number         4304M-102-220LF           Manufacturer         Bourns Inc.           Category         Resistors           Resistor Networks, Arrays           Package         4-SIP           Series         4300M           Circuit Type         Isolated           Resistance (Ohms)         22           Tolerance         ±1 Ohm           Number of Resistors         2           Number of Pins         4           Power Per Element         400mW           Temperature Coefficient         ±250ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -           Mounting Type         Through Hole           Package / Case         4-SIP           Supplier Device Package         4-SIP           Size / Dimension         0.384" L x 0.085" W (9.75mm x 2.16mm)           Height - Seated (Max)         0.250" (6.35mm)		
Category         Resistors           Package         4-SIP           Series         4300M           Circuit Type         Isolated           Resistance (Ohms)         22           Tolerance         ±1 Ohm           Number of Resistors         2           Number of Pins         4           Power Per Element         400mW           Temperature Coefficient         ±250ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -           Mounting Type         Through Hole           Package / Case         4-SIP           Supplier Device Package         4-SIP           Size / Dimension         0.384" L x 0.085" W (9.75mm x 2.16mm)           Height - Seated (Max)         0.250" (6.35mm)	Manufacturer Part Number	4304M-102-220LF
Resistor Networks, Arrays           Package         4-SIP           Series         4300M           Circuit Type         Isolated           Resistance (Ohms)         22           Tolerance         ±1 Ohm           Number of Resistors         2           Number of Pins         4           Power Per Element         400mW           Temperature Coefficient         ±250ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -           Mounting Type         Through Hole           Package / Case         4-SIP           Supplier Device Package         4-SIP           Size / Dimension         0.384" L x 0.085" W (9.75mm x 2.16mm)           Height - Seated (Max)         0.250" (6.35mm)	Manufacturer	Bourns Inc.
Package       4-SIP         Series       4300M         Circuit Type       Isolated         Resistance (Ohms)       22         Tolerance       ±1 Ohm         Number of Resistors       2         Number of Pins       4         Power Per Element       400mW         Temperature Coefficient       ±250ppm/°C         Operating Temperature       -55°C ~ 125°C         Applications       -         Mounting Type       Through Hole         Package / Case       4-SIP         Supplier Device Package       4-SIP         Size / Dimension       0.384" L x 0.085" W (9.75mm x 2.16mm)         Height - Seated (Max)       0.250" (6.35mm)	Category	Resistors
Series       4300M         Circuit Type       Isolated         Resistance (Ohms)       22         Tolerance       ±1 Ohm         Number of Resistors       2         Number of Pins       4         Power Per Element       400mW         Temperature Coefficient       ±250ppm/°C         Operating Temperature       -55°C ~ 125°C         Applications       -         Mounting Type       Through Hole         Package / Case       4-SIP         Supplier Device Package       4-SIP         Size / Dimension       0.384" L x 0.085" W (9.75mm x 2.16mm)         Height - Seated (Max)       0.250" (6.35mm)		Resistor Networks, Arrays
Circuit TypeIsolatedResistance (Ohms)22Tolerance±1 OhmNumber of Resistors2Number of Pins4Power Per Element400mWTemperature Coefficient±250ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case4-SIPSupplier Device Package4-SIPSize / Dimension0.384" L x 0.085" W (9.75mm x 2.16mm)Height - Seated (Max)0.250" (6.35mm)	Package	4-SIP
Resistance (Ohms)       22         Tolerance       ±1 Ohm         Number of Resistors       2         Number of Pins       4         Power Per Element       400mW         Temperature Coefficient       ±250ppm/°C         Operating Temperature       -55°C ~ 125°C         Applications       -         Mounting Type       Through Hole         Package / Case       4-SIP         Supplier Device Package       4-SIP         Size / Dimension       0.384" L x 0.085" W (9.75mm x 2.16mm)         Height - Seated (Max)       0.250" (6.35mm)	Series	4300M
Tolerance ±1 Ohm  Number of Resistors 2  Number of Pins 4  Power Per Element 400mW  Temperature Coefficient ±250ppm/°C  Operating Temperature -55°C ~ 125°C  Applications -  Mounting Type Through Hole  Package / Case 4-SIP  Supplier Device Package 4-SIP  Size / Dimension 0.384" L x 0.085" W (9.75mm x 2.16mm)  Height - Seated (Max) 0.250" (6.35mm)	Circuit Type	Isolated
Number of Resistors2Number of Pins4Power Per Element400mWTemperature Coefficient±250ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case4-SIPSupplier Device Package4-SIPSize / Dimension0.384" L x 0.085" W (9.75mm x 2.16mm)Height - Seated (Max)0.250" (6.35mm)	Resistance (Ohms)	22
Number of Pins 4  Power Per Element 400mW  Temperature Coefficient ±250ppm/°C  Operating Temperature -55°C ~ 125°C  Applications -  Mounting Type Through Hole  Package / Case 4-SIP  Size / Dimension 0.384" L x 0.085" W (9.75mm x 2.16mm)  Height - Seated (Max) 0.250" (6.35mm)	Tolerance	±1 Ohm
Power Per Element 400mW  Temperature Coefficient ±250ppm/°C  Operating Temperature -55°C ~ 125°C  Applications -  Mounting Type Through Hole  Package / Case 4-SIP  Supplier Device Package 4-SIP  Size / Dimension 0.384" L x 0.085" W (9.75mm x 2.16mm)  Height - Seated (Max) 0.250" (6.35mm)	Number of Resistors	2
Temperature Coefficient ±250ppm/°C  Operating Temperature -55°C ~ 125°C  Applications -  Mounting Type Through Hole  Package / Case 4-SIP  Supplier Device Package 4-SIP  Size / Dimension 0.384" L x 0.085" W (9.75mm x 2.16mm)  Height - Seated (Max) 0.250" (6.35mm)	Number of Pins	4
Operating Temperature  -55°C ~ 125°C  Applications  -  Mounting Type  Through Hole  Package / Case  4-SIP  Supplier Device Package  4-SIP  Size / Dimension  0.384" L x 0.085" W (9.75mm x 2.16mm)  Height - Seated (Max)  0.250" (6.35mm)	Power Per Element	400mW
Applications - Mounting Type Through Hole Package / Case 4-SIP Supplier Device Package 4-SIP Size / Dimension 0.384" L x 0.085" W (9.75mm x 2.16mm) Height - Seated (Max) 0.250" (6.35mm)	Temperature Coefficient	±250ppm/°C
Mounting Type Through Hole  Package / Case 4-SIP  Supplier Device Package 4-SIP  Size / Dimension 0.384" L x 0.085" W (9.75mm x 2.16mm)  Height - Seated (Max) 0.250" (6.35mm)	Operating Temperature	-55°C ~ 125°C
Package / Case 4-SIP Supplier Device Package 4-SIP Size / Dimension 0.384" L x 0.085" W (9.75mm x 2.16mm) Height - Seated (Max) 0.250" (6.35mm)	Applications	-
Supplier Device Package 4-SIP Size / Dimension 0.384" L x 0.085" W (9.75mm x 2.16mm) Height - Seated (Max) 0.250" (6.35mm)	Mounting Type	Through Hole
Size / Dimension 0.384" L x 0.085" W (9.75mm x 2.16mm)  Height - Seated (Max) 0.250" (6.35mm)	Package / Case	4-SIP
Height - Seated (Max) 0.250" (6.35mm)	Supplier Device Package	4-SIP
	Size / Dimension	0.384" L x 0.085" W (9.75mm x 2.16mm)
Report errors?	Height - Seated (Max)	0.250" (6.35mm)
		Report errors?

#### **4304M-102-220LF Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## 4304M-102-220LF Payment Methods





















## 4304M-102-220LF Shipping Methods













If you have any question about 4304M-102-220LF, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com