



4306M-101-680LF Information

Heisener.com

Part Number 4306M-101-680LF

Manufacturer Bourns Inc.
Category Resistors

Resistor Networks, Arrays

Description RES ARRAY 5 RES 68 OHM 6SIP

Package 6-SIF

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









4306M-101-680LF Specifications

Manufacturer Part Number 4306M-101-680LF Manufacturer Bourns Inc. Category Resistors Package 6-SIP Series 4300M Circuit Type Bussed Resistance (Ohms) 68 Tolerance ±2% Number of Resistors 5 Number of Pins 6 Power Per Element 250mW Temperature Coefficient ±100ppm/°C Operating Temperature -55° C ~ 125° C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.584" L x 0.085" W (14.83mm x 2.16mm) Height - Seated (Max) 0.250" (6.35mm)		
Category Resistors Package 6-SIP Series 4300M Circuit Type Bussed Resistance (Ohms) 68 Tolerance ±2% Number of Resistors 5 Number of Pins 6 Power Per Element 250mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.584" L x 0.085" W (14.83mm x 2.16mm) Height - Seated (Max) 0.250" (6.35mm)	Manufacturer Part Number	4306M-101-680LF
Resistor Networks, Arrays Package 6-SIP Series 4300M Circuit Type Bussed Resistance (Ohms) 68 Tolerance ±2% Number of Resistors 5 Number of Pins 6 Power Per Element 250mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.584" L x 0.085" W (14.83mm x 2.16mm) Height - Seated (Max) 0.250" (6.35mm)	Manufacturer	Bourns Inc.
Package 6-SIP Series 4300M Circuit Type Bussed Resistance (Ohms) 68 Tolerance ±2% Number of Resistors 5 Number of Pins 6 Power Per Element 250mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.584" L x 0.085" W (14.83mm x 2.16mm) Height - Seated (Max) 0.250" (6.35mm)	Category	Resistors
Series 4300M Circuit Type Bussed Resistance (Ohms) 68 Tolerance ±2% Number of Resistors 5 Number of Pins 6 Power Per Element 250mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.584" L x 0.085" W (14.83mm x 2.16mm) Height - Seated (Max) 0.250" (6.35mm)		Resistor Networks, Arrays
Circuit TypeBussedResistance (Ohms)68Tolerance±2%Number of Resistors5Number of Pins6Power Per Element250mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case6-SIPSupplier Device Package6-SIPSize / Dimension0.584" L x 0.085" W (14.83mm x 2.16mm)Height - Seated (Max)0.250" (6.35mm)	Package	6-SIP
Resistance (Ohms) 68 Tolerance ±2% Number of Resistors 5 Number of Pins 6 Power Per Element 250mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.584" L x 0.085" W (14.83mm x 2.16mm) Height - Seated (Max) 0.250" (6.35mm)	Series	4300M
Tolerance ±2% Number of Resistors 5 Number of Pins 6 Power Per Element 250mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.584" L x 0.085" W (14.83mm x 2.16mm) Height - Seated (Max) 0.250" (6.35mm)	Circuit Type	Bussed
Number of Resistors5Number of Pins6Power Per Element250mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case6-SIPSupplier Device Package6-SIPSize / Dimension0.584" L x 0.085" W (14.83mm x 2.16mm)Height - Seated (Max)0.250" (6.35mm)	Resistance (Ohms)	68
Number of Pins 6 Power Per Element 250mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.584" L x 0.085" W (14.83mm x 2.16mm) Height - Seated (Max) 0.250" (6.35mm)	Tolerance	±2%
Power Per Element 250mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.584" L x 0.085" W (14.83mm x 2.16mm) Height - Seated (Max) 0.250" (6.35mm)	Number of Resistors	5
Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.584" L x 0.085" W (14.83mm x 2.16mm) Height - Seated (Max) 0.250" (6.35mm)	Number of Pins	6
Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.584" L x 0.085" W (14.83mm x 2.16mm) Height - Seated (Max) 0.250" (6.35mm)	Power Per Element	250mW
Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.584" L x 0.085" W (14.83mm x 2.16mm) Height - Seated (Max) 0.250" (6.35mm)	Temperature Coefficient	±100ppm/°C
Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.584" L x 0.085" W (14.83mm x 2.16mm) Height - Seated (Max) 0.250" (6.35mm)	Operating Temperature	-55°C ~ 125°C
Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.584" L x 0.085" W (14.83mm x 2.16mm) Height - Seated (Max) 0.250" (6.35mm)	Applications	-
Supplier Device Package 6-SIP Size / Dimension 0.584" L x 0.085" W (14.83mm x 2.16mm) Height - Seated (Max) 0.250" (6.35mm)	Mounting Type	Through Hole
Size / Dimension 0.584" L x 0.085" W (14.83mm x 2.16mm) Height - Seated (Max) 0.250" (6.35mm)	Package / Case	6-SIP
Height - Seated (Max) 0.250" (6.35mm)	Supplier Device Package	6-SIP
	Size / Dimension	0.584" L x 0.085" W (14.83mm x 2.16mm)
Report errors?	Height - Seated (Max)	0.250" (6.35mm)
Report crois:		Report errors?

4306M-101-680LF Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

4306M-101-680LF Payment Methods



















4306M-101-680LF Shipping Methods













If you have any question about 4306M-101-680LF, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com