



4308H-101-471LF Information



For Reference Only

Part Number 4308H-101-471LF

Manufacturer Bourns Inc.
Category Resistors

Resistor Networks, Arrays

Description RES ARRAY 7 RES 470 OHM 8SIP

Package 8-SIF

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









4308H-101-471LF Specifications

Manufacturer Part Number 4308H-101-471LF Manufacturer Bourns Inc. Category Resistors Resistor Networks, Arrays Package 8-SIP Series 4300H Circuit Type Bussed Resistance (Ohms) 470 Tolerance ±2% Number of Resistors 7 Number of Pins 8 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.350" (8.89mm)		
Category Resistors Package 8-SIP Series 4300H Circuit Type Bussed Resistance (Ohms) 470 Tolerance ±2% Number of Resistors 7 Number of Pins 8 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.350" (8.89mm)	Manufacturer Part Number	4308H-101-471LF
Resistor Networks, Arrays Package 8-SIP Series 4300H Circuit Type Bussed Resistance (Ohms) 470 Tolerance ±2% Number of Resistors 7 Number of Pins 8 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.350" (8.89mm)	Manufacturer	Bourns Inc.
Package 8-SIP Series 4300H Circuit Type Bussed Resistance (Ohms) 470 Tolerance ±2% Number of Resistors 7 Number of Pins 8 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.350" (8.89mm)	Category	Resistors
Series 4300H Circuit Type Bussed Resistance (Ohms) 470 Tolerance ±2% Number of Resistors 7 Number of Pins 8 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.350" (8.89mm)		Resistor Networks, Arrays
Circuit Type Resistance (Ohms) 470 Tolerance ±2% Number of Resistors 7 Number of Pins 8 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package Size / Dimension Height - Seated (Max) Bussed 840 170 170 170 170 170 170 170 1	Package	8-SIP
Resistance (Ohms) 470 Tolerance ±2% Number of Resistors 7 Number of Pins 8 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.350" (8.89mm)	Series	4300H
Tolerance ±2% Number of Resistors 7 Number of Pins 8 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.350" (8.89mm)	Circuit Type	Bussed
Number of Resistors Number of Pins 8 Power Per Element 300mW Temperature Coefficient 4100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package Size / Dimension 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.350" (8.89mm)	Resistance (Ohms)	470
Number of Pins 8 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.350" (8.89mm)	Tolerance	±2%
Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.350" (8.89mm)	Number of Resistors	7
Temperature Coefficient $\pm 100 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Applications $-$ Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension $0.784^{\circ}\text{L} \times 0.085^{\circ}\text{W} (19.91 \text{mm} \times 2.16 \text{mm})$ Height - Seated (Max) $0.350^{\circ}\text{W} (8.89 \text{mm})$	Number of Pins	8
Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.350" (8.89mm)	Power Per Element	300mW
Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.350" (8.89mm)	Temperature Coefficient	±100ppm/°C
Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.350" (8.89mm)	Operating Temperature	-55°C ~ 125°C
Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.350" (8.89mm)	Applications	-
Supplier Device Package Size / Dimension O.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.350" (8.89mm)	Mounting Type	Through Hole
Size / Dimension 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.350" (8.89mm)	Package / Case	8-SIP
Height - Seated (Max) 0.350" (8.89mm)	Supplier Device Package	8-SIP
	Size / Dimension	0.784" L x 0.085" W (19.91mm x 2.16mm)
Report errors?	Height - Seated (Max)	0.350" (8.89mm)
		Report errors?

4308H-101-471LF Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

4308H-101-471LF Payment Methods



















4308H-101-471LF Shipping Methods













If you have any question about 4308H-101-471LF, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com