


## 4308R-102-121

#### 4308R-102-121 Information



## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



## 4308R-102-121 Specifications

Manufacturer Part Number4308R-102-121ManufacturerBourns Inc.CategoryResistorsCategoryResistor Networks, ArraysPackage8.SIPSeries4300RCircuit TypeIsolatedResistance (Ohms)120Tolerance±2%Number of Resistors4Number of Pins8Power Per Element300mWOperating Temperature50°C ~ 125°CApplications-Applications-Nunting TypeSIPAunting TypeSIPPower Per Sensent300mWCore of Category-Stor Category-Applications-Applications-Supplier Device PackageSIPSize / Dimension0.984" Lx 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)-Size / Dimension-Size / D		
CategoryResistorsResistor Networks, ArraysPackage8-SIPSeries4300RCircuit TypeIsolatedCircuit Type120Resistance (Ohms)120Tolerance±2%Number of Resistors4Number of Pins8Power Per Element300mWOperating Temperature4100pm/°COperating Temperature55°C ~ 125°CApplications-Sunding TypeSIPSupplier Device Package8-SIPSupplier Device Package8-SIPSize / Dimension0.784" Lx 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.155" (4.95mm)	Manufacturer Part Number	4308R-102-121
Resistor Networks, ArraysPackage8-SIPSeries4300RCircuit TypeIsolatedResistance (Ohms)120Tolerance±2%Number of Resistors4Number of Pins8Power Per Element300mWTemperature Coefficient±100ppm°COperating Temperature-55°C ~ 125°CApplications-Package / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Manufacturer	Bourns Inc.
Package8-SIPSeries4300RCircuit TypeIsolatedResistance (Ohms)120Tolerance±2%Number of Resistors4Number of Pins8Power Per Element300mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Pokkage / Case8SIPSupplier Device Package8-SIPSupplier Device Package0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Category	Resistors
Series   4300R     Series   4300R     Circuit Type   Isolated     Resistance (Ohms)   120     Tolerance   ±2%     Number of Resistors   4     Number of Resistors   4     Number of Pins   8     Power Per Element   300mW     Operating Temperature   ±100pm/°C     Operating Temperature   -55°C ~ 125°C     Applications   -     Mounting Type   Through Hole     Supplier Device Package   8-SIP     Supplier Device Package   0.784" L x 0.085" W (19.91mm x 2.16mm)     Height - Seated (Max)   0.195" (4.95mm)		Resistor Networks, Arrays
Circuit TypeIsolatedResistance (Ohms)120Tolerance±2%Number of Resistors4Number of Pins8Power Per Element300mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8SIPSupplier Device Package0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Package	8-SIP
Resistance (Ohms)   120     Tolerance   ±2%     Number of Resistors   4     Number of Pins   8     Power Per Element   300mW     Temperature Coefficient   ±100ppm/°C     Operating Temperature   -55°C ~ 125°C     Applications   -     Mounting Type   Through Hole     Supplier Device Package   8-SIP     Supplier Device Package   0.784" L x 0.085" W (19.91mm x 2.16mm)     Height - Seated (Max)   0.195" (4.95mm)	Series	4300R
Tolerance±2%Number of Resistors4Number of Pins8Power Per Element300mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting Type55°C ~ 125°CPower Per Element55°C ~ 125°CSupplier Device Package8-SIPSupplier Device Package0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Circuit Type	Isolated
Number of Resistors4Number of Pins8Power Per Element300mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Resistance (Ohms)	120
Number of Pins8Power Per Element300mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Tolerance	±2%
Power Per Element300mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package0.784" L x 0.085" W (19.91mm x 2.16mm)Size / Dimension0.195" (4.95mm)	Number of Resistors	4
Temperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Number of Pins	8
Operating Temperature -55°C ~ 125°C   Applications -   Mounting Type Through Hole   Package / Case 8-SIP   Supplier Device Package 8-SIP   Size / Dimension 0.784" L x 0.085" W (19.91mm x 2.16mm)   Height - Seated (Max) 0.195" (4.95mm)	Power Per Element	300mW
Applications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Temperature Coefficient	$\pm 100 ppm/^{\circ}C$
Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Operating Temperature	-55°C ~ 125°C
Package / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Applications	-
Supplier Device Package   8-SIP     Size / Dimension   0.784" L x 0.085" W (19.91mm x 2.16mm)     Height - Seated (Max)   0.195" (4.95mm)	Mounting Type	Through Hole
Size / Dimension   0.784" L x 0.085" W (19.91mm x 2.16mm)     Height - Seated (Max)   0.195" (4.95mm)	Package / Case	8-SIP
Height - Seated (Max) 0.195" (4.95mm)	Supplier Device Package	8-SIP
	Size / Dimension	0.784" L x 0.085" W (19.91mm x 2.16mm)
Report errors?	Height - Seated (Max)	0.195" (4.95mm)
		Report errors?

#### 4308R-102-121 Guarantees



Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

# SERVICE SUARANTEE

#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

## 4308R-102-121 Payment Methods



### 4308R-102-121 Shipping Methods



If you have any question about 4308R-102-121, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com