


4308R-102-225

4308R-102-225 Information



Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



4308R-102-225 Specifications

Manufacturer Part Number 4308R-102-225 Manufacturer Bourns Inc. Category Resistors Resistor Networks, Arrays Resistor Networks, Arrays Package 8-SIP Series 4300R Circuit Type Isolated Resistance (Ohms) 2.2M Tolerance ±2% Number of Resistors 4 Number of Pins 8 Power Per Element 300mW Operating Temperature ±100ppm/°C Applications - Applications - Supplier Device Package 8SIP Supplier Device Package 8SIP Supplier Device Package - Supplier Device Package 8SIP Supplier Device Package 8SIP Supplier Device Package 0.95" (4.95mm)		
CategoryResistorsResistor Networks, ArraysPackage8-SIPSeries4300RCircuit TypeIsolatedCircuit Type12.2MResistance (Ohms)2.2MTolerance±2%Number of Resistors4Number of Pins8Power Per Element300mWOperating Temperature4.100pm/°COperating Temperature55°C ~ 125°CApplications-Nunding TypeThrough HolePackage / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seade (Max)0.195" (4.95mm)	Manufacturer Part Number	4308R-102-225
Resistor Networks, ArraysPackage8-SIPSeries4300RCircuit TypeIsolatedResistance (Ohns)2.2MTolerance±2%Number of Resistors4Number of Pins8Power Per Element300mWTemperature Coefficient±100ppm°COperating Temperature-55°C ~ 125°CApplications-Nunding TypeThrough HolePackage / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.195" (4.95mm)	Manufacturer	Bourns Inc.
Package8-SIPSeries4300RCircuit TypeIsolatedResistance (Ohms)2.2MTolerance±2%Number of Resistors4Number of Pins8Power Per Element300mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Package / Case8-SIPSupplier Device Package8-SIPSupplier Device Package8-SIPSize / Dimension0.198" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Category	Resistors
Series 4300R Series 4300R Circuit Type Isolated Resistance (Ohms) 2.2M Tolerance ±2% Number of Resistors 4 Number of Pins 8 Power Per Element 300mW Operating Temperature ±100pm/°C Operating Temperature -55°C ~ 125°C Applications - Nounting Type Through Hole Supplier Device Package 8-SIP Supplier Device Package 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.195" (4.95mm)		Resistor Networks, Arrays
Circuit TypeIsolatedResistance (Ohms)2.2MTolerance±2%Number of Resistors4Number of Pins8Power Per Element300mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8.SIPSupplier Device Package0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Package	8-SIP
Resistance (Ohms) 2.2M Tolerance ±2% Number of Resistors 4 Number of Pins 8 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Supplier Device Package 8-SIP Supplier Device Package 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.195" (4.95mm)	Series	4300R
Tolerance±2%Number of Resistors4Number of Pins8Power Per Element300mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Circuit Type	Isolated
Number of Resistors4Number of Pins8Power Per Element300mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Resistance (Ohms)	2.2M
Number of Pins8Power Per Element300mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Tolerance	±2%
Power Per Element 300mW Temperature Coefficient ±100pm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Fhrough Hole Package / Case 8-SIP Supplier Device Package 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.195" (4.95mm)	Number of Resistors	4
Temperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Number of Pins	8
Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.195" (4.95mm)	Power Per Element	300mW
Applications-Applications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Temperature Coefficient	$\pm 100 ppm/^{\circ}C$
Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Operating Temperature	-55°C ~ 125°C
Package / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Applications	-
Supplier Device Package 8-SIP Size / Dimension 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.195" (4.95mm)	Mounting Type	Through Hole
Size / Dimension 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.195" (4.95mm)	Package / Case	8-SIP
Height - Seated (Max) 0.195" (4.95mm)	Supplier Device Package	8-SIP
• • • • • • • • • • • • • • • • • • •	Size / Dimension	0.784" L x 0.085" W (19.91mm x 2.16mm)
Report errors?	Height - Seated (Max)	0.195" (4.95mm)
		Report errors?

4308R-102-225 Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE BUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

4308R-102-225 Payment Methods



4308R-102-225 Shipping Methods



If you have any question about 4308R-102-225, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com