


## 4308R-102-303

#### 4308R-102-303 Information



## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



## 4308R-102-303 Specifications

Manufacturer Part Number 4308R-102-303   Manufacturer Bourns Inc.   Category Resistors   Resistor Networks, Arrays Resistor Networks, Arrays   Package 8-SIP   Series 4300R   Circuit Type Isolated   Resistance (Ohms) 30k   Tolerance ±2%   Number of Resistors 4   Number of Pins 8   Power Per Element 300mW   Operating Temperature ±00ppm/°C   Applications -   Applications -   Supplier Device Package 8-SIP   Supplier Device Package 8-SIP   Supplier Device Package -   Supplier Device Package 8-SIP   Supplier Device Package 8-SIP   Supplier Device Package 8-SIP   Supplier Device Package 0.784" L x 0.085" W (19.91mm x 2.16mm)   Supplier Lement 0.195" (4.95mm)		
CategoryResistorsResistor Networks, ArraysPackage8-SIPSeries4300RCircuit TypeIsolatedCircuit Type30kResistance (Ohms)30kTolerance±2%Number of Resistors4Number of Pins8Power Per Element300mWOperating Temperature55°C ~ 125°COperating TypeThrough HoleApplications-Supplier Device Package8-SIPSupplier Device Package6-SIPSize / Dimension0.09%" (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Manufacturer Part Number	4308R-102-303
Resistor Networks, ArraysPackage8-SIPSeries4300RCircuit TypeIsolatedResistance (Ohns)30kTolerance±2%Number of Resistors4Number of Pins8Power Per Element300mWTemperature Coefficient±100ppm°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.195" (4.95mm)	Manufacturer	Bourns Inc.
Package8-SIPSeries4300RCircuit TypeIsolatedResistance (Ohms)30kTolerance±2%Number of Resistors4Number of Pins8Power Per Element300mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Nunding TypeThrough HolePackage / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Category	Resistors
Series 4300R   Series 4300R   Circuit Type Isolated   Resistance (Ohms) 30k   Tolerance ±2%   Number of Resistors 4   Number of Pins 8   Power Per Element 300mW   Topgrature Coefficient ±100ppm/°C   Operating Temperature -55°C ~ 125°C   Applications -   Mounting Type Through Hole   Supplier Device Package 8-SIP   Supplier Device Package 0.784" L x 0.085" W (19.91mm x 2.16mm)   Height - Seated (Max) 0.195" (4.95mm)		Resistor Networks, Arrays
Circuit TypeIsolatedResistance (Ohms)30kTolerance±2%Number of Resistors4Number of Pins8Power Per Element300mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Package	8-SIP
Resistance (Ohms) 30k   Tolerance ±2%   Number of Resistors 4   Number of Resistors 8   Power Per Element 300mW   Temperature Coefficient ±100ppm/°C   Operating Temperature -55°C ~ 125°C   Applications -   Mounting Type Through Hole   Package / Case 8-SIP   Supplier Device Package 0.784" L x 0.085" W (19.91mm x 2.16mm)   Height - Seated (Max) 0.195" (4.95mm)	Series	4300R
Tolerance±2%Number of Resistors4Number of Pins8Power Per Element300mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Circuit Type	Isolated
Number of Resistors4Number of Pins8Power Per Element300mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Resistance (Ohms)	30k
Number of Pins8Power Per Element300mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Tolerance	±2%
Power Per Element300mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Number of Resistors	4
Temperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Number of Pins	8
Operating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Power Per Element	300mW
Applications-Applications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Temperature Coefficient	$\pm 100 ppm/^{\circ}C$
Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Operating Temperature	-55°C ~ 125°C
Package / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Applications	-
Supplier Device Package 8-SIP   Size / Dimension 0.784" L x 0.085" W (19.91mm x 2.16mm)   Height - Seated (Max) 0.195" (4.95mm)	Mounting Type	Through Hole
Size / Dimension 0.784" L x 0.085" W (19.91mm x 2.16mm)   Height - Seated (Max) 0.195" (4.95mm)	Package / Case	8-SIP
Height - Seated (Max) 0.195" (4.95mm)	Supplier Device Package	8-SIP
• • • • • • • • • • • • • • • • • • •	Size / Dimension	0.784" L x 0.085" W (19.91mm x 2.16mm)
Report errors?	Height - Seated (Max)	0.195" (4.95mm)
		Report errors?

#### 4308R-102-303 Guarantees



Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

# SERVICE BUARANTEE

#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

## 4308R-102-303 Payment Methods



### 4308R-102-303 Shipping Methods



If you have any question about 4308R-102-303, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com