


4308R-102-824LF

4308R-102-824LF Information



Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



4308R-102-824LF Specifications

Manufacturer Part Number 4308R-102-824LF Manufacturer Bourns Inc. Category Resistors Resistor Networks, Arrays Resistor Networks, Arrays Package 8-SIP Series 4300R Circuit Type Isolated Resistance (Ohms) 820k Tolerance ±2% Number of Resistors 4 Number of Pins 8 Power Per Element 300mW Operating Temperature ±100ppm/°C Applications - Applications - Supplier Device Package SSIP Supplier Device Package SSIP Supplier Device Package - Supplier Device Package SSIP Supplier Device Package SSIP Supplier Device Package - Supplier Device Package - Supplier Device Package SIP Supplier Device Package - Supplier Device Package - Supplier Device Package -		
CategoryResistorsResistor Networks, ArraysPackage8-SIPSeries4300RCircuit TypeIsolatedCircuit Type820kResistance (Ohms)2%Tolerance±2%Number of Resistors4Number of Pins8Power Per Element300mWOperating Temperature-55°C ~ 125°COperating TypeHnough HoleApplications-Supplier Device Package8-SIPSupplier Device Package6-SIPSize / Dimension0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Manufacturer Part Number	4308R-102-824LF
Resistor Networks, ArraysPackage8-SIPSeries4300RCircuit TypeIsolatedResistance (Ohns)820kTolerance±2%Number of Resistors4Number of Pins8Power Per Element300mWTemperature Coefficient±100ppm°COperating Temperature-55°C ~ 125°CApplications-Nunding TypeThrough HolePackage / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.195" (4.95mm)	Manufacturer	Bourns Inc.
Package8-SIPSeries4300RCircuit TypeIsolatedResistance (Ohms)820kTolerance±2%Number of Resistors4Number of Pins8Power Per Element300mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Package / Case8SIPSupplier Device Package8-SIPSupplier Device Package8-SIPSize / Dimension0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Category	Resistors
Series 4300R Series 4300R Circuit Type Isolated Resistance (Ohms) 820k Tolerance ±2% Number of Resistors 4 Number of Pins 8 Power Per Element 300mW Toperature Coefficient ±100pm/°C Operating Temperature -55°C ~ 125°C Applications - Nounting Type Through Hole Supplier Device Package 8-SIP Supplier Device Package 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.195" (4.95mm)		Resistor Networks, Arrays
Circuit TypeIsolatedResistance (Ohms)820kTolerance±2%Number of Resistors4Number of Pins8Power Per Element300mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8SIPSupplier Device Package0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Package	8-SIP
Arrow S20k Resistance (Ohms) \$20k Tolerance ±2% Number of Resistors 4 Number of Resistors \$8 Power Per Element \$00mW Temperature Coefficient ±100ppm°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.195" (4.95mm)	Series	4300R
Tolerance±2%Number of Resistors4Number of Pins8Power Per Element300mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Circuit Type	Isolated
Number of Resistors4Number of Pins8Power Per Element300mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Resistance (Ohms)	820k
Number of Pins8Power Per Element300mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Tolerance	±2%
Power Per Element 300mW Temperature Coefficient ±100pm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Fhrough Hole Package / Case 8-SIP Supplier Device Package 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.195" (4.95mm)	Number of Resistors	4
Temperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Number of Pins	8
Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.195" (4.95mm)	Power Per Element	300mW
Applications-Applications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Temperature Coefficient	±100ppm/°C
Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Operating Temperature	-55°C ~ 125°C
Package / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.784" L x 0.085" W (19.91mm x 2.16mm)Height - Seated (Max)0.195" (4.95mm)	Applications	-
Supplier Device Package 8-SIP Size / Dimension 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.195" (4.95mm)	Mounting Type	Through Hole
Size / Dimension 0.784" L x 0.085" W (19.91mm x 2.16mm) Height - Seated (Max) 0.195" (4.95mm)	Package / Case	8-SIP
Height - Seated (Max) 0.195" (4.95mm)	Supplier Device Package	8-SIP
• • • • • • • • • • • • • • • • • • •	Size / Dimension	0.784" L x 0.085" W (19.91mm x 2.16mm)
Report errors?	Height - Seated (Max)	0.195" (4.95mm)
		Report errors?

4308R-102-824LF Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE BUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

4308R-102-824LF Payment Methods



4308R-102-824LF Shipping Methods



If you have any question about 4308R-102-824LF, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com