

## 4310R-101-241 Information

w.helsener.com

**Part Number** 4310R-101-241 **Manufacturer** Bourns Inc.

**Category** Resistors

Resistor Networks, Arrays

**Description** RES ARRAY 9 RES 240 OHM 10SIP

Package 10-SIP

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com





For Reference Only

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# 4310R-101-241 Specifications

Manufacturer Part Number         4310R-101-241           Manufacturer         Bourns Inc.           Category         Resistors           Package         10-SIP           Series         4300R           Circuit Type         Bussed           Resistance (Ohms)         240           Tolerance         ±2%           Number of Resistors         9           Number of Pins         10           Power Per Element         200mW           Temperature Coefficient         ±100ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -           Mounting Type         Through Hole           Package / Case         10-SIP		
Category Resistor Networks, Arrays Package 10-SIP Series 4300R Circuit Type Bussed Resistance (Ohms) 240 Tolerance ±2% Number of Resistors 9 Number of Pins 10 Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature 4-55°C ~ 125°C Applications Through Hole	Manufacturer Part Number	4310R-101-241
Resistor Networks, Arrays           Package         10-SIP           Series         4300R           Circuit Type         Bussed           Resistance (Ohms)         240           Tolerance         ±2%           Number of Resistors         9           Number of Pins         10           Power Per Element         200mW           Temperature Coefficient         ±100ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -           Mounting Type         Through Hole	Manufacturer	Bourns Inc.
Package10-SIPSeries4300RCircuit TypeBussedResistance (Ohms)240Tolerance±2%Number of Resistors9Number of Pins10Power Per Element200mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough Hole	Category	Resistors
Series 4300R  Circuit Type Bussed  Resistance (Ohms) 240  Tolerance ±2%  Number of Resistors 9  Number of Pins 10  Power Per Element 200mW  Temperature Coefficient ±100ppm/°C  Operating Temperature  -55°C ~ 125°C  Applications -  Mounting Type Through Hole		Resistor Networks, Arrays
Circuit TypeBussedResistance (Ohms)240Tolerance±2%Number of Resistors9Number of Pins10Power Per Element200mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough Hole	Package	10-SIP
Resistance (Ohms)  240  Tolerance ±2%  Number of Resistors 9  Number of Pins 10  Power Per Element 200mW  Temperature Coefficient ±100ppm/°C  Operating Temperature -55°C ~ 125°C  Applications -  Mounting Type Through Hole	Series	4300R
Tolerance $\pm 2\%$ Number of Resistors9Number of Pins $10$ Power Per Element $200mW$ Temperature Coefficient $\pm 100ppm/^{\circ}C$ Operating Temperature $-55^{\circ}C \sim 125^{\circ}C$ Applications-Mounting TypeThrough Hole	Circuit Type	Bussed
Number of Resistors9Number of Pins10Power Per Element200mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough Hole	Resistance (Ohms)	240
Number of Pins $10$ Power Per Element $200 \text{mW}$ Temperature Coefficient $\pm 100 \text{ppm/°C}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Applications-Mounting TypeThrough Hole	Tolerance	±2%
Power Per Element $200 \text{mW}$ Temperature Coefficient $\pm 100 \text{ppm/°C}$ Operating Temperature $-55 ^{\circ}\text{C} \sim 125 ^{\circ}\text{C}$ Applications-Mounting TypeThrough Hole	Number of Resistors	9
Temperature Coefficient $\pm 100 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Applications-Mounting TypeThrough Hole	Number of Pins	10
Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Applications - Through Hole	Power Per Element	200mW
Applications - Mounting Type Through Hole	Temperature Coefficient	±100ppm/°C
Mounting Type Through Hole	Operating Temperature	-55°C ~ 125°C
	Applications	-
Package / Case 10-SIP	Mounting Type	Through Hole
	Package / Case	10-SIP
Supplier Device Package 10-SIP	Supplier Device Package	10-SIP
Size / Dimension 0.984" L x 0.085" W (24.99mm x 2.16mm)	Size / Dimension	0.984" L x 0.085" W (24.99mm x 2.16mm)
Height - Seated (Max) 0.195" (4.95mm)	Height - Seated (Max)	0.195" (4.95mm)
Report errors?		Report errors?

### 4310R-101-241 Guarantees



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# 4310R-101-241 Payment Methods





















## 4310R-101-241 Shipping Methods













If you have any question about 4310R-101-241, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com