



4605X-101-100LF Information



For Reference Only

Part Number 4605X-101-100LF

Manufacturer Bourns Inc.
Category Resistors

Resistor Networks, Arrays

Description RES ARRAY 4 RES 10 OHM 5SIP

Package 5-SIF

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









4605X-101-100LF Specifications

Manufacturer Part Number 4605X-101-100LF Manufacturer Bourns Inc. Category Resistors Resistor Networks, Arrays Package 5-SIP Series 4600X Circuit Type Bussed Resistance (Ohms) 10 Tolerance ±1 Ohm Number of Resistors 4 Number of Pins 5 Power Per Element 200mW Temperature Coefficient ±250ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 5-SIP Supplier Device Package 5-SIP Size / Dimension 0.498" L x 0.098" W (12.65mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)		
Category Resistors Package 5-SIP Series 4600X Circuit Type Bussed Resistance (Ohms) 10 Tolerance ±1 Ohm Number of Resistors 4 Number of Pins 5 Power Per Element 200mW Temperature Coefficient ±250ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 5-SIP Supplier Device Package 5-SIP Size / Dimension 0.498" L x 0.098" W (12.65mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Manufacturer Part Number	4605X-101-100LF
Resistor Networks, Arrays Package 5-SIP Series 4600X Circuit Type Bussed Resistance (Ohms) 10 Tolerance ±1 Ohm Number of Resistors 4 Number of Pins 5 Power Per Element 200mW Temperature Coefficient ±250ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 5-SIP Supplier Device Package 5-SIP Size / Dimension 0.498" L x 0.098" W (12.65mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Manufacturer	Bourns Inc.
Package 5-SIP Series 4600X Circuit Type Bussed Resistance (Ohms) 10 Tolerance ±1 Ohm Number of Resistors 4 Number of Pins 5 Power Per Element 200mW Temperature Coefficient ±250ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 5-SIP Supplier Device Package 5-SIP Size / Dimension 0.498" L x 0.098" W (12.65mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Category	Resistors
Series 4600X Circuit Type Bussed Resistance (Ohms) 10 Tolerance ±1 Ohm Number of Resistors 4 Number of Pins 5 Power Per Element 200mW Temperature Coefficient ±250ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 5-SIP Supplier Device Package 5-SIP Size / Dimension 0.498" L x 0.098" W (12.65mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)		Resistor Networks, Arrays
Circuit TypeBussedResistance (Ohms)10Tolerance±1 OhmNumber of Resistors4Number of Pins5Power Per Element200mWTemperature Coefficient±250ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case5-SIPSupplier Device Package5-SIPSize / Dimension0.498" L x 0.098" W (12.65mm x 2.49mm)Height - Seated (Max)0.200" (5.08mm)	Package	5-SIP
Resistance (Ohms) 10 Tolerance ±1 Ohm Number of Resistors 4 Number of Pins 5 Power Per Element 200mW Temperature Coefficient ±250ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 5-SIP Supplier Device Package 5-SIP Size / Dimension 0.498" L x 0.098" W (12.65mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Series	4600X
Tolerance ±1 Ohm Number of Resistors 4 Number of Pins 5 Power Per Element 200mW Temperature Coefficient ±250ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 5-SIP Supplier Device Package 5-SIP Size / Dimension 0.498" L x 0.098" W (12.65mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Circuit Type	Bussed
Number of Resistors4Number of Pins5Power Per Element200mWTemperature Coefficient±250ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case5-SIPSupplier Device Package5-SIPSize / Dimension0.498" L x 0.098" W (12.65mm x 2.49mm)Height - Seated (Max)0.200" (5.08mm)	Resistance (Ohms)	10
Number of Pins 5 Power Per Element 200mW Temperature Coefficient ±250ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 5-SIP Supplier Device Package 5-SIP Size / Dimension 0.498" L x 0.098" W (12.65mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Tolerance	±1 Ohm
Power Per Element 200mW Temperature Coefficient ±250ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 5-SIP Supplier Device Package 5-SIP Size / Dimension 0.498" L x 0.098" W (12.65mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Number of Resistors	4
Temperature Coefficient ±250ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 5-SIP Supplier Device Package 5-SIP Size / Dimension 0.498" L x 0.098" W (12.65mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Number of Pins	5
Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 5-SIP Supplier Device Package 5-SIP Size / Dimension 0.498" L x 0.098" W (12.65mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Power Per Element	200mW
Applications - Mounting Type Through Hole Package / Case 5-SIP Supplier Device Package 5-SIP Size / Dimension 0.498" L x 0.098" W (12.65mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Temperature Coefficient	±250ppm/°C
Mounting Type Through Hole Package / Case 5-SIP Supplier Device Package 5-SIP Size / Dimension 0.498" L x 0.098" W (12.65mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Operating Temperature	-55°C ~ 125°C
Package / Case 5-SIP Supplier Device Package 5-SIP Size / Dimension 0.498" L x 0.098" W (12.65mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Applications	-
Supplier Device Package 5-SIP Size / Dimension 0.498" L x 0.098" W (12.65mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Mounting Type	Through Hole
Size / Dimension 0.498" L x 0.098" W (12.65mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Package / Case	5-SIP
Height - Seated (Max) 0.200" (5.08mm)	Supplier Device Package	5-SIP
	Size / Dimension	0.498" L x 0.098" W (12.65mm x 2.49mm)
Report errors?	Height - Seated (Max)	0.200" (5.08mm)
		Report errors?

4605X-101-100LF Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

4605X-101-100LF Payment Methods



















4605X-101-100LF Shipping Methods













If you have any question about 4605X-101-100LF, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com