



4606M-102-222LF Information

Heisener.com

Part Number 4606M-102-222LF

Manufacturer Bourns Inc.
Category Resistors

Resistor Networks, Arrays

Description RES ARRAY 3 RES 2.2K OHM 6SIP

Package 6-SIP

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com

Request a Quote



Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









4606M-102-222LF Specifications

Manufacturer Part Number 4606M-102-222LF Manufacturer Bourns Inc. Category Resistors Package 6-SIP Series 4600M Circuit Type Isolated Resistance (Ohms) 2.2k Tolerance ±2% Number of Resistors 3 Number of Pins 6 Power Per Element 400mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.598" L x 0.098" W (15.19mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)		
Category Resistors Package 6-SIP Series 4600M Circuit Type Isolated Resistance (Ohms) 2.2k Tolerance ±2% Number of Resistors 3 Number of Pins 6 Power Per Element 400mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.598" L x 0.098" W (15.19mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Manufacturer Part Number	4606M-102-222LF
Resistor Networks, Arrays Package 6-SIP Series 4600M Circuit Type Isolated Resistance (Ohms) 2.2k Tolerance ±2% Number of Resistors 3 Number of Pins 6 Power Per Element 400mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.598" L x 0.098" W (15.19mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Manufacturer	Bourns Inc.
Package 6-SIP Series 4600M Circuit Type Isolated Resistance (Ohms) 2.2k Tolerance ±2% Number of Resistors 3 Number of Pins 6 Power Per Element 400mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.598" L x 0.098" W (15.19mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Category	Resistors
Series 4600M Circuit Type Isolated Resistance (Ohms) 2.2k Tolerance ±2% Number of Resistors 3 Number of Pins 6 Power Per Element 400mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.598" L x 0.098" W (15.19mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)		Resistor Networks, Arrays
Circuit TypeIsolatedResistance (Ohms)2.2kTolerance±2%Number of Resistors3Number of Pins6Power Per Element400mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case6-SIPSupplier Device Package6-SIPSize / Dimension0.598" L x 0.098" W (15.19mm x 2.49mm)Height - Seated (Max)0.250" (6.35mm)	Package	6-SIP
Resistance (Ohms) 2.2k Tolerance ±2% Number of Resistors 3 Number of Pins 6 Power Per Element 400mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.598" L x 0.098" W (15.19mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Series	4600M
Tolerance ±2% Number of Resistors 3 Number of Pins 6 Power Per Element 400mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.598" L x 0.098" W (15.19mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Circuit Type	Isolated
Number of Resistors Number of Pins 6 Power Per Element 400mW Temperature Coefficient 55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case Supplier Device Package Size / Dimension Height - Seated (Max) 3 Automator 400mW 400mW -55°C ~ 125°C -125°C -125°C -55°C ~ 125°C -55°C ~ 125°C	Resistance (Ohms)	2.2k
Number of Pins 6 Power Per Element 400mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.598" L x 0.098" W (15.19mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Tolerance	±2%
Power Per Element 400mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.598" L x 0.098" W (15.19mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Number of Resistors	3
Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.598" L x 0.098" W (15.19mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Number of Pins	6
Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.598" L x 0.098" W (15.19mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Power Per Element	400mW
Applications - Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.598" L x 0.098" W (15.19mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Temperature Coefficient	±100ppm/°C
Mounting Type Through Hole Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.598" L x 0.098" W (15.19mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Operating Temperature	-55°C ~ 125°C
Package / Case 6-SIP Supplier Device Package 6-SIP Size / Dimension 0.598" L x 0.098" W (15.19mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Applications	-
Supplier Device Package 6-SIP Size / Dimension 0.598" L x 0.098" W (15.19mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Mounting Type	Through Hole
Size / Dimension 0.598" L x 0.098" W (15.19mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Package / Case	6-SIP
Height - Seated (Max) 0.250" (6.35mm)	Supplier Device Package	6-SIP
	Size / Dimension	0.598" L x 0.098" W (15.19mm x 2.49mm)
Report errors?	Height - Seated (Max)	0.250" (6.35mm)
		Report errors?

4606M-102-222LF Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

4606M-102-222LF Payment Methods





















4606M-102-222LF Shipping Methods













If you have any question about 4606M-102-222LF, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com