



4606X-102-331LF Information



For Reference Only

Part Number 4606X-102-331LF

Manufacturer Bourns Inc.
Category Resistors

Resistor Networks, Arrays

Description RES ARRAY 3 RES 330 OHM 6SIP

Package 6-SII

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









4606X-102-331LF Specifications

Manufacturer Part Number 4606X-102-331LF Manufacturer Bourns Inc. Category Resistors Resistor Networks, Arrays Resistor Networks, Arrays Package 6-SIP Series 4600X Circuit Type Isolated Resistance (Ohms) 330 Tolerance ±2% Number of Resistors 3 Number of Pins 6 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole		
Category Resistors Resistor Networks, Arrays Package 6-SIP Series 4600X Circuit Type Isolated Resistance (Ohms) 330 Tolerance ±2% Number of Resistors 3 Number of Pins 6 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications -	Manufacturer Part Number	4606X-102-331LF
Resistor Networks, Arrays Package 6-SIP Series 4600X Circuit Type Isolated Resistance (Ohms) 330 Tolerance ±2% Number of Resistors 3 Number of Pins 6 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications -	Manufacturer	Bourns Inc.
Package 6-SIP Series 4600X Circuit Type Isolated Resistance (Ohms) 330 Tolerance ±2% Number of Resistors 3 Number of Pins 6 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications -	Category	Resistors
Series $4600X$ Circuit TypeIsolatedResistance (Ohms) 330 Tolerance $\pm 2\%$ Number of Resistors 3 Number of Pins 6 Power Per Element $300mW$ Temperature Coefficient $\pm 100ppm/^{\circ}C$ Operating Temperature $-55^{\circ}C \sim 125^{\circ}C$ Applications $-$		Resistor Networks, Arrays
Circuit TypeIsolatedResistance (Ohms) 330 Tolerance $\pm 2\%$ Number of Resistors 3 Number of Pins 6 Power Per Element 300mW Temperature Coefficient $\pm 100 \text{ppm/°C}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Applications $-$	Package	6-SIP
Resistance (Ohms) 330 Tolerance $\pm 2\%$ Number of Resistors 3 Number of Pins 6 Power Per Element 300mW Temperature Coefficient ± 100 ppm/°C Operating Temperature -55 °C ~ 125 °C Applications -	Series	4600X
Tolerance $\pm 2\%$ Number of Resistors3Number of Pins6Power Per Element 300mW Temperature Coefficient $\pm 100 \text{ppm/°C}$ Operating Temperature $-55 ^{\circ}\text{C} \sim 125 ^{\circ}\text{C}$ Applications-	Circuit Type	Isolated
Number of Resistors3Number of Pins6Power Per Element 300mW Temperature Coefficient $\pm 100 \text{ppm/°C}$ Operating Temperature $-55 ^{\circ}\text{C} \sim 125 ^{\circ}\text{C}$ Applications-	Resistance (Ohms)	330
Number of Pins6Power Per Element 300mW Temperature Coefficient $\pm 100 \text{ppm/°C}$ Operating Temperature $-55 ^{\circ}\text{C} \sim 125 ^{\circ}\text{C}$ Applications-	Tolerance	±2%
Power Per Element 300mW Temperature Coefficient $\pm 100 \text{ppm/°C}$ Operating Temperature $-55 ^{\circ}\text{C} \sim 125 ^{\circ}\text{C}$ Applications-	Number of Resistors	3
Temperature Coefficient $\pm 100 \text{ppm}/^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Applications -	Number of Pins	6
Operating Temperature -55°C ~ 125°C Applications -	Power Per Element	300mW
Applications -	Temperature Coefficient	±100ppm/°C
	Operating Temperature	-55°C ~ 125°C
Mounting Type Through Hole	Applications	-
	Mounting Type	Through Hole
Package / Case 6-SIP	Package / Case	6-SIP
Supplier Device Package 6-SIP	Supplier Device Package	6-SIP
Size / Dimension 0.598" L x 0.098" W (15.19mm x 2.49mm)	Size / Dimension	0.598" L x 0.098" W (15.19mm x 2.49mm)
Height - Seated (Max) 0.200" (5.08mm)	Height - Seated (Max)	0.200" (5.08mm)
Report errors?		Report errors?

4606X-102-331LF Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

4606X-102-331LF Payment Methods



















4606X-102-331LF Shipping Methods













If you have any question about 4606X-102-331LF, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com