

4607X-101-104LF

4607X-101-104LF Information

www.heterware.com	Part Number Manufacturer Category Description Package	4607X-101-104LF Bourns Inc. Resistors Resistor Networks, Arrays RES ARRAY 6 RES 100K OHM 7SIP 7-SIP For the pricing/inventory/lead time, please contact	
For Reference Only		us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



4607X-101-104LF Specifications

ManufacturerBourns Inc.CategoryResistorsResistor Networks, ArraysPackage7-SIPSeries460XCircuit TypeBussedResistance (Ohms)100kTolerance±2%Number of Resistors6Number of Pins7Power Per Element200mWTopgrature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications7.SIPMounting TypeThrough HolePackage / Case7.SIPSupplier Device Package7.SIPSize / Dimension0.698" L x 0.098" W (17.3mm x 2.49mm)		
CategoryResistorsResistor Networks, ArraysPackage7-SIPSeries4600XCircuit TypeBussedResistance (Ohms)100kTolerance±2%Number of Resistors6Number of Pins7Power Per Element200mWTonperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case7-SIPSupplier Device Package7-SIPSize / Dimension0.698" L x 0.098" W (17.73mm x 2.49mm)Height - Seated (Max)0.200" (5.08mm)	Manufacturer Part Number	4607X-101-104LF
Resistor Networks, ArraysPackage7-SIPSeries4600XCircuit TypeBussedResistance (Ohms)100kTolerance±2%Number of Resistors6Number of Pins7Power Per Element200mWTomperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case7-SIPSupplier Device Package7-SIPSize / Dimension0.698" L x 0.098" W (17.73mm x 2.49mm)Height - Seated (Max)0.200" (5.08mm)	Manufacturer	Bourns Inc.
Package7-SIPSeries4600XCircuit TypeBussedResistance (Ohms)100kTolerance±2%Number of Resistors6Number of Pins7Power Per Element200mWToppm/°C±100pm/°COperating Temperature-55°C ~ 125°CApplications-Package / Case7,SIPSupplier Device Package7-SIPSize / Dimension0.698" L x 0.098" W (17.73mm x 2.49mm)Height - Seated (Max)0.200" (5.08mm)	Category	Resistors
Series 4600X Series 600X Circuit Type Bussed Resistance (Ohms) 100k Tolerance ±2% Number of Resistors 6 Number of Pins 7 Power Per Element 200mW Temperature Coefficient ±100ppm°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Supplier Device Package 7-SIP Supplier Device Package 0.698" L x 0.098" W (17.73mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)		Resistor Networks, Arrays
Circuit TypeBussedResistance (Ohms)100kTolerance±2%Number of Resistors6Number of Pins7Power Per Element200mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case7.SIPSupplier Device Package0.698" L x 0.098" W (17.73mm x 2.49mm)Height - Seated (Max)0.200" (5.08mm)	Package	7-SIP
AResistance (Ohms)100kTolerance±2%Number of Resistors6Number of Pins7Power Per Element200mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case7-SIPSupplier Device Package0.698" L x 0.098" W (17.73mm x 2.49mm)Height - Seated (Max)0.200" (5.08mm)	Series	4600X
Tolerance±2%Number of Resistors6Number of Pins7Power Per Element200mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case7.SIPSupplier Device Package0.698" L x 0.098" W (17.73mm x 2.49mm)Height - Seated (Max)0.200" (5.08mm)	Circuit Type	Bussed
Number of Resistors6Number of Pins7Power Per Element200mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case7-SIPSupplier Device Package0.698" L x 0.098" W (17.73mm x 2.49mm)Height - Seated (Max)0.200" (5.08mm)	Resistance (Ohms)	100k
Number of Pins7Power Per Element200mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case7-SIPSupplier Device Package0.698" L x 0.098" W (17.73mm x 2.49mm)Height - Seated (Max)0.200" (5.08mm)	Tolerance	±2%
Power Per Element200mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case7-SIPSupplier Device Package0.698" L x 0.098" W (17.73mm x 2.49mm)Height - Seated (Max)0.200" (5.08mm)	Number of Resistors	6
Temperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case7-SIPSupplier Device Package7-SIPSize / Dimension0.698" L x 0.098" W (17.73mm x 2.49mm)Height - Seated (Max)0.200" (5.08mm)	Number of Pins	7
Operating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case7-SIPSupplier Device Package7-SIPSize / Dimension0.698" L x 0.098" W (17.73mm x 2.49mm)Height - Seated (Max)0.200" (5.08mm)	Power Per Element	200mW
Applications-Applications-Mounting TypeThrough HolePackage / Case7-SIPSupplier Device Package7-SIPSize / Dimension0.698" L x 0.098" W (17.73mm x 2.49mm)Height - Seated (Max)0.200" (5.08mm)	Temperature Coefficient	±100ppm/°C
Mounting TypeThrough HolePackage / Case7-SIPSupplier Device Package7-SIPSize / Dimension0.698" L x 0.098" W (17.73mm x 2.49mm)Height - Seated (Max)0.200" (5.08mm)	Operating Temperature	-55°C ~ 125°C
Package / Case7-SIPSupplier Device Package7-SIPSize / Dimension0.698" L x 0.098" W (17.73mm x 2.49mm)Height - Seated (Max)0.200" (5.08mm)	Applications	-
Supplier Device Package 7-SIP Size / Dimension 0.698" L x 0.098" W (17.73mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Mounting Type	Through Hole
Size / Dimension 0.698" L x 0.098" W (17.73mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Package / Case	7-SIP
Height - Seated (Max) 0.200" (5.08mm)	Supplier Device Package	7-SIP
• • • • • • • • • • • • • • • • • • • •	Size / Dimension	0.698" L x 0.098" W (17.73mm x 2.49mm)
Report errors?	Height - Seated (Max)	0.200" (5.08mm)
		Report errors?

4607X-101-104LF Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE EUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

4607X-101-104LF Payment Methods



4607X-101-104LF Shipping Methods



If you have any question about 4607X-101-104LF, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com