



## 4608X-101-224LF Information



For Reference Only

**Part Number** 4608X-101-224LF

Manufacturer Bourns Inc.
Category Resistors

Resistor Networks, Arrays

**Description** RES ARRAY 7 RES 220K OHM 8SIP

Package 8-SIF

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## 4608X-101-224LF Specifications

Manufacturer Part Number         4608X-101-224LF           Manufacturer         Bourns Inc.           Category         Resistors           Resistor Networks, Arrays           Package         8-SIP           Series         4600X           Circuit Type         Bussed           Resistance (Ohms)         220k           Tolerance         ±2%           Number of Resistors         7           Number of Pins         8           Power Per Element         200mW           Temperature Coefficient         ±100ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -           Mounting Type         Through Hole           Package / Case         8-SIP           Supplier Device Package         8-SIP           Size / Dimension         0.798" L x 0.098" W (20.27mm x 2.49mm)           Height - Seated (Max)         0.200" (5.08mm)		
Category         Resistors           Package         8-SIP           Series         4600X           Circuit Type         Bussed           Resistance (Ohms)         220k           Tolerance         ±2%           Number of Resistors         7           Number of Pins         8           Power Per Element         200mW           Temperature Coefficient         ±100ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -           Mounting Type         Through Hole           Package / Case         8-SIP           Supplier Device Package         8-SIP           Size / Dimension         0.798" L x 0.098" W (20.27mm x 2.49mm)           Height - Seated (Max)         0.200" (5.08mm)	Manufacturer Part Number	4608X-101-224LF
Resistor Networks, Arrays           Package         8-SIP           Series         4600X           Circuit Type         Bussed           Resistance (Ohms)         220k           Tolerance         ±2%           Number of Resistors         7           Number of Pins         8           Power Per Element         200mW           Temperature Coefficient         ±100ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -           Mounting Type         Through Hole           Package / Case         8-SIP           Supplier Device Package         8-SIP           Size / Dimension         0.798" L x 0.098" W (20.27mm x 2.49mm)           Height - Seated (Max)         0.200" (5.08mm)	Manufacturer	Bourns Inc.
Package         8-SIP           Series         4600X           Circuit Type         Bussed           Resistance (Ohms)         220k           Tolerance         ±2%           Number of Resistors         7           Number of Pins         8           Power Per Element         200mW           Temperature Coefficient         ±100ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -           Mounting Type         Through Hole           Package / Case         8-SIP           Supplier Device Package         8-SIP           Size / Dimension         0.798" L x 0.098" W (20.27mm x 2.49mm)           Height - Seated (Max)         0.200" (5.08mm)	Category	Resistors
Series         4600X           Circuit Type         Bussed           Resistance (Ohms)         220k           Tolerance         ±2%           Number of Resistors         7           Number of Pins         8           Power Per Element         200mW           Temperature Coefficient         ±100ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -           Mounting Type         Through Hole           Package / Case         8-SIP           Supplier Device Package         8-SIP           Size / Dimension         0.798" L x 0.098" W (20.27mm x 2.49mm)           Height - Seated (Max)         0.200" (5.08mm)		Resistor Networks, Arrays
Circuit TypeBussedResistance (Ohms)220kTolerance±2%Number of Resistors7Number of Pins8Power Per Element200mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.798" L x 0.098" W (20.27mm x 2.49mm)Height - Seated (Max)0.200" (5.08mm)	Package	8-SIP
Resistance (Ohms)       220k         Tolerance       ±2%         Number of Resistors       7         Number of Pins       8         Power Per Element       200mW         Temperature Coefficient       ±100ppm/°C         Operating Temperature       -55°C ~ 125°C         Applications       -         Mounting Type       Through Hole         Package / Case       8-SIP         Supplier Device Package       8-SIP         Size / Dimension       0.798" L x 0.098" W (20.27mm x 2.49mm)         Height - Seated (Max)       0.200" (5.08mm)	Series	4600X
Tolerance ±2%  Number of Resistors 7  Number of Pins 8  Power Per Element 200mW  Temperature Coefficient ±100ppm/°C  Operating Temperature -55°C ~ 125°C  Applications -  Mounting Type Through Hole  Package / Case 8-SIP  Supplier Device Package 8-SIP  Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm)  Height - Seated (Max) 0.200" (5.08mm)	Circuit Type	Bussed
Number of Resistors 7  Number of Pins 8  Power Per Element 200mW  Temperature Coefficient ±100ppm/°C  Operating Temperature -55°C ~ 125°C  Applications -  Mounting Type Through Hole  Package / Case 8-SIP  Supplier Device Package 8-SIP  Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm)  Height - Seated (Max) 0.200" (5.08mm)	Resistance (Ohms)	220k
Number of Pins 8  Power Per Element 200mW  Temperature Coefficient ±100ppm/°C  Operating Temperature -55°C ~ 125°C  Applications -  Mounting Type Through Hole  Package / Case 8-SIP  Supplier Device Package 8-SIP  Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm)  Height - Seated (Max) 0.200" (5.08mm)	Tolerance	±2%
Power Per Element 200mW  Temperature Coefficient ±100ppm/°C  Operating Temperature -55°C ~ 125°C  Applications -  Mounting Type Through Hole  Package / Case 8-SIP  Supplier Device Package 8-SIP  Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm)  Height - Seated (Max) 0.200" (5.08mm)	Number of Resistors	7
Temperature Coefficient ±100ppm/°C  Operating Temperature -55°C ~ 125°C  Applications -  Mounting Type Through Hole  Package / Case 8-SIP  Supplier Device Package 8-SIP  Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm)  Height - Seated (Max) 0.200" (5.08mm)	Number of Pins	8
Operating Temperature  -55°C ~ 125°C  Applications  -  Mounting Type  Through Hole  Package / Case  8-SIP  Supplier Device Package  8-SIP  Size / Dimension  0.798" L x 0.098" W (20.27mm x 2.49mm)  Height - Seated (Max)  0.200" (5.08mm)	Power Per Element	200mW
Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Temperature Coefficient	±100ppm/°C
Mounting Type Through Hole  Package / Case 8-SIP  Supplier Device Package 8-SIP  Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm)  Height - Seated (Max) 0.200" (5.08mm)	Operating Temperature	-55°C ~ 125°C
Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Applications	-
Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Mounting Type	Through Hole
Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm)  Height - Seated (Max) 0.200" (5.08mm)	Package / Case	8-SIP
Height - Seated (Max) 0.200" (5.08mm)	Supplier Device Package	8-SIP
	Size / Dimension	0.798" L x 0.098" W (20.27mm x 2.49mm)
Report errors?	Height - Seated (Max)	0.200" (5.08mm)
		Report errors?

#### **4608X-101-224LF Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### 4608X-101-224LF Payment Methods





















### 4608X-101-224LF Shipping Methods













If you have any question about 4608X-101-224LF, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com