



4608X-101-273LF Information



For Reference Only

Part Number 4608X-101-273LF

Manufacturer Bourns Inc.
Category Resistors

Resistor Networks, Arrays

Description RES ARRAY 7 RES 27K OHM 8SIP

Package 8-SIF

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









4608X-101-273LF Specifications

Manufacturer Part Number 4608X-101-273LF Manufacturer Bourns Inc. Category Resistors Resistor Networks, Arrays Package 8-SIP Series 4600X Circuit Type Bussed Resistance (Ohms) 27k Tolerance ±2% Number of Resistors 7 Number of Pins 8 Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)		
Category Resistors Package 8-SIP Series 4600X Circuit Type Bussed Resistance (Ohms) 27k Tolerance ±2% Number of Resistors 7 Number of Pins 8 Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Manufacturer Part Number	4608X-101-273LF
Resistor Networks, Arrays Package 8-SIP Series 4600X Circuit Type Bussed Resistance (Ohms) 27k Tolerance ±2% Number of Resistors 7 Number of Pins 8 Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Manufacturer	Bourns Inc.
Package 8-SIP Series 4600X Circuit Type Bussed Resistance (Ohms) 27k Tolerance ±2% Number of Resistors 7 Number of Pins 8 Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Category	Resistors
Series 4600X Circuit Type Bussed Resistance (Ohms) 27k Tolerance ±2% Number of Resistors 7 Number of Pins 8 Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)		Resistor Networks, Arrays
Circuit TypeBussedResistance (Ohms)27kTolerance±2%Number of Resistors7Number of Pins8Power Per Element200mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case8-SIPSupplier Device Package8-SIPSize / Dimension0.798" L x 0.098" W (20.27mm x 2.49mm)Height - Seated (Max)0.200" (5.08mm)	Package	8-SIP
Resistance (Ohms) 27k Tolerance ±2% Number of Resistors 7 Number of Pins 8 Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Series	4600X
Tolerance ±2% Number of Resistors 7 Number of Pins 8 Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Circuit Type	Bussed
Number of Resistors 7 Number of Pins 8 Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Resistance (Ohms)	27k
Number of Pins 8 Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Tolerance	±2%
Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Number of Resistors	7
Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Number of Pins	8
Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Power Per Element	200mW
Applications - Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Temperature Coefficient	±100ppm/°C
Mounting Type Through Hole Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Operating Temperature	-55°C ~ 125°C
Package / Case 8-SIP Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Applications	-
Supplier Device Package 8-SIP Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Mounting Type	Through Hole
Size / Dimension 0.798" L x 0.098" W (20.27mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Package / Case	8-SIP
Height - Seated (Max) 0.200" (5.08mm)	Supplier Device Package	8-SIP
	Size / Dimension	0.798" L x 0.098" W (20.27mm x 2.49mm)
Report errors?	Height - Seated (Max)	0.200" (5.08mm)
		Report errors?

4608X-101-273LF Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

4608X-101-273LF Payment Methods



















4608X-101-273LF Shipping Methods













If you have any question about 4608X-101-273LF, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com