



4609M-101-472LF Information

Part Number 4609M-101-472LF

Manufacturer Bourns Inc.
Category Resistors

Resistor Networks, Arrays

Description RES ARRAY 8 RES 4.7K OHM 9SIP

Package 9-SIP

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com

Request a Quote



Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









4609M-101-472LF Specifications

Manufacturer Part Number 4609M-101-472LF Manufacturer Bourns Inc. Category Resistors Package 9-SIP Series 4600M Circuit Type Bussed Resistance (Ohms) 4.7k Tolerance ±2% Number of Resistors 8 Number of Pins 9 Power Per Element 250mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 9-SIP Supplier Device Package 9-SIP Size / Dimension 0.898" L x 0.098" W (22.81mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)		
Category Resistors Recistor Networks, Arrays Package 9-SIP Series 4600M Circuit Type Bussed Resistance (Ohms) 4.7k Tolerance ±2% Number of Resistors 8 Number of Pins 9 Power Per Element 250mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 9-SIP Supplier Device Package 9-SIP Size / Dimension 0.898" L x 0.098" W (22.81mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Manufacturer Part Number	4609M-101-472LF
Resistor Networks, Arrays Package 9-SIP Series 4600M Circuit Type Bussed Resistance (Ohms) 4.7k Tolerance ±2% Number of Resistors 8 Number of Pins 9 Power Per Element 250mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 9-SIP Supplier Device Package 9-SIP Size / Dimension 0.898" L x 0.098" W (22.81mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Manufacturer	Bourns Inc.
Package 9-SIP Series 4600M Circuit Type Bussed Resistance (Ohms) 4.7k Tolerance ±2% Number of Resistors 8 Number of Pins 9 Power Per Element 250mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 9-SIP Supplier Device Package 9-SIP Size / Dimension 0.898" L x 0.098" W (22.81mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Category	Resistors
Series 4600M Circuit Type Bussed Resistance (Ohms) 4.7k Tolerance ±2% Number of Resistors 8 Number of Pins 9 Power Per Element 250mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 9-SIP Supplier Device Package 9-SIP Size / Dimension 0.898" L x 0.098" W (22.81mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)		Resistor Networks, Arrays
Circuit TypeBussedResistance (Ohms)4.7kTolerance±2%Number of Resistors8Number of Pins9Power Per Element250mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case9-SIPSupplier Device Package9-SIPSize / Dimension0.898" L x 0.098" W (22.81mm x 2.49mm)Height - Seated (Max)0.250" (6.35mm)	Package	9-SIP
Resistance (Ohms) 4.7k Tolerance ±2% Number of Resistors 8 Number of Pins 9 Power Per Element 250mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 9-SIP Supplier Device Package 9-SIP Size / Dimension 0.898" L x 0.098" W (22.81mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Series	4600M
Tolerance ±2% Number of Resistors 8 Number of Pins 9 Power Per Element 250mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 9-SIP Supplier Device Package 9-SIP Size / Dimension 0.898" L x 0.098" W (22.81mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Circuit Type	Bussed
Number of Resistors Number of Pins 9 Power Per Element 250mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 9-SIP Supplier Device Package Size / Dimension 0.898" L x 0.098" W (22.81mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Resistance (Ohms)	4.7k
Number of Pins 9 Power Per Element 250mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 9-SIP Supplier Device Package 9-SIP Size / Dimension 0.898" L x 0.098" W (22.81mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Tolerance	±2%
Power Per Element 250mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 9-SIP Supplier Device Package 9-SIP Size / Dimension 0.898" L x 0.098" W (22.81mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Number of Resistors	8
Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 9-SIP Supplier Device Package 9-SIP Size / Dimension 0.898" L x 0.098" W (22.81mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Number of Pins	9
Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 9-SIP Supplier Device Package 9-SIP Size / Dimension 0.898" L x 0.098" W (22.81mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Power Per Element	250mW
Applications - Mounting Type Through Hole Package / Case 9-SIP Supplier Device Package 9-SIP Size / Dimension 0.898" L x 0.098" W (22.81mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Temperature Coefficient	±100ppm/°C
Mounting Type Through Hole Package / Case 9-SIP Supplier Device Package 9-SIP Size / Dimension 0.898" L x 0.098" W (22.81mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Operating Temperature	-55°C ~ 125°C
Package / Case 9-SIP Supplier Device Package 9-SIP Size / Dimension 0.898" L x 0.098" W (22.81mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Applications	-
Supplier Device Package 9-SIP Size / Dimension 0.898" L x 0.098" W (22.81mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Mounting Type	Through Hole
Size / Dimension 0.898" L x 0.098" W (22.81mm x 2.49mm) Height - Seated (Max) 0.250" (6.35mm)	Package / Case	9-SIP
Height - Seated (Max) 0.250" (6.35mm)	Supplier Device Package	9-SIP
	Size / Dimension	0.898" L x 0.098" W (22.81mm x 2.49mm)
Report errors?	Height - Seated (Max)	0.250" (6.35mm)
		Report errors?

4609M-101-472LF Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

4609M-101-472LF Payment Methods



















4609M-101-472LF Shipping Methods













If you have any question about 4609M-101-472LF, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com