



4610H-101-330LF Information



For Reference Only

Part Number 4610H-101-330LF

Manufacturer Bourns Inc.
Category Resistors

Resistor Networks, Arrays

Description RES ARRAY 9 RES 33 OHM 10SIP

Package 10-SIF

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









4610H-101-330LF Specifications

| Manufacturer Part Number 4610H-101-330LF Manufacturer Bourns Inc. Category Resistors Package 10-SIP Series 4600H Circuit Type Bussed Resistance (Ohms) 33 Tolerance ±1 Ohm Number of Resistors 9 Number of Pins 10 Power Per Element 300mW Temperature Coefficient ±250ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.998" L x 0.098" W (25.35mm x 2.49mm) Height - Seated (Max) 0.350" (8.89mm) | | |
|--|--------------------------|--|
| Category Resistors Package 10-SIP Series 4600H Circuit Type Bussed Resistance (Ohms) 33 Tolerance ±1 Ohm Number of Resistors 9 Number of Pins 10 Power Per Element 300mW Temperature Coefficient ±250ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.998" L x 0.098" W (25.35mm x 2.49mm) Height - Seated (Max) 0.350" (8.89mm) | Manufacturer Part Number | 4610H-101-330LF |
| Resistor Networks, Arrays Package 10-SIP Series 4600H Circuit Type Bussed Resistance (Ohms) 33 Tolerance ±1 Ohm Number of Resistors 9 Number of Pins 10 Power Per Element 300mW Temperature Coefficient ±250ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.998" L x 0.098" W (25.35mm x 2.49mm) Height - Seated (Max) 0.350" (8.89mm) | Manufacturer | Bourns Inc. |
| Package 10-SIP Series 4600H Circuit Type Bussed Resistance (Ohms) 33 Tolerance ±1 Ohm Number of Resistors 9 Number of Pins 10 Power Per Element 300mW Temperature Coefficient ±250ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.998" L x 0.098" W (25.35mm x 2.49mm) Height - Seated (Max) 0.350" (8.89mm) | Category | Resistors |
| Series 4600H Circuit Type Bussed Resistance (Ohms) 33 Tolerance ±1 Ohm Number of Resistors 9 Number of Pins 10 Power Per Element 300mW Temperature Coefficient ±250ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.998" L x 0.098" W (25.35mm x 2.49mm) Height - Seated (Max) 0.350" (8.89mm) | | Resistor Networks, Arrays |
| Circuit TypeBussedResistance (Ohms)33Tolerance±1 OhmNumber of Resistors9Number of Pins10Power Per Element300mWTemperature Coefficient±250ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case10-SIPSupplier Device Package10-SIPSize / Dimension0.998" L x 0.098" W (25.35mm x 2.49mm)Height - Seated (Max)0.350" (8.89mm) | Package | 10-SIP |
| Resistance (Ohms) 33 Tolerance ±1 Ohm Number of Resistors 9 Number of Pins 10 Power Per Element 300mW Temperature Coefficient ±250ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.998" L x 0.098" W (25.35mm x 2.49mm) Height - Seated (Max) 0.350" (8.89mm) | Series | 4600H |
| Tolerance ±1 Ohm Number of Resistors 9 Number of Pins 10 Power Per Element 300mW Temperature Coefficient ±250ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.998" L x 0.098" W (25.35mm x 2.49mm) Height - Seated (Max) 0.350" (8.89mm) | Circuit Type | Bussed |
| Number of Resistors9Number of Pins10Power Per Element300mWTemperature Coefficient±250ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case10-SIPSupplier Device Package10-SIPSize / Dimension0.998" L x 0.098" W (25.35mm x 2.49mm)Height - Seated (Max)0.350" (8.89mm) | Resistance (Ohms) | 33 |
| Number of Pins 10 Power Per Element 300mW Temperature Coefficient ±250ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.998" L x 0.098" W (25.35mm x 2.49mm) Height - Seated (Max) 0.350" (8.89mm) | Tolerance | ±1 Ohm |
| Power Per Element 300mW Temperature Coefficient ±250ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.998" L x 0.098" W (25.35mm x 2.49mm) Height - Seated (Max) 0.350" (8.89mm) | Number of Resistors | 9 |
| Temperature Coefficient ±250ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.998" L x 0.098" W (25.35mm x 2.49mm) Height - Seated (Max) 0.350" (8.89mm) | Number of Pins | 10 |
| Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.998" L x 0.098" W (25.35mm x 2.49mm) Height - Seated (Max) 0.350" (8.89mm) | Power Per Element | 300mW |
| Applications - Mounting Type Through Hole Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.998" L x 0.098" W (25.35mm x 2.49mm) Height - Seated (Max) 0.350" (8.89mm) | Temperature Coefficient | ±250ppm/°C |
| Mounting Type Through Hole Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.998" L x 0.098" W (25.35mm x 2.49mm) Height - Seated (Max) 0.350" (8.89mm) | Operating Temperature | -55°C ~ 125°C |
| Package / Case 10-SIP Supplier Device Package 10-SIP Size / Dimension 0.998" L x 0.098" W (25.35mm x 2.49mm) Height - Seated (Max) 0.350" (8.89mm) | Applications | - |
| Supplier Device Package 10-SIP Size / Dimension 0.998" L x 0.098" W (25.35mm x 2.49mm) Height - Seated (Max) 0.350" (8.89mm) | Mounting Type | Through Hole |
| Size / Dimension 0.998" L x 0.098" W (25.35mm x 2.49mm) Height - Seated (Max) 0.350" (8.89mm) | Package / Case | 10-SIP |
| Height - Seated (Max) 0.350" (8.89mm) | Supplier Device Package | 10-SIP |
| | Size / Dimension | 0.998" L x 0.098" W (25.35mm x 2.49mm) |
| Report errors? | Height - Seated (Max) | 0.350" (8.89mm) |
| | | Report errors? |

4610H-101-330LF Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

4610H-101-330LF Payment Methods



















4610H-101-330LF Shipping Methods













If you have any question about 4610H-101-330LF, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com