



4610H-102-122LF Information



For Reference Only

Part Number 4610H-102-122LF

Manufacturer Bourns Inc.
Category Resistors

Resistor Networks, Arrays

Description RES ARRAY 5 RES 1.2K OHM 10SIP

Package 10-SIP

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









4610H-102-122LF Specifications

Manufacturer Part Number 4610H-102-122LF Manufacturer Bourns Inc. Category Resistors Resistor Networks, Arrays Package 10-SIP Series 4600H Circuit Type Isolated Resistance (Ohms) 1.2k Tolerance ±2% Number of Resistors 5 Number of Pins 10 Power Per Element 500mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 10-SIP		
CategoryResistorsPackage10-SIPSeries4600HCircuit TypeIsolatedResistance (Ohms)1.2kTolerance±2%Number of Resistors5Number of Pins10Power Per Element500mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough Hole	Manufacturer Part Number	4610H-102-122LF
Resistor Networks, Arrays Package 10-SIP Series 4600H Circuit Type Isolated Resistance (Ohms) 1.2k Tolerance ±2% Number of Resistors 5 Number of Pins 10 Power Per Element 500mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole	Manufacturer	Bourns Inc.
Package 10-SIP Series 4600H Circuit Type Isolated Resistance (Ohms) 1.2k Tolerance ±2% Number of Resistors 5 Number of Pins 10 Power Per Element 500mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole	Category	Resistors
Series 4600H Circuit Type Isolated Resistance (Ohms) 1.2k Tolerance ±2% Number of Resistors 5 Number of Pins 10 Power Per Element 500mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole		Resistor Networks, Arrays
Circuit Type Isolated Resistance (Ohms) 1.2k Tolerance ±2% Number of Resistors 5 Number of Pins 10 Power Per Element 500mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole	Package	10-SIP
Resistance (Ohms) 1.2k Tolerance ±2% Number of Resistors 5 Number of Pins 10 Power Per Element 500mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole	Series	4600H
Tolerance $\pm 2\%$ Number of Resistors5Number of Pins 10 Power Per Element $500mW$ Temperature Coefficient $\pm 100ppm/^{\circ}C$ Operating Temperature $-55^{\circ}C \sim 125^{\circ}C$ Applications-Mounting TypeThrough Hole	Circuit Type	Isolated
Number of Resistors5Number of Pins10Power Per Element500mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough Hole	Resistance (Ohms)	1.2k
Number of Pins 10 Power Per Element 500mW Temperature Coefficient $\pm 100 \text{ppm/°C}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Applications-Mounting TypeThrough Hole	Tolerance	±2%
Power Per Element 500mW Temperature Coefficient $\pm 100 \text{ppm/°C}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Applications-Mounting TypeThrough Hole	Number of Resistors	5
Temperature Coefficient $\pm 100 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Applications - Mounting Type Through Hole	Number of Pins	10
Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Applications - Mounting Type Through Hole	Power Per Element	500mW
Applications - Mounting Type Through Hole	Temperature Coefficient	±100ppm/°C
Mounting Type Through Hole	Operating Temperature	-55°C ~ 125°C
	Applications	-
Package / Case 10-SIP	Mounting Type	Through Hole
	Package / Case	10-SIP
Supplier Device Package 10-SIP	Supplier Device Package	10-SIP
Size / Dimension 0.998" L x 0.098" W (25.35mm x 2.49mm)	Size / Dimension	0.998" L x 0.098" W (25.35mm x 2.49mm)
Height - Seated (Max) 0.350" (8.89mm)	Height - Seated (Max)	0.350" (8.89mm)
Report errors?		Report errors?

4610H-102-122LF Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

4610H-102-122LF Payment Methods



















4610H-102-122LF Shipping Methods













If you have any question about 4610H-102-122LF, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com