



4610H-102-223LF Information



Part Number 4610H-102-223LF

Manufacturer Bourns Inc.
Category Resistors

Resistor Networks, Arrays

Description RES ARRAY 5 RES 22K OHM 10SIP

Package 10-SIF

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









4610H-102-223LF Specifications

Manufacturer Part Number4610H-102-223LFManufacturerBourns Inc.CategoryResistorsResistor Networks, ArraysPackage10-SIPSeries4600HCircuit TypeIsolatedResistance (Ohms)22kTolerance±2%Number of Resistors5Number of Pins10Power Per Element500mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case10-SIPSumplier Device Package10-SIP		
Category Resistors Resistor Networks, Arrays Package 10-SIP Series 4600H Circuit Type Isolated Resistance (Ohms) 22k Tolerance ±2% Number of Resistors 5 Number of Pins 10 Power Per Element 500mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 10-SIP	Manufacturer Part Number	4610H-102-223LF
Resistor Networks, Arrays Package 10-SIP Series 4600H Circuit Type Isolated Resistance (Ohms) 22k Tolerance ±2% Number of Resistors 5 Number of Pins 10 Power Per Element 500mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 10-SIP	Manufacturer	Bourns Inc.
Package 10-SIP Series 4600H Circuit Type Isolated Resistance (Ohms) 22k Tolerance ±2% Number of Resistors 5 Number of Pins 10 Power Per Element 500mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 10-SIP	Category	Resistors
Series 4600H Circuit Type Isolated Resistance (Ohms) 22k Tolerance ±2% Number of Resistors 5 Number of Pins 10 Power Per Element 500mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 10-SIP		Resistor Networks, Arrays
Circuit Type Isolated Resistance (Ohms) 22k Tolerance ±2% Number of Resistors 5 Number of Pins 10 Power Per Element 500mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 10-SIP	Package	10-SIP
Resistance (Ohms) 22k Tolerance ±2% Number of Resistors 5 Number of Pins 10 Power Per Element 500mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 10-SIP	Series	4600H
Tolerance ±2% Number of Resistors 5 Number of Pins 10 Power Per Element 500mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 10-SIP	Circuit Type	Isolated
Number of Resistors5Number of Pins10Power Per Element500mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case10-SIP	Resistance (Ohms)	22k
Number of Pins 10 Power Per Element 500mW Temperature Coefficient $\pm 100 \text{ppm/°C}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Applications-Mounting TypeThrough HolePackage / Case 10-SIP	Tolerance	±2%
Power Per Element 500mW Temperature Coefficient $\pm 100 \text{ppm/°C}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Applications-Mounting TypeThrough HolePackage / Case 10-SIP	Number of Resistors	5
Temperature Coefficient $\pm 100 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Applications - Mounting Type Through Hole Package / Case 10-SIP	Number of Pins	10
Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 10-SIP	Power Per Element	500mW
Applications - Mounting Type Through Hole Package / Case 10-SIP	Temperature Coefficient	±100ppm/°C
Mounting Type Through Hole Package / Case 10-SIP	Operating Temperature	-55°C ~ 125°C
Package / Case 10-SIP	Applications	-
	Mounting Type	Through Hole
Supplier Device Package 10-SIP	Package / Case	10-SIP
Supplied Device Luckage 10 511	Supplier Device Package	10-SIP
Size / Dimension 0.998" L x 0.098" W (25.35mm x 2.49mm)	Size / Dimension	0.998" L x 0.098" W (25.35mm x 2.49mm)
Height - Seated (Max) 0.350" (8.89mm)	Height - Seated (Max)	0.350" (8.89mm)
Report errors?		Report errors?

4610H-102-223LF Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

4610H-102-223LF Payment Methods



















4610H-102-223LF Shipping Methods













If you have any question about 4610H-102-223LF, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com