



4610X-104-221/331L Information



For Reference Only

Part Number 4610X-104-221/331L

Manufacturer Bourns Inc.
Category Resistors

Resistor Networks, Arrays

Description RES NTWRK 16 RES MULT OHM 10SIP

Package 10-SII

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









4610X-104-221/331L Specifications

Manufacturer Part Number 4610X-104-221/331L Manufacturer Bourns Inc. Category Resistors Package 10-SIP Series 4600X Circuit Type Dual Terminator Resistance (Ohms) 220, 330 Tolerance ±2% Number of Resistors 16 Number of Pins 10 Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole
CategoryResistorsPackage10-SIPSeries4600XCircuit TypeDual TerminatorResistance (Ohms)220, 330Tolerance±2%Number of Resistors16Number of Pins10Power Per Element200mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-
Resistor Networks, Arrays Package 10-SIP Series 4600X Circuit Type Dual Terminator Resistance (Ohms) 220, 330 Tolerance ±2% Number of Resistors 16 Number of Pins 10 Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications -
Package 10-SIP Series 4600X Circuit Type Dual Terminator Resistance (Ohms) 220, 330 Tolerance ±2% Number of Resistors 16 Number of Pins 10 Power Per Element 200mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications -
Series $4600X$ Circuit TypeDual TerminatorResistance (Ohms) $220, 330$ Tolerance $\pm 2\%$ Number of Resistors 16 Number of Pins 10 Power Per Element $200mW$ Temperature Coefficient $\pm 100ppm/^{\circ}C$ Operating Temperature $-55^{\circ}C \sim 125^{\circ}C$ Applications $-$
Circuit TypeDual TerminatorResistance (Ohms) $220, 330$ Tolerance $\pm 2\%$ Number of Resistors 16 Number of Pins 10 Power Per Element 200mW Temperature Coefficient $\pm 100 \text{ppm/°C}$ Operating Temperature $-55 ^{\circ}\text{C} \sim 125 ^{\circ}\text{C}$ Applications $-$
Resistance (Ohms) 220, 330 Tolerance $\pm 2\%$ Number of Resistors 16 Number of Pins 10 Power Per Element 200mW Temperature Coefficient ± 100 ppm/°C Operating Temperature -55 °C ~ 125 °C Applications -
Tolerance $\pm 2\%$ Number of Resistors16Number of Pins10Power Per Element 200mW Temperature Coefficient $\pm 100 \text{ppm/°C}$ Operating Temperature $-55 ^{\circ}\text{C} \sim 125 ^{\circ}\text{C}$ Applications-
Number of Resistors16Number of Pins10Power Per Element 200mW Temperature Coefficient $\pm 100 \text{ppm/°C}$ Operating Temperature $-55 ^{\circ}\text{C} \sim 125 ^{\circ}\text{C}$ Applications-
Number of Pins10Power Per Element 200mW Temperature Coefficient $\pm 100 \text{ppm/°C}$ Operating Temperature $-55 ^{\circ}\text{C} \sim 125 ^{\circ}\text{C}$ Applications-
Power Per Element 200mW Temperature Coefficient $\pm 100 \text{ppm/°C}$ Operating Temperature $-55 ^{\circ}\text{C} \sim 125 ^{\circ}\text{C}$ Applications-
Temperature Coefficient $\pm 100 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Applications -
Operating Temperature -55°C ~ 125°C Applications -
Applications -
Mounting Type
Mounting Type Through Hole
Package / Case 10-SIP
Supplier Device Package 10-SIP
Size / Dimension 0.998" L x 0.098" W (25.35mm x 2.49mm)
Height - Seated (Max) 0.200" (5.08mm)
Report errors?

4610X-104-221/331L Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

4610X-104-221/331L Payment Methods



















4610X-104-221/331L Shipping Methods













If you have any question about 4610X-104-221/331L, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com