



4614X-102-221LF Information

Heisener.com

Part Number 4614X-102-221LF

Manufacturer Bourns Inc.
Category Resistors

Resistor Networks, Arrays

Description RES ARRAY 7 RES 220 OHM 14SIP

Package 14-SIP

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









4614X-102-221LF Specifications

Manufacturer Part Number 4614X-102-221LF Manufacturer Bourns Inc. Category Resistors Resistor Networks, Arrays Package 14-SIP Series 4600X Circuit Type Isolated Resistance (Ohms) 220 Tolerance ±2% Number of Resistors 7 Number of Pins 14 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 14-SIP Supplier Device Package 14-SIP Size / Dimension 1.398" L x 0.098" W (35.51mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)		
Category Resistors Package 14-SIP Series 4600X Circuit Type Isolated Resistance (Ohms) 220 Tolerance ±2% Number of Resistors 7 Number of Pins 14 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 14-SIP Supplier Device Package 14-SIP Size / Dimension 1.398" L x 0.098" W (35.51mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Manufacturer Part Number	4614X-102-221LF
Resistor Networks, Arrays Package 14-SIP Series 4600X Circuit Type Isolated Resistance (Ohms) 220 Tolerance ±2% Number of Resistors 7 Number of Pins 14 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 14-SIP Supplier Device Package 14-SIP Size / Dimension 1.398" L x 0.098" W (35.51mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Manufacturer	Bourns Inc.
Package 14-SIP Series 4600X Circuit Type Isolated Resistance (Ohms) 220 Tolerance ±2% Number of Resistors 7 Number of Pins 14 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 14-SIP Supplier Device Package 14-SIP Size / Dimension 1.398" L x 0.098" W (35.51mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Category	Resistors
Series 4600X Circuit Type Isolated Resistance (Ohms) 220 Tolerance ±2% Number of Resistors 7 Number of Pins 14 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 14-SIP Supplier Device Package 14-SIP Size / Dimension 1.398" L x 0.098" W (35.51mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)		Resistor Networks, Arrays
Circuit TypeIsolatedResistance (Ohms)220Tolerance±2%Number of Resistors7Number of Pins14Power Per Element300mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case14-SIPSupplier Device Package14-SIPSize / Dimension1.398" L x 0.098" W (35.51mm x 2.49mm)Height - Seated (Max)0.200" (5.08mm)	Package	14-SIP
Resistance (Ohms) 220 Tolerance ±2% Number of Resistors 7 Number of Pins 14 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 14-SIP Supplier Device Package 14-SIP Size / Dimension 1.398" L x 0.098" W (35.51mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Series	4600X
Tolerance±2%Number of Resistors7Number of Pins14Power Per Element300mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case14-SIPSupplier Device Package14-SIPSize / Dimension1.398" L x 0.098" W (35.51mm x 2.49mm)Height - Seated (Max)0.200" (5.08mm)	Circuit Type	Isolated
Number of Resistors7Number of Pins14Power Per Element300mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeThrough HolePackage / Case14-SIPSupplier Device Package14-SIPSize / Dimension1.398" L x 0.098" W (35.51mm x 2.49mm)Height - Seated (Max)0.200" (5.08mm)	Resistance (Ohms)	220
Number of Pins 14 Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 14-SIP Supplier Device Package 14-SIP Size / Dimension 1.398" L x 0.098" W (35.51mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Tolerance	±2%
Power Per Element 300mW Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 14-SIP Supplier Device Package 14-SIP Size / Dimension 1.398" L x 0.098" W (35.51mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Number of Resistors	7
Temperature Coefficient ±100ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 14-SIP Supplier Device Package 14-SIP Size / Dimension 1.398" L x 0.098" W (35.51mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Number of Pins	14
Operating Temperature -55°C ~ 125°C Applications - Mounting Type Through Hole Package / Case 14-SIP Supplier Device Package 14-SIP Size / Dimension 1.398" L x 0.098" W (35.51mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Power Per Element	300mW
Applications - Mounting Type Through Hole Package / Case 14-SIP Supplier Device Package 14-SIP Size / Dimension 1.398" L x 0.098" W (35.51mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Temperature Coefficient	±100ppm/°C
Mounting Type Through Hole Package / Case 14-SIP Supplier Device Package 14-SIP Size / Dimension 1.398" L x 0.098" W (35.51mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Operating Temperature	-55°C ~ 125°C
Package / Case 14-SIP Supplier Device Package 14-SIP Size / Dimension 1.398" L x 0.098" W (35.51mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Applications	-
Supplier Device Package 14-SIP Size / Dimension 1.398" L x 0.098" W (35.51mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Mounting Type	Through Hole
Size / Dimension 1.398" L x 0.098" W (35.51mm x 2.49mm) Height - Seated (Max) 0.200" (5.08mm)	Package / Case	14-SIP
Height - Seated (Max) 0.200" (5.08mm)	Supplier Device Package	14-SIP
	Size / Dimension	1.398" L x 0.098" W (35.51mm x 2.49mm)
Report errors?	Height - Seated (Max)	0.200" (5.08mm)
		Report errors?

4614X-102-221LF Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

4614X-102-221LF Payment Methods



















4614X-102-221LF Shipping Methods













If you have any question about 4614X-102-221LF, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com