

5-6605317-8 Information

Heisener.com

Part Number 5-6605317-8

Manufacturer TRP Connector B.V.

Category Connectors, Interconnects

Modular Connectors - Jacks With Magnetics

Description CONN MAGJACK 1PORT 100 BASE-T

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









	0.0		. •
5-6605317-	8 Spe	ecifica	tions

Manufacturer Part Number 5-6605317-8 Manufacturer TRP Connector B.V. Category Connectors, Interconnects Modular Connectors - Jacks With Magnetics Package - Series MagJack? Connector Type RJ45 Number of Ports 1 Number of Rows 1 Applications 10/100 Base-T Mounting Type Through Hole Orientation 90° Angle (Right) Termination Solder Height Above Board 0.555" (14.10mm) LED Color Green - Yellow Number of Cores per Jack 5 Shielding Shielded, EMI Finger Features Board Guide, Decoupling Capacitance Tab Direction Down Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature -40°C ~ 85°C	_	
Category Connectors, Interconnects Modular Connectors - Jacks With Magnetics Package - Series MagJack? Connector Type RJ45 Number of Ports 1 Number of Rows 1 Applications 10/100 Base-T Mounting Type Through Hole Orientation 90° Angle (Right) Termination Solder Height Above Board 0.555" (14.10mm) LED Color Green - Yellow Number of Cores per Jack 5 Shielding Shielded, EMI Finger Features Board Guide, Decoupling Capacitance Tab Direction Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature	Manufacturer Part Number	5-6605317-8
Package - MagJack? Connector Type RJ45 Number of Ports 1 Number of Rows 1 Applications 10/100 Base-T Mounting Type 70° Angle (Right) Termination 90° Angle (Right) LED Color Green - Yellow Number of Cores per Jack 5 Shielding Shielded, EMI Finger Features Board Guide, Decoupling Capacitance Tab Direction Down Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature 4 Modular Connectors - Jacks With Magnetics - Advith Magnetics - Jacks With Magnetics - Abcks With Magnetics - Jacks With Magnetics - Abcks With Magnetics - Jacks With Magnetics - Abcks W	Manufacturer	TRP Connector B.V.
Package-SeriesMagJack?Connector TypeRJ45Number of Ports1Number of Rows1Applications10/100 Base-TMounting TypeThrough HoleOrientation90° Angle (Right)TerminationSolderHeight Above Board0.555" (14.10mm)LED ColorGreen - YellowNumber of Cores per Jack5ShieldingShielded, EMI FingerFeaturesBoard Guide, Decoupling CapacitanceTab DirectionDownContact MaterialPhosphor BronzeContact FinishGoldOperating Temperature-40°C ~ 85°C	Category	Connectors, Interconnects
SeriesMagJack?Connector TypeRJ45Number of Ports1Number of Rows1Applications10/100 Base-TMounting TypeThrough HoleOrientation90° Angle (Right)TerminationSolderHeight Above Board0.555" (14.10mm)LED ColorGreen - YellowNumber of Cores per Jack5ShieldingShielded, EMI FingerFeaturesBoard Guide, Decoupling CapacitanceTab DirectionDownContact MaterialPhosphor BronzeContact FinishGoldOperating Temperature-40°C ~ 85°C		Modular Connectors - Jacks With Magnetics
Connector Type RJ45 Number of Ports 1 Number of Rows 1 Applications 10/100 Base-T Mounting Type Through Hole Orientation 90° Angle (Right) Termination Solder Height Above Board 0.555" (14.10mm) LED Color Green - Yellow Number of Cores per Jack 5 Shielding Shielded, EMI Finger Features Board Guide, Decoupling Capacitance Tab Direction Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature RJ45 1 Application 10/100 Base-T 10/100 B	Package	-
Number of Ports 1 Number of Rows 1 Applications 10/100 Base-T Mounting Type Through Hole Orientation 90° Angle (Right) Termination Solder Height Above Board 0.555" (14.10mm) LED Color Green - Yellow Number of Cores per Jack 5 Shielding Shielded, EMI Finger Features Board Guide, Decoupling Capacitance Tab Direction Down Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature -40°C ~ 85°C	Series	MagJack?
Number of Rows1Applications10/100 Base-TMounting TypeThrough HoleOrientation90° Angle (Right)TerminationSolderHeight Above Board0.555" (14.10mm)LED ColorGreen - YellowNumber of Cores per Jack5ShieldingShielded, EMI FingerFeaturesBoard Guide, Decoupling CapacitanceTab DirectionDownContact MaterialPhosphor BronzeContact FinishGoldOperating Temperature-40°C ~ 85°C	Connector Type	RJ45
Applications Mounting Type Through Hole Orientation 90° Angle (Right) Termination Solder Height Above Board 0.555" (14.10mm) LED Color Green - Yellow Number of Cores per Jack Shielding Shielded, EMI Finger Features Board Guide, Decoupling Capacitance Tab Direction Down Contact Material Phosphor Bronze Contact Finish Operating Temperature 10/100 Base-T Through Hole 700 C ~ 85°C	Number of Ports	1
Mounting TypeThrough HoleOrientation90° Angle (Right)TerminationSolderHeight Above Board0.555" (14.10mm)LED ColorGreen - YellowNumber of Cores per Jack5ShieldingShielded, EMI FingerFeaturesBoard Guide, Decoupling CapacitanceTab DirectionDownContact MaterialPhosphor BronzeContact FinishGoldOperating Temperature-40°C ~ 85°C	Number of Rows	1
Orientation 90° Angle (Right) Termination Solder Height Above Board 0.555" (14.10mm) LED Color Green - Yellow Number of Cores per Jack 5 Shielding Shielded, EMI Finger Features Board Guide, Decoupling Capacitance Tab Direction Down Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature -40°C ~ 85°C	Applications	10/100 Base-T
Termination Solder Height Above Board 0.555" (14.10mm) LED Color Green - Yellow Number of Cores per Jack Shielding Shielded, EMI Finger Features Board Guide, Decoupling Capacitance Tab Direction Down Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature Solder 0.555" (14.10mm) Green - Yellow 5 Shielded, EMI Finger Board Guide, Decoupling Capacitance Tab Direction Down Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature -40°C ~ 85°C	Mounting Type	Through Hole
Height Above Board LED Color Green - Yellow Number of Cores per Jack Shielding Shielded, EMI Finger Features Board Guide, Decoupling Capacitance Tab Direction Down Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature -40°C ~ 85°C	Orientation	90° Angle (Right)
LED ColorGreen - YellowNumber of Cores per Jack5ShieldingShielded, EMI FingerFeaturesBoard Guide, Decoupling CapacitanceTab DirectionDownContact MaterialPhosphor BronzeContact FinishGoldOperating Temperature-40°C ~ 85°C	Termination	Solder
Number of Cores per Jack Shielding Shielded, EMI Finger Features Board Guide, Decoupling Capacitance Tab Direction Down Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature 5 Shielded, EMI Finger Board Guide, Decoupling Capacitance Down Capacitance And Capacitance Foundation Foundat	Height Above Board	0.555" (14.10mm)
Shielding Shielded, EMI Finger Features Board Guide, Decoupling Capacitance Tab Direction Down Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature -40°C ~ 85°C	LED Color	Green - Yellow
Features Board Guide, Decoupling Capacitance Tab Direction Down Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature -40°C ~ 85°C	Number of Cores per Jack	5
Tab Direction Down Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature -40°C ~ 85°C	Shielding	Shielded, EMI Finger
Contact MaterialPhosphor BronzeContact FinishGoldOperating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$	Features	Board Guide, Decoupling Capacitance
Contact Finish Gold Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$	Tab Direction	Down
Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$	Contact Material	Phosphor Bronze
	Contact Finish	Gold
Report errors?	Operating Temperature	-40°C ~ 85°C
		Report errors?

5-6605317-8 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

5-6605317-8 Payment Methods



















5-6605317-8 Shipping Methods













If you have any question about 5-6605317-8, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com