

5-6605869-7 Information

Heisener.com

Part Number 5-6605869-7

Manufacturer TRP Connector B.V.

Category Connectors, Interconnects

Modular Connectors - Jacks With Magnetics

Description CONN MAGJACK 1PORT 100 BASE-T

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









5-6605869-7 Specifications

Manufacturer Part Number 5-6605869-7 Manufacturer TRP Connector B.V. Category Connectors, Interconnects Modular Connectors - Jacks With Magnetics Package - Series MagJack? Connector Type RJ45 Number of Ports 1 Number of Rows 1 Applications 10/100 Base-T, AutoMDIX Mounting Type Through Hole Orientation 90° Angle (Right) Termination Solder Height Above Board 0.549" (13.95mm) LED Color Green - Green Number of Cores per Jack 4 Shielding Shielded, EMI Finger Features Board Guide Tab Direction Up Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature 0°C ~ 70°C Report errors?	-	
Category Connectors, Interconnects Modular Connectors - Jacks With Magnetics Package - Series MagJack? Connector Type RJ45 Number of Ports 1 Number of Rows 1 Applications 10/100 Base-T, AutoMDIX Mounting Type Through Hole Orientation 90° Angle (Right) Termination Solder Height Above Board LED Color Green - Green Number of Cores per Jack 4 Shielding Shielded, EMI Finger Features Board Guide Tab Direction Up Contact Material Operating Temperature 0°C ~ 70°C	Manufacturer Part Number	5-6605869-7
Package-SeriesMagJack?Connector TypeRJ45Number of Ports1Number of Rows1Applications10/100 Base-T, AutoMDIXMounting TypeThrough HoleOrientation90° Angle (Right)TerminationSolderHeight Above Board0.549" (13.95mm)LED ColorGreen - GreenNumber of Cores per Jack4ShieldingShielded, EMI FingerFeaturesBoard GuideTab DirectionUpContact MaterialPhosphor BronzeContact FinishGoldOperating Temperature0°C ~ 70°C	Manufacturer	TRP Connector B.V.
Package-SeriesMagJack?Connector TypeRJ45Number of Ports1Number of Rows1Applications10/100 Base-T, AutoMDIXMounting TypeThrough HoleOrientation90° Angle (Right)TerminationSolderHeight Above Board0.549" (13.95mm)LED ColorGreen - GreenNumber of Cores per Jack4ShieldingShielded, EMI FingerFeaturesBoard GuideTab DirectionUpContact MaterialPhosphor BronzeContact FinishGoldOperating Temperature0°C ~ 70°C	Category	Connectors, Interconnects
SeriesMagJack?Connector TypeRJ45Number of Ports1Number of Rows1Applications10/100 Base-T, AutoMDIXMounting TypeThrough HoleOrientation90° Angle (Right)TerminationSolderHeight Above Board0.549" (13.95mm)LED ColorGreen - GreenNumber of Cores per Jack4ShieldingShielded, EMI FingerFeaturesBoard GuideTab DirectionUpContact MaterialPhosphor BronzeContact FinishGoldOperating Temperature0°C ~ 70°C		Modular Connectors - Jacks With Magnetics
Connector Type RJ45 Number of Ports 1 Number of Rows 1 Applications 10/100 Base-T, AutoMDIX Mounting Type Through Hole Orientation 90° Angle (Right) Termination Solder Height Above Board 0.549" (13.95mm) LED Color Green - Green Number of Cores per Jack 4 Shielding Shielded, EMI Finger Features Board Guide Tab Direction Up Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature	Package	-
Number of Ports 1 Number of Rows 1 Applications 10/100 Base-T, AutoMDIX Mounting Type Through Hole Orientation 90° Angle (Right) Termination Solder Height Above Board 0.549" (13.95mm) LED Color Green - Green Number of Cores per Jack 4 Shielding Shielded, EMI Finger Features Board Guide Tab Direction Up Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature	Series	MagJack?
Number of Rows1Applications10/100 Base-T, AutoMDIXMounting TypeThrough HoleOrientation90° Angle (Right)TerminationSolderHeight Above Board0.549" (13.95mm)LED ColorGreen - GreenNumber of Cores per Jack4ShieldingShielded, EMI FingerFeaturesBoard GuideTab DirectionUpContact MaterialPhosphor BronzeContact FinishGoldOperating Temperature0°C ~ 70°C	Connector Type	RJ45
Applications Mounting Type Through Hole Orientation 90° Angle (Right) Termination Solder Height Above Board 0.549" (13.95mm) LED Color Green - Green Number of Cores per Jack 4 Shielding Shielded, EMI Finger Features Board Guide Tab Direction Up Contact Material Phosphor Bronze Contact Finish Operating Temperature 10/100 Base-T, AutoMDIX AutoMDIX AutoMDIX 10/100 Base-T, AutoMDIX 10/100 Base-T	Number of Ports	1
Mounting TypeThrough HoleOrientation90° Angle (Right)TerminationSolderHeight Above Board0.549" (13.95mm)LED ColorGreen - GreenNumber of Cores per Jack4ShieldingShielded, EMI FingerFeaturesBoard GuideTab DirectionUpContact MaterialPhosphor BronzeContact FinishGoldOperating Temperature0°C ~ 70°C	Number of Rows	1
Orientation 90° Angle (Right) Termination Solder Height Above Board 0.549" (13.95mm) LED Color Green - Green Number of Cores per Jack 4 Shielding Shielded, EMI Finger Features Board Guide Tab Direction Up Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature 0°C ~ 70°C	Applications	10/100 Base-T, AutoMDIX
Termination Solder Height Above Board 0.549" (13.95mm) LED Color Green - Green Number of Cores per Jack Shielding Shielded, EMI Finger Features Board Guide Tab Direction Up Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature	Mounting Type	Through Hole
Height Above Board LED Color Green - Green Number of Cores per Jack 4 Shielding Shielded, EMI Finger Features Board Guide Tab Direction Up Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature 0 °C ~ 70°C	Orientation	90° Angle (Right)
LED ColorGreen - GreenNumber of Cores per Jack4ShieldingShielded, EMI FingerFeaturesBoard GuideTab DirectionUpContact MaterialPhosphor BronzeContact FinishGoldOperating Temperature0°C ~ 70°C	Termination	Solder
Number of Cores per Jack4ShieldingShielded, EMI FingerFeaturesBoard GuideTab DirectionUpContact MaterialPhosphor BronzeContact FinishGoldOperating Temperature0°C ~ 70°C	Height Above Board	0.549" (13.95mm)
Shielding Shielded, EMI Finger Features Board Guide Tab Direction Up Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature 0°C ~ 70°C	LED Color	Green - Green
Features Board Guide Tab Direction Up Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature 0°C ~ 70°C	Number of Cores per Jack	4
Tab DirectionUpContact MaterialPhosphor BronzeContact FinishGoldOperating Temperature 0° C ~ 70° C	Shielding	Shielded, EMI Finger
Contact Material Phosphor Bronze Contact Finish Gold Operating Temperature 0°C ~ 70°C	Features	Board Guide
Contact Finish Gold Operating Temperature $0^{\circ}\text{C} \sim 70^{\circ}\text{C}$	Tab Direction	Up
Operating Temperature $0^{\circ}\text{C} \sim 70^{\circ}\text{C}$	Contact Material	Phosphor Bronze
	Contact Finish	Gold
Report errors?	Operating Temperature	0°C ~ 70°C
		Report errors?

5-6605869-7 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

5-6605869-7 Payment Methods





















5-6605869-7 Shipping Methods













If you have any question about 5-6605869-7, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com