

5988840307F Information



For Reference Only

Part Number 5988840307F Manufacturer Dialight

Category Optoelectronics

LED Indication - Discrete

Description LED BL/GRN/YLW CLEAR 1208 R/A

Package 2-SMD, No Lead

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









5988840307F Specifications

Manufacturer 5988840307F Manufacturer Dialight Category Optoelectronics LED Indication - Discrete Package 2-SMD, No Lead Series 598 Color Blue, Green, Yellow Configuration Common Anode Lens Color Colorless Lens Transparency Clear Millicandela Rating 90mcd Blue, 220mcd Green, 110mcd Yellow Lens Style/Size Rectangle with Domed Top, 2.00mm x 1.00mm Voltage - Forward (Vf) (Typ) 3.2V Blue, 3.2V Green, 2.2V Yellow Current - Test 20mA Blue, 20mA Green, 20mA Yellow Viewing Angle 160° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 470nm Blue, 525nm Green, 590nm Yellow Wavelength - Peak - Features - Package / Case 2-SMD, No Lead Supplier Device Package 1208 Size / Dimension 3.20mm L x 1.50mm W Height (Max) 1.00mm	*	
Category Optoelectronics LED Indication - Discrete Package 2-SMD, No Lead Series 598 Color Blue, Green, Yellow Configuration Common Anode Lens Color Colorless Lens Transparency Clear Millicandela Rating 90mcd Blue, 220mcd Green, 110mcd Yellow Lens Style/Size Rectangle with Domed Top, 2.00mm x 1.00mm Voltage - Forward (Vf) (Typ) 3.2V Blue, 3.2V Green, 2.2V Yellow Current - Test 20mA Blue, 20mA Green, 20mA Yellow Viewing Angle 160° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 470mm Blue, 525nm Green, 590nm Yellow Wavelength - Peak - Features - Package / Case 2-SMD, No Lead Supplier Device Package 1208 Size / Dimension 3.20mm L x 1.50mm W Height (Max) 1.00mm	Manufacturer Part Number	5988840307F
LED Indication - Discrete Package 2-SMD, No Lead Series 598 Color Blue, Green, Yellow Configuration Common Anode Lens Color Colorless Lens Transparency Clear Millicandela Rating 90mcd Blue, 220mcd Green, 110mcd Yellow Lens Style/Size Rectangle with Domed Top, 2.00mm x 1.00mm Voltage - Forward (Vf) (Typ) 3.2V Blue, 3.2V Green, 2.2V Yellow Current - Test 20mA Blue, 20mA Green, 20mA Yellow Viewing Angle 160° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 470nm Blue, 525nm Green, 590nm Yellow Wavelength - Peak - Features - Package / Case 2-SMD, No Lead Supplier Device Package 1208 Size / Dimension 3.20mm L x 1.50mm W Height (Max) 1.00mm	Manufacturer	Dialight
Package 2-SMD, No Lead Series 598 Color Blue, Green, Yellow Configuration Common Anode Lens Color Colorless Lens Transparency Clear Millicandela Rating 90mcd Blue, 220mcd Green, 110mcd Yellow Lens Style/Size Rectangle with Domed Top, 2.00mm x 1.00mm Voltage - Forward (Vf) (Typ) 3.2V Blue, 3.2V Green, 2.2V Yellow Current - Test 20mA Blue, 20mA Green, 20mA Yellow Viewing Angle 160° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 470nm Blue, 525nm Green, 590nm Yellow Wavelength - Peak - Features - Package / Case 2-SMD, No Lead Supplier Device Package 1208 Size / Dimension 3.20mm L x 1.50mm W Height (Max) 1.00mm	Category	Optoelectronics
Series 598 Color Blue, Green, Yellow Configuration Common Anode Lens Color Colorless Lens Transparency Clear Millicandela Rating 90mcd Blue, 220mcd Green, 110mcd Yellow Lens Style/Size Rectangle with Domed Top, 2.00mm x 1.00mm Voltage - Forward (Vf) (Typ) 3.2V Blue, 3.2V Green, 2.2V Yellow Current - Test 20mA Blue, 20mA Green, 20mA Yellow Viewing Angle 160° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 470nm Blue, 525nm Green, 590nm Yellow Wavelength - Peak - Features - Package / Case 2-SMD, No Lead Supplier Device Package 1208 Size / Dimension 3.20mm L x 1.50mm W Height (Max) 1.00mm		LED Indication - Discrete
ColorBlue, Green, YellowConfigurationCommon AnodeLens ColorColorlessLens TransparencyClearMillicandela Rating90mcd Blue, 220mcd Green, 110mcd YellowLens Style/SizeRectangle with Domed Top, 2.00mm x 1.00mmVoltage - Forward (Vf) (Typ)3.2V Blue, 3.2V Green, 2.2V YellowCurrent - Test20mA Blue, 20mA Green, 20mA YellowViewing Angle160°Mounting TypeSurface Mount, Right AngleWavelength - Dominant470nm Blue, 525nm Green, 590nm YellowWavelength - Peak-Features-Package / Case2-SMD, No LeadSupplier Device Package1208Size / Dimension3.20mm L x 1.50mm WHeight (Max)1.00mm	Package	2-SMD, No Lead
Configuration Common Anode Lens Color Colorless Lens Transparency Clear Millicandela Rating 90mcd Blue, 220mcd Green, 110mcd Yellow Lens Style/Size Rectangle with Domed Top, 2.00mm x 1.00mm Voltage - Forward (Vf) (Typ) 3.2V Blue, 3.2V Green, 2.2V Yellow Current - Test 20mA Blue, 20mA Green, 20mA Yellow Viewing Angle 160° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 470nm Blue, 525nm Green, 590nm Yellow Wavelength - Peak - Features - Package / Case 2-SMD, No Lead Supplier Device Package 1208 Size / Dimension 3.20mm L x 1.50mm W Height (Max) 1.00mm	Series	598
Lens ColorColorlessLens TransparencyClearMillicandela Rating90mcd Blue, 220mcd Green, 110mcd YellowLens Style/SizeRectangle with Domed Top, 2.00mm x 1.00mmVoltage - Forward (Vf) (Typ)3.2V Blue, 3.2V Green, 2.2V YellowCurrent - Test20mA Blue, 20mA Green, 20mA YellowViewing Angle160°Mounting TypeSurface Mount, Right AngleWavelength - Dominant470nm Blue, 525nm Green, 590nm YellowWavelength - Peak-Features-Package / Case2-SMD, No LeadSupplier Device Package1208Size / Dimension3.20mm L x 1.50mm WHeight (Max)1.00mm	Color	Blue, Green, Yellow
Lens TransparencyClearMillicandela Rating90mcd Blue, 220mcd Green, 110mcd YellowLens Style/SizeRectangle with Domed Top, 2.00mm x 1.00mmVoltage - Forward (Vf) (Typ)3.2V Blue, 3.2V Green, 2.2V YellowCurrent - Test20mA Blue, 20mA Green, 20mA YellowViewing Angle160°Mounting TypeSurface Mount, Right AngleWavelength - Dominant470nm Blue, 525nm Green, 590nm YellowWavelength - Peak-Features-Package / Case2-SMD, No LeadSupplier Device Package1208Size / Dimension3.20mm L x 1.50mm WHeight (Max)1.00mm	Configuration	Common Anode
Millicandela Rating 90mcd Blue, 220mcd Green, 110mcd Yellow Lens Style/Size Rectangle with Domed Top, 2.00mm x 1.00mm Voltage - Forward (Vf) (Typ) 3.2V Blue, 3.2V Green, 2.2V Yellow Current - Test 20mA Blue, 20mA Green, 20mA Yellow Viewing Angle 160° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 470nm Blue, 525nm Green, 590nm Yellow Wavelength - Peak - Features - Package / Case 2-SMD, No Lead Supplier Device Package 1208 Size / Dimension 3.20mm L x 1.50mm W Height (Max) 1.00mm	Lens Color	Colorless
Lens Style/Size Rectangle with Domed Top, 2.00mm x 1.00mm Voltage - Forward (Vf) (Typ) 3.2V Blue, 3.2V Green, 2.2V Yellow Current - Test 20mA Blue, 20mA Green, 20mA Yellow Viewing Angle 160° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 470nm Blue, 525nm Green, 590nm Yellow Wavelength - Peak - Features - Package / Case 2-SMD, No Lead Supplier Device Package 1208 Size / Dimension 3.20mm L x 1.50mm W Height (Max) 1.00mm	Lens Transparency	Clear
Voltage - Forward (Vf) (Typ) 3.2V Blue, 3.2V Green, 2.2V Yellow Current - Test 20mA Blue, 20mA Green, 20mA Yellow Viewing Angle 160° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 470nm Blue, 525nm Green, 590nm Yellow Wavelength - Peak - Features - Package / Case 2-SMD, No Lead Supplier Device Package 1208 Size / Dimension 3.20mm L x 1.50mm W Height (Max) 1.00mm	Millicandela Rating	90mcd Blue, 220mcd Green, 110mcd Yellow
Current - Test 20mA Blue, 20mA Green, 20mA Yellow 160° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 470nm Blue, 525nm Green, 590nm Yellow Wavelength - Peak - Features - Package / Case 2-SMD, No Lead Supplier Device Package 1208 Size / Dimension 3.20mm L x 1.50mm W Height (Max) 1.00mm	Lens Style/Size	Rectangle with Domed Top, 2.00mm x 1.00mm
Viewing Angle 160° Mounting TypeSurface Mount, Right AngleWavelength - Dominant 470 nm Blue, 525 nm Green, 590 nm YellowWavelength - Peak-Features-Package / Case 2 -SMD, No LeadSupplier Device Package 1208 Size / Dimension 3.20 mm L x 1.50 mm WHeight (Max) 1.00 mm	Voltage - Forward (Vf) (Typ)	3.2V Blue, 3.2V Green, 2.2V Yellow
Mounting Type Surface Mount, Right Angle Wavelength - Dominant 470nm Blue, 525nm Green, 590nm Yellow Wavelength - Peak - Features - Package / Case 2-SMD, No Lead Supplier Device Package 1208 Size / Dimension 3.20mm L x 1.50mm W Height (Max) 1.00mm	Current - Test	20mA Blue, 20mA Green, 20mA Yellow
Wavelength - Dominant 470nm Blue, 525nm Green, 590nm Yellow Wavelength - Peak - Features - Package / Case 2-SMD, No Lead Supplier Device Package 1208 Size / Dimension 3.20mm L x 1.50mm W Height (Max) 1.00mm	Viewing Angle	160°
Wavelength - Peak - Features - Package / Case 2-SMD, No Lead Supplier Device Package 1208 Size / Dimension 3.20mm L x 1.50mm W Height (Max) 1.00mm	Mounting Type	Surface Mount, Right Angle
Features - Package / Case 2-SMD, No Lead Supplier Device Package 1208 Size / Dimension 3.20mm L x 1.50mm W Height (Max) 1.00mm	Wavelength - Dominant	470nm Blue, 525nm Green, 590nm Yellow
Package / Case 2-SMD, No Lead Supplier Device Package 1208 Size / Dimension 3.20mm L x 1.50mm W Height (Max) 1.00mm	Wavelength - Peak	-
Supplier Device Package 1208 Size / Dimension 3.20mm L x 1.50mm W Height (Max) 1.00mm	Features	-
Size / Dimension 3.20mm L x 1.50mm W Height (Max) 1.00mm	Package / Case	2-SMD, No Lead
Height (Max) 1.00mm	Supplier Device Package	1208
	Size / Dimension	3.20mm L x 1.50mm W
Report errors?	Height (Max)	1.00mm
		Report errors?

5988840307F Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

5988840307F Payment Methods



















5988840307F Shipping Methods













If you have any question about 5988840307F, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com