



5989260107F Information

Heisener.com

5989260107F Part Number Manufacturer Dialight

Category Optoelectronics

LED Indication - Discrete

Description LED YELLOW-GRN DIFFUSED 1206 SMD

Package 1206 (3216 Metric)

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









5989260107F Specifications

Manufacturer Part Number 5989260107F Manufacturer Dialight Category Optoelectronics LED Indication - Discrete Package 1206 (3216 Metric) Series 598 Color Yellow-Green Configuration - Lens Color White Lens Transparency Diffused Millicandela Rating 40mcd Lens Style/Size Rectangle with Flat Top, 2.00mm x 1.60mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 140° Mounting Type Surface Mount Wavelength - Dominant 573nm Wavelength - Peak - Features -	•	
Category Optoelectronics LED Indication - Discrete Package 1206 (3216 Metric) Series 598 Color Yellow-Green Configuration - Lens Color White Lens Transparency Diffused Millicandela Rating 40mcd Lens Style/Size Rectangle with Flat Top, 2.00mm x 1.60mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 140° Mounting Type Surface Mount Wavelength - Dominant 573nm Wavelength - Peak - Features -	Manufacturer Part Number	5989260107F
Package1206 (3216 Metric)Series598ColorYellow-GreenConfiguration-Lens ColorWhiteLens TransparencyDiffusedMillicandela Rating40mcdLens Style/SizeRectangle with Flat Top, 2.00mm x 1.60mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle140°Mounting TypeSurface MountWavelength - Dominant573nmWavelength - Peak-Features-	Manufacturer	Dialight
Package1206 (3216 Metric)Series598ColorYellow-GreenConfiguration-Lens ColorWhiteLens TransparencyDiffusedMillicandela Rating40mcdLens Style/SizeRectangle with Flat Top, 2.00mm x 1.60mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle140°Mounting TypeSurface MountWavelength - Dominant573nmWavelength - Peak-Features-	Category	Optoelectronics
Series598ColorYellow-GreenConfiguration-Lens ColorWhiteLens TransparencyDiffusedMillicandela Rating40mcdLens Style/SizeRectangle with Flat Top, 2.00mm x 1.60mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle140°Mounting TypeSurface MountWavelength - Dominant573nmWavelength - Peak-Features-		LED Indication - Discrete
ColorYellow-GreenConfiguration-Lens ColorWhiteLens TransparencyDiffusedMillicandela Rating40mcdLens Style/SizeRectangle with Flat Top, 2.00mm x 1.60mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle140°Mounting TypeSurface MountWavelength - Dominant573nmWavelength - Peak-Features-	Package	1206 (3216 Metric)
Configuration-Lens ColorWhiteLens TransparencyDiffusedMillicandela Rating40mcdLens Style/SizeRectangle with Flat Top, 2.00mm x 1.60mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle140°Mounting TypeSurface MountWavelength - Dominant573nmWavelength - Peak-Features-	Series	598
Lens ColorWhiteLens TransparencyDiffusedMillicandela Rating40mcdLens Style/SizeRectangle with Flat Top, 2.00mm x 1.60mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle140°Mounting TypeSurface MountWavelength - Dominant573nmWavelength - Peak-Features-	Color	Yellow-Green
Lens TransparencyDiffusedMillicandela Rating40mcdLens Style/SizeRectangle with Flat Top, 2.00mm x 1.60mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle140°Mounting TypeSurface MountWavelength - Dominant573nmWavelength - Peak-Features-	Configuration	-
Millicandela Rating Lens Style/Size Rectangle with Flat Top, 2.00mm x 1.60mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 140° Mounting Type Surface Mount Wavelength - Dominant 573nm Wavelength - Peak Features -	Lens Color	White
Lens Style/SizeRectangle with Flat Top, 2.00mm x 1.60mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle140°Mounting TypeSurface MountWavelength - Dominant573nmWavelength - Peak-Features-	Lens Transparency	Diffused
Voltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle140°Mounting TypeSurface MountWavelength - Dominant573nmWavelength - Peak-Features-	Millicandela Rating	40mcd
Current - Test20mAViewing Angle140°Mounting TypeSurface MountWavelength - Dominant573nmWavelength - Peak-Features-	Lens Style/Size	Rectangle with Flat Top, 2.00mm x 1.60mm
Viewing Angle140°Mounting TypeSurface MountWavelength - Dominant573nmWavelength - Peak-Features-	Voltage - Forward (Vf) (Typ)	2V
Mounting Type Surface Mount Wavelength - Dominant 573nm Wavelength - Peak - Features -	Current - Test	20mA
Wavelength - Dominant 573nm Wavelength - Peak - Features -	Viewing Angle	140°
Wavelength - Peak - Features -	Mounting Type	Surface Mount
Features -	Wavelength - Dominant	573nm
	Wavelength - Peak	-
	Features	-
Package / Case 1206 (3216 Metric)	Package / Case	1206 (3216 Metric)
Supplier Device Package 1206	Supplier Device Package	1206
Size / Dimension 3.20mm L x 1.60mm W	Size / Dimension	3.20mm L x 1.60mm W
Height (Max) 0.68mm	Height (Max)	0.68mm
Report errors?		Report errors?

5989260107F Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

5989260107F Payment Methods





















5989260107F Shipping Methods













If you have any question about 5989260107F, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com