

### **6031417B Information**

Heisener.com

Part Number 6031417B

Manufacturer TE Connectivity Potter & Brumfield Relays

Category

Signal Relays, Up to 2 Amps

RELAY GENERAL PURPOSE SPDT 1A **Description** 

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **6031417B Specifications**

Manufacturer Part Number     6031417B       Manufacturer     TE Connectivity Potter & Brumfield Relays       Category     Relays       Package     -       Series     600       Relay Type     General Purpose       Coil Current     -       Coil Current     -       Coil Voltage     -       Contact Form     SPDT (1 Form C)       Contact Rating (Current)     1A       Switching Voltage     120VAC - Max       Turn On Voltage (Max)     -       Turn Off Voltage (Min)     -       Operate Time     -       Release Time     -       Features     -       Mounting Type     Through Hole       Termination Style     PC Pin		
CategoryRelaysPackage-Series600Relay TypeGeneral PurposeCoil Type-Coil Current-Coil Voltage-Contact FormSPDT (1 Form C)Contact Rating (Current)1 ASwitching Voltage120VAC - MaxTurn On Voltage (Max)-Turn Off Voltage (Min)-Operate Time-Release Time-Features-Mounting TypeThrough HoleTermination StylePC Pin	Manufacturer Part Number	6031417B
Package-Series600Relay TypeGeneral PurposeCoil Type-Coil Current-Coil Voltage-Contact FormSPDT (1 Form C)Contact Rating (Current)1ASwitching Voltage120VAC - MaxTurn On Voltage (Max)-Turn Off Voltage (Min)-Operate Time-Release Time-Features-Mounting TypeThrough HoleTermination StylePC Pin	Manufacturer	TE Connectivity Potter & Brumfield Relays
Package         -           Series         600           Relay Type         General Purpose           Coil Type         -           Coil Current         -           Coil Voltage         -           Contact Form         SPDT (1 Form C)           Contact Rating (Current)         1A           Switching Voltage         120VAC - Max           Turn On Voltage (Max)         -           Turn Off Voltage (Min)         -           Operate Time         -           Release Time         -           Features         -           Mounting Type         Through Hole           Termination Style         PC Pin	Category	Relays
Series600Relay TypeGeneral PurposeCoil Type-Coil Current-Coil Voltage-Contact FormSPDT (1 Form C)Contact Rating (Current)1ASwitching Voltage120VAC - MaxTurn On Voltage (Max)-Turn Off Voltage (Min)-Operate Time-Release Time-Features-Mounting TypeThrough HoleTermination StylePC Pin		Signal Relays, Up to 2 Amps
Relay TypeGeneral PurposeCoil Type-Coil Current-Coil Voltage-Contact FormSPDT (1 Form C)Contact Rating (Current)1ASwitching Voltage120VAC - MaxTurn On Voltage (Max)-Turn Off Voltage (Min)-Operate Time-Release Time-Features-Mounting TypeThrough HoleTermination StylePC Pin	Package	-
Coil Type-Coil Current-Coil Voltage-Contact FormSPDT (1 Form C)Contact Rating (Current)1ASwitching Voltage120VAC - MaxTurn On Voltage (Max)-Turn Off Voltage (Min)-Operate Time-Release Time-Features-Mounting TypeThrough HoleTermination StylePC Pin	Series	600
Coil Current Coil Voltage - Contact Form SPDT (1 Form C) Contact Rating (Current) 1A Switching Voltage 120VAC - Max Turn On Voltage (Max) - Turn Off Voltage (Min) - Operate Time Release Time - Features Mounting Type Through Hole Termination Style - Contact Rating (Current) - Torm C)  A SPDT (1 Form C)  - Contact Rating (Current) - SPDT (1 Form C)	Relay Type	General Purpose
Coil Voltage Contact Form SPDT (1 Form C) Contact Rating (Current) 1A Switching Voltage 120VAC - Max Turn On Voltage (Max) Turn Off Voltage (Min) Operate Time Release Time Release Time Features Mounting Type Through Hole Termination Style PC Pin	Coil Type	-
Contact Form SPDT (1 Form C)  Contact Rating (Current)  1A  Switching Voltage  120VAC - Max  Turn On Voltage (Max)  -  Turn Off Voltage (Min)  Operate Time  Release Time  -  Release Time  -  Mounting Type  Through Hole  Termination Style	Coil Current	-
Contact Rating (Current)  Switching Voltage  120VAC - Max  Turn On Voltage (Max)  - Turn Off Voltage (Min)  Operate Time  Release Time  - Release Time  Features  Mounting Type  Through Hole  Termination Style  1A  120VAC - Max  -  120VAC - Max	Coil Voltage	-
Switching Voltage Turn On Voltage (Max) - Turn Off Voltage (Min) - Operate Time - Release Time - Features - Mounting Type Through Hole Termination Style  120VAC - Max	Contact Form	SPDT (1 Form C)
Turn On Voltage (Max)-Turn Off Voltage (Min)-Operate Time-Release Time-Features-Mounting TypeThrough HoleTermination StylePC Pin	Contact Rating (Current)	1A
Turn Off Voltage (Min)  Operate Time - Release Time - Features - Mounting Type Through Hole Termination Style  PC Pin	Switching Voltage	120VAC - Max
Operate Time Release Time	Turn On Voltage (Max)	-
Release Time	Turn Off Voltage (Min)	-
Features - Mounting Type Through Hole Termination Style PC Pin	Operate Time	-
Mounting Type Through Hole Termination Style PC Pin	Release Time	-
Termination Style PC Pin	Features	-
·	Mounting Type	Through Hole
Report errors?	Termination Style	PC Pin
Report errors.		Report errors?

#### 6031417B Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# 6031417B Payment Methods



















### **6031417B Shipping Methods**













If you have any question about 6031417B, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com