



### **60KTH Information**

Heisener.com

Part Number 60KTH
Manufacturer Eaton

Category Circuit Protection

Electrical, Specialty Fuses

**Description** FUSE 60A TRACTION (5)

Package Cylindrical, Blade Terminal (Bolt)

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **60KTH Specifications**

Manufacturer Part Number60KTHManufacturerEatonCategoryCircuit ProtectionPackageCylindrical, Specialty FusesPackageCylindrical, Blade Terminal (Bolt)SeriesKTHFuse TypeCartridgeCurrent Rating60AVoltage Rating - AC-Voltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension1.067" Dia x 4.882" L (27.10mm x 124.00mm)Report errors?		
CategoryCircuit ProtectionPackageCylindrical, Specialty FusesPackageCylindrical, Blade Terminal (Bolt)SeriesKTHFuse TypeCartridgeCurrent Rating60AVoltage Rating - AC-Voltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension1.067" Dia x 4.882" L (27.10mm x 124.00mm)	Manufacturer Part Number	60KTH
PackageElectrical, Specialty FusesSeriesKTHFuse TypeCartridgeCurrent Rating60AVoltage Rating - AC-Voltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension1.067" Dia x 4.882" L (27.10mm x 124.00mm)	Manufacturer	Eaton
PackageCylindrical, Blade Terminal (Bolt)SeriesKTHFuse TypeCartridgeCurrent Rating60AVoltage Rating - AC-Voltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension1.067" Dia x 4.882" L (27.10mm x 124.00mm)	Category	Circuit Protection
SeriesKTHFuse TypeCartridgeCurrent Rating60AVoltage Rating - AC-Voltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension1.067" Dia x 4.882" L (27.10mm x 124.00mm)		Electrical, Specialty Fuses
Fuse TypeCartridgeCurrent Rating60AVoltage Rating - AC-Voltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension1.067" Dia x 4.882" L (27.10mm x 124.00mm)	Package	Cylindrical, Blade Terminal (Bolt)
Current Rating 60A  Voltage Rating - AC -  Voltage Rating - DC -  Response Time -  Applications Electrical, Industrial  Features -  Class -  Approvals -  Operating Temperature -  Breaking Capacity @ Rated Voltage -  Mounting Type Bolt Mount  Package / Case Cylindrical, Blade Terminal (Bolt)  Size / Dimension 1.067" Dia x 4.882" L (27.10mm x 124.00mm)	Series	KTH
Voltage Rating - AC  Voltage Rating - DC  Response Time  - Applications  Electrical, Industrial  Features  - Class  - Approvals  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Bolt Mount  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  - Consecutions  - Consecutions  - Cylindrical, Blade Terminal (Bolt)  1.067" Dia x 4.882" L (27.10mm x 124.00mm)	Fuse Type	Cartridge
Voltage Rating - DC  Response Time  Applications  Electrical, Industrial  Features  - Class  - Approvals  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Bolt Mount  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  - Class  - C	Current Rating	60A
Response Time Applications Electrical, Industrial  Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension - Blectrical, Industrial - Class - Cylindrical, Blade Terminal (Bolt) 1.067" Dia x 4.882" L (27.10mm x 124.00mm)	Voltage Rating - AC	-
Applications Electrical, Industrial  Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Bolt Mount  Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.067" Dia x 4.882" L (27.10mm x 124.00mm)	Voltage Rating - DC	-
Features - Class - Cla	Response Time	-
Class - Approvals - Class - Coperating Temperature - Coperating Capacity @ Rated Voltage - Coperating Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.067" Dia x 4.882" L (27.10mm x 124.00mm)	Applications	Electrical, Industrial
Approvals Operating Temperature	Features	-
Operating Temperature - Grant	Class	-
Breaking Capacity @ Rated Voltage -  Mounting Type Bolt Mount  Package / Case Cylindrical, Blade Terminal (Bolt)  Size / Dimension 1.067" Dia x 4.882" L (27.10mm x 124.00mm)	Approvals	-
Mounting Type  Bolt Mount  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  1.067" Dia x 4.882" L (27.10mm x 124.00mm)	Operating Temperature	-
Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.067" Dia x 4.882" L (27.10mm x 124.00mm)	Breaking Capacity @ Rated Voltage	-
Size / Dimension 1.067" Dia x 4.882" L (27.10mm x 124.00mm)	Mounting Type	Bolt Mount
	Package / Case	Cylindrical, Blade Terminal (Bolt)
Report errors?	Size / Dimension	1.067" Dia x 4.882" L (27.10mm x 124.00mm)
		Report errors?

### **60KTH Guarantees**



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### **60KTH Payment Methods**





















## **60KTH Shipping Methods**













If you have any question about 60KTH, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com