

6420-2T Information

Heisener.com

Manufacturer Eaton

Category Circuit Protection

Electrical, Specialty Fuses

Description FUSE LK QA 020A RB 23"

Package Fuse Link

Part Number 6420-2T

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









6420-2T Specifications

Manufacturer Part Number 6420-2T Manufacturer Eaton Category Circuit Protection Package Fuse Link Series * Fuse Type - Current Rating - Voltage Rating - AC - Voltage Rating - DC - Response Time - Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Through Hole Package / Case Fuse Link Size / Dimension 0.748" Dia x 23.000" L (19.00mm x 584.00mm)		
CategoryCircuit Protection Electrical, Specialty FusesPackageFuse LinkSeries*Fuse Type-Current Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeThrough HolePackage / CaseFuse LinkSize / Dimension0.748" Dia x 23.000" L (19.00mm x 584.00mm)	Manufacturer Part Number	6420-2T
Package Fuse Link Series * Fuse Type - Current Rating - Voltage Rating - AC - Voltage Rating - DC - Response Time - Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Through Hole Package / Case Fuse Link Size / Dimension 0.748" Dia x 23.000" L (19.00mm x 584.00mm)	Manufacturer	Eaton
Package Fuse Link Series * Fuse Type - Current Rating - Voltage Rating - AC - Voltage Rating - DC - Response Time - Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Through Hole Package / Case Fuse Link Size / Dimension 0.748" Dia x 23.000" L (19.00mm x 584.00mm)	Category	Circuit Protection
Series * Fuse Type - Current Rating - Voltage Rating - AC - Voltage Rating - DC - Response Time - Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Through Hole Package / Case Fuse Link Size / Dimension 0.748" Dia x 23.000" L (19.00mm x 584.00mm)		Electrical, Specialty Fuses
Fuse Type - Current Rating - DC - Current Rating - Current Rating - DC - Current Rating -	Package	Fuse Link
Current Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeThrough HolePackage / CaseFuse LinkSize / Dimension0.748" Dia x 23.000" L (19.00mm x 584.00mm)	Series	*
Voltage Rating - AC Voltage Rating - DC Response Time Applications Features - Class Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Through Hole Package / Case Size / Dimension - Voltage Rating - AC - - - - - - - - - - - - -	Fuse Type	-
Voltage Rating - DC Response Time Applications - Features Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Through Hole Package / Case Size / Dimension - Overating Temperature - Through Hole Fuse Link O.748" Dia x 23.000" L (19.00mm x 584.00mm)	Current Rating	-
Response Time Applications - Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Through Hole Package / Case Fuse Link Size / Dimension	Voltage Rating - AC	-
Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Through Hole Package / Case Fuse Link Size / Dimension - One of the Approval of the Ap	Voltage Rating - DC	-
Features - Class - Approvals - Coperating Temperature - Streaking Capacity @ Rated Voltage - Through Hole Package / Case Fuse Link Size / Dimension - O.748" Dia x 23.000" L (19.00mm x 584.00mm)	Response Time	-
Class - Approvals - Coperating Temperature - Coperating Capacity @ Rated Voltage - Coperating Type Through Hole Package / Case Fuse Link Capacity @ Rated Voltage Fuse Link Capacity @ Rated Voltage Fuse Link Capacity Capacity Capacity © Rated Voltage Capacity © Rated Voltage Fuse Link Capacity © Rated Voltage Capacity ©	Applications	-
Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Through Hole Package / Case Fuse Link Size / Dimension 0.748" Dia x 23.000" L (19.00mm x 584.00mm)	Features	-
Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Through Hole Package / Case Fuse Link Size / Dimension 0.748" Dia x 23.000" L (19.00mm x 584.00mm)	Class	-
Breaking Capacity @ Rated Voltage - Mounting Type Through Hole Package / Case Fuse Link Size / Dimension 0.748" Dia x 23.000" L (19.00mm x 584.00mm)	Approvals	-
Mounting Type Through Hole Package / Case Fuse Link Size / Dimension 0.748" Dia x 23.000" L (19.00mm x 584.00mm)	Operating Temperature	-
Package / Case Fuse Link Size / Dimension 0.748" Dia x 23.000" L (19.00mm x 584.00mm)	Breaking Capacity @ Rated Voltage	-
Size / Dimension 0.748" Dia x 23.000" L (19.00mm x 584.00mm)	Mounting Type	Through Hole
	Package / Case	Fuse Link
Report errors?	Size / Dimension	0.748" Dia x 23.000" L (19.00mm x 584.00mm)
		Report errors?

6420-2T Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

6420-2T Payment Methods





















6420-2T Shipping Methods













If you have any question about 6420-2T, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com