

## 660C10AZD20

### 660C10AZD20 Information

Heisener.com	 660C10AZD20 Vishay BC Components Capacitors Ceramic Capacitors CAP CER 2000PF 10KV N4700 AXIAL Axial For the pricing/inventory/lead time, please contact	
For Reference Only	us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote



Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



### 660C10AZD20 Specifications

Manufacturer Part Number660C10AZD20ManufacturerVishay BC ComponentsCategoryCapacitorsCategoryCeramic CapacitorsPackageAxialSeriesCera-Mite 660CCapacitance2000pFTolerance±20%Voltage - Rated1000V (10kV)Temperature CoefficientN4700Operating Temperature-55°C ~ 125°CFeaturesHigh VoltageRatings-	
CategoryCapacitorsPackageAxialPackageCera-Mite 660CCapacitance2000pFTolerance±20%Voltage - Rated1000V (10kV)Temperature CoefficientN4700Operating Temperature-55°C ~ 125°CFeaturesHigh Voltage	
Ceramic CapacitorsPackageAxialSeriesCera-Mite 660CCapacitance2000pFTolerance±20%Voltage - Rated1000V (10kV)Temperature CoefficientN4700Operating Temperature-55°C ~ 125°CFeaturesHigh Voltage	
PackageAxialSeriesCera-Mite 660CCapacitance2000pFTolerance±20%Voltage - Rated1000V (10kV)Temperature CoefficientN4700Operating Temperature-55°C ~ 125°CFeaturesHigh Voltage	
SeriesCera-Mite 660CCapacitance2000pFTolerance±20%Voltage - Rated10000V (10kV)Temperature CoefficientN4700Operating Temperature-55°C ~ 125°CFeaturesHigh Voltage	
Capacitance2000pFTolerance±20%Voltage - Rated1000V (10kV)Temperature CoefficientN4700Operating Temperature-55°C ~ 125°CFeaturesHigh Voltage	
Tolerance±20%Voltage - Rated10000V (10kV)Temperature CoefficientN4700Operating Temperature-55°C ~ 125°CFeaturesHigh Voltage	
Voltage - Rated10000V (10kV)Temperature CoefficientN4700Operating Temperature-55°C ~ 125°CFeaturesHigh Voltage	
Temperature CoefficientN4700Operating Temperature-55°C ~ 125°CFeaturesHigh Voltage	
Operating Temperature-55°C ~ 125°CFeaturesHigh Voltage	
Features High Voltage	
Ratings -	
Applications General Purpose	
Failure Rate -	
Mounting Type Through Hole	
Package / Case Axial	
Size / Dimension 1.457" Dia x 0.512" L (37.00mm x 13.00mm)	
Height - Seated (Max) -	
Thickness (Max) -	
Lead Spacing -	
Lead Style -	
R	eport errors?

### 660C10AZD20 Guarantees



Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

# SERVICE EUARANTEE

#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

### 660C10AZD20 Payment Methods



### 660C10AZD20 Shipping Methods



If you have any question about 660C10AZD20, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com