

6791122331F Information



For Reference Only

Part Number 6791122331F Manufacturer Dialight

Category Optoelectronics

Panel Indicators, Pilot Lights

Description 9MM HR/R PMI-12VDC W/O-RING

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









6791122331F Specifications

Manufacturer Part Number 6791122331F Manufacturer Dialight Category Optoelectronics Panel Indicators, Pilot Lights Package - Series 679 Type LED Lamp Color Red Lens Color - Lens Transparency - Ratings DC Voltage 12V Current 30mA Panel Cutout Shape Round Panel Cutout Dimensions 0.37" (9.40mm) Lens Style/Size Round with Domed Top, 6.00mm Millicandela Rating 485mcd Wavelength - Peak - Viewing Angle - Termination Style Solder Lug Ingress Protection IP66, NEMA 4X Features - Report errors?		
Category Optoelectronics Panel Indicators, Pilot Lights Package - Series 679 Type LED Lamp Color Red Lens Color - Lens Transparency - Ratings DC Voltage 12V Current 30mA Panel Cutout Shape Round Panel Cutout Dimensions 0.37" (9.40mm) Lens Style/Size Round with Domed Top, 6.00mm Millicandela Rating 485mcd Wavelength - Peak - Viewing Angle - Termination Style Solder Lug Ingress Protection IP66, NEMA 4X Features -	Manufacturer Part Number	6791122331F
Package - Series 679 Type LED Lamp Color Red Lens Color - Lens Transparency - Ratings DC Voltage 12V Current 30mA Panel Cutout Shape Round Panel Cutout Dimensions 0.37" (9.40mm) Lens Style/Size Round with Domed Top, 6.00mm Millicandela Rating 485mcd Wavelength - Peak - Viewing Angle - Termination Style Solder Lug Ingress Protection IP66, NEMA 4X Features -	Manufacturer	Dialight
Package - Series 679 Type LED Lamp Color Red Lens Color - Lens Transparency - Ratings DC Voltage 12V Current 30mA Panel Cutout Shape Round Panel Cutout Dimensions 0.37" (9.40mm) Lens Style/Size Round with Domed Top, 6.00mm Millicandela Rating 485mcd Wavelength - Peak - Viewing Angle - Termination Style Solder Lug Ingress Protection IP66, NEMA 4X Features -	Category	Optoelectronics
Series 679 Type LED Lamp Color Red Lens Color - Lens Transparency - Ratings DC Voltage 12V Current 30mA Panel Cutout Shape Round Panel Cutout Dimensions 0.37" (9.40mm) Lens Style/Size Round with Domed Top, 6.00mm Millicandela Rating 485mcd Wavelength - Peak - Viewing Angle - Termination Style Solder Lug Ingress Protection IP66, NEMA 4X Features -		Panel Indicators, Pilot Lights
TypeLEDLamp ColorRedLens Color-Lens Transparency-RatingsDCVoltage12VCurrent30mAPanel Cutout ShapeRoundPanel Cutout Dimensions0.37" (9.40mm)Lens Style/SizeRound with Domed Top, 6.00mmMillicandela Rating485mcdWavelength - Peak-Viewing Angle-Termination StyleSolder LugIngress ProtectionIP66, NEMA 4XFeatures-	Package	-
Lamp Color Lens Color	Series	679
Lens Color-Lens Transparency-RatingsDCVoltage12VCurrent30mAPanel Cutout ShapeRoundPanel Cutout Dimensions0.37" (9.40mm)Lens Style/SizeRound with Domed Top, 6.00mmMillicandela Rating485mcdWavelength - Peak-Viewing Angle-Termination StyleSolder LugIngress ProtectionIP66, NEMA 4XFeatures-	Type	LED
Lens Transparency-RatingsDCVoltage12VCurrent30mAPanel Cutout ShapeRoundPanel Cutout Dimensions0.37" (9.40mm)Lens Style/SizeRound with Domed Top, 6.00mmMillicandela Rating485mcdWavelength - Peak-Viewing Angle-Termination StyleSolder LugIngress ProtectionIP66, NEMA 4XFeatures-	Lamp Color	Red
RatingsDCVoltage12VCurrent30mAPanel Cutout ShapeRoundPanel Cutout Dimensions0.37" (9.40mm)Lens Style/SizeRound with Domed Top, 6.00mmMillicandela Rating485mcdWavelength - Peak-Viewing Angle-Termination StyleSolder LugIngress ProtectionIP66, NEMA 4XFeatures-	Lens Color	-
Voltage 12V Current 30mA Panel Cutout Shape Round Panel Cutout Dimensions 0.37" (9.40mm) Lens Style/Size Round with Domed Top, 6.00mm Millicandela Rating 485mcd Wavelength - Peak - Viewing Angle - Termination Style Solder Lug Ingress Protection IP66, NEMA 4X Features -	Lens Transparency	-
Current 30mA Panel Cutout Shape Round Panel Cutout Dimensions 0.37" (9.40mm) Lens Style/Size Round with Domed Top, 6.00mm Millicandela Rating 485mcd Wavelength - Peak - Viewing Angle - Termination Style Solder Lug Ingress Protection IP66, NEMA 4X Features -	Ratings	DC
Panel Cutout Dimensions 0.37" (9.40mm) Lens Style/Size Round with Domed Top, 6.00mm Millicandela Rating 485mcd Wavelength - Peak - Viewing Angle - Termination Style Solder Lug Ingress Protection IP66, NEMA 4X Features -	Voltage	12V
Panel Cutout Dimensions O.37" (9.40mm) Lens Style/Size Round with Domed Top, 6.00mm Millicandela Rating 485mcd Wavelength - Peak Viewing Angle Termination Style Ingress Protection IP66, NEMA 4X Features -	Current	30mA
Lens Style/SizeRound with Domed Top, 6.00mmMillicandela Rating485mcdWavelength - Peak-Viewing Angle-Termination StyleSolder LugIngress ProtectionIP66, NEMA 4XFeatures-	Panel Cutout Shape	Round
Millicandela Rating 485mcd Wavelength - Peak - Viewing Angle - Termination Style Solder Lug Ingress Protection IP66, NEMA 4X Features -	Panel Cutout Dimensions	0.37" (9.40mm)
Wavelength - Peak Viewing Angle Termination Style Ingress Protection Features - Solder Lug IP66, NEMA 4X -	Lens Style/Size	Round with Domed Top, 6.00mm
Viewing Angle - Termination Style Solder Lug Ingress Protection IP66, NEMA 4X Features -	Millicandela Rating	485mcd
Termination Style Solder Lug Ingress Protection IP66, NEMA 4X Features -	Wavelength - Peak	-
Ingress Protection IP66, NEMA 4X Features -	Viewing Angle	-
Features -	Termination Style	Solder Lug
	Ingress Protection	IP66, NEMA 4X
Report errors?	Features	-
		Report errors?

6791122331F Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

6791122331F Payment Methods



















6791122331F Shipping Methods













If you have any question about 6791122331F, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com