



6LT151KODCM Information



For Reference Only

Part Number 6LT151KODCM
Manufacturer AVX Corporation
Category Capacitors

ory Capacitors
Ceramic Capacitors

Description CAP CER 150PF 3KV Y5P RADIAL

Package Radial, Disc

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









6LT151KODCM Specifications

Manufacturer Part Number 6LT151KODCM Manufacturer AVX Corporation Category Capacitors Package Radial, Disc Series - Capacitance 150pF Tolerance ±10% Voltage - Rated 3000V (3kV) Temperature Coefficient Y5P (B) Operating Temperature -40°C ~ 125°C Features - Ratings - Applications General Purpose Failure Rate - Mounting Type Through Hole Package / Case Radial, Disc Size / Dimension 0.276° Dia (7.00mm) Height - Seated (Max) 0.157" (4.00mm) Thickness (Max) -		
Category Capacitors Package Radial, Disc Series - Capacitance 150pF Tolerance ±10% Voltage - Rated 3000V (3kV) Temperature Coefficient Y5P (B) Operating Temperature -40°C ~ 125°C Features - Ratings - Applications General Purpose Failure Rate - Mounting Type Through Hole Package / Case Radial, Disc Size / Dimension 0.276° Dia (7.00mm) Height - Seated (Max) 0.157" (4.00mm) Thickness (Max) -	Manufacturer Part Number	6LT151KODCM
Package Radial, Disc Series - Capacitance 150pF Tolerance ±10% Voltage - Rated 3000V (3kV) Temperature Coefficient Y5P (B) Operating Temperature -40°C ~ 125°C Features - Applications General Purpose Failure Rate - Mounting Type Through Hole Package / Case Radial, Disc Size / Dimension 0.276" Dia (7.00mm) Height - Seated (Max) 0.157" (4.00mm) Thickness (Max) -	Manufacturer	AVX Corporation
Package Radial, Disc Series - Capacitance 150pF Tolerance ±10% Voltage - Rated 3000V (3kV) Temperature Coefficient Y5P (B) Operating Temperature -40°C ~ 125°C Features - Ratings - Applications General Purpose Failure Rate - Mounting Type Through Hole Package / Case Radial, Disc Size / Dimension 0.276" Dia (7.00mm) Height - Seated (Max) 0.157" (4.00mm) Thickness (Max) -	Category	Capacitors
Series - Capacitance 150pF Tolerance ±10% Voltage - Rated 3000V (3kV) Temperature Coefficient Y5P (B) Operating Temperature -40°C ~ 125°C Features - Ratings - Applications General Purpose Failure Rate - Mounting Type Through Hole Package / Case Radial, Disc Size / Dimension 0.276" Dia (7.00mm) Height - Seated (Max) 0.157" (4.00mm) Thickness (Max) -		Ceramic Capacitors
Capacitance 150pF Tolerance ±10% Voltage - Rated 3000V (3kV) Temperature Coefficient Y5P (B) Operating Temperature -40°C ~ 125°C Features - Ratings - Applications General Purpose Failure Rate - Mounting Type Through Hole Package / Case Radial, Disc Size / Dimension 0.276" Dia (7.00mm) Height - Seated (Max) 0.157" (4.00mm) Thickness (Max) -	Package	Radial, Disc
Tolerance ±10% Voltage - Rated 3000V (3kV) Temperature Coefficient Y5P (B) Operating Temperature -40°C ~ 125°C Features - Ratings - Applications General Purpose Failure Rate - Mounting Type Through Hole Package / Case Radial, Disc Size / Dimension 0.276" Dia (7.00mm) Height - Seated (Max) 0.157" (4.00mm) Thickness (Max) -	Series	-
Voltage - Rated3000V (3kV)Temperature CoefficientY5P (B)Operating Temperature-40°C ~ 125°CFeatures-Ratings-ApplicationsGeneral PurposeFailure Rate-Mounting TypeThrough HolePackage / CaseRadial, DiscSize / Dimension0.276" Dia (7.00mm)Height - Seated (Max)0.157" (4.00mm)Thickness (Max)-	Capacitance	150pF
Temperature Coefficient Operating Temperature -40°C ~ 125°C Features - Ratings - Applications General Purpose Failure Rate - Mounting Type Through Hole Package / Case Radial, Disc Size / Dimension O.276" Dia (7.00mm) Height - Seated (Max) Thickness (Max) Y5P (B) Y5P (B) Y5P (B) Automation General Purpose Fallure Radial, Disc O.276" Dia (7.00mm) O.157" (4.00mm) -	Tolerance	±10%
Operating Temperature -40°C ~ 125°C Features - Ratings - Applications General Purpose Failure Rate - Mounting Type Through Hole Package / Case Size / Dimension Height - Seated (Max) Thickness (Max)40°C ~ 125°C -40°C ~ 125°	Voltage - Rated	3000V (3kV)
Features Ratings	Temperature Coefficient	Y5P (B)
Ratings - General Purpose Failure Rate - Through Hole Package / Case Radial, Disc Size / Dimension 0.276" Dia (7.00mm) Height - Seated (Max) 0.157" (4.00mm) Thickness (Max) -	Operating Temperature	-40°C ~ 125°C
Applications General Purpose Failure Rate - Mounting Type Through Hole Package / Case Radial, Disc Size / Dimension 0.276" Dia (7.00mm) Height - Seated (Max) 0.157" (4.00mm) Thickness (Max) -	Features	-
Failure Rate - Mounting Type Through Hole Package / Case Radial, Disc Size / Dimension 0.276" Dia (7.00mm) Height - Seated (Max) 0.157" (4.00mm) Thickness (Max) -	Ratings	-
Mounting Type Through Hole Package / Case Radial, Disc Size / Dimension 0.276" Dia (7.00mm) Height - Seated (Max) 0.157" (4.00mm) Thickness (Max) -	Applications	General Purpose
Package / CaseRadial, DiscSize / Dimension0.276" Dia (7.00mm)Height - Seated (Max)0.157" (4.00mm)Thickness (Max)-	Failure Rate	-
Size / Dimension 0.276" Dia (7.00mm) Height - Seated (Max) 0.157" (4.00mm) Thickness (Max) -	Mounting Type	Through Hole
Height - Seated (Max) 7. Thickness (Max) 0.157" (4.00mm) -	Package / Case	Radial, Disc
Thickness (Max) -	Size / Dimension	0.276" Dia (7.00mm)
	Height - Seated (Max)	0.157" (4.00mm)
0.10711 (5.00	Thickness (Max)	-
Lead Spacing 0.19/" (5.00mm)	Lead Spacing	0.197" (5.00mm)
Lead Style Formed Leads - Kinked	Lead Style	Formed Leads - Kinked
Report errors?		Report errors?

6LT151KODCM Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

6LT151KODCM Payment Methods



















6LT151KODCM Shipping Methods













If you have any question about 6LT151KODCM, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com