



### **6TCE100M Information**

Heisener.com

Part Number 6TCE100M

Manufacturer Panasonic Electronic Components

**Category** Capacitors

**Tantalum - Polymer Capacitors** 

**Description** CAP TANT POLY 100UF 6.3V 2917

**Package** 2917 (7343 Metric)

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com

Request a Quote



## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **6TCE100M Specifications**

Manufacturer Part Number         6TCE100M           Manufacturer         Panasonic Electronic Components           Category         Capacitors           Tantalum - Polymer Capacitors           Package         2917 (7343 Metric)           Series         POSCAP? TC           Capacitance         100µF           Tolerance         ±20%           Voltage - Rated         6.3 V           Type         Molded           ESR (Equivalent Series Resistance)         25 mOhm           Operating Temperature         -55°C ~ 125°C           Lifetime @ Temp.         1000 Hrs @ 125°C           Mounting Type         Surface Mount           Package / Case         2917 (7343 Metric)           Size / Dimension         0.287" L x 0.169" W (7.30mm x 4.30mm)           Height - Seated (Max)         0.079" (2.00mm)           Lead Spacing         -           Manufacturer Size Code         D2E           Features         General Purpose		
Category         Capacitors           Package         2917 (7343 Metric)           Series         POSCAP? TC           Capacitance         100μF           Tolerance         ±20%           Voltage - Rated         6.3 V           Type         Molded           ESR (Equivalent Series Resistance)         25 mOhm           Operating Temperature         -55°C ~ 125°C           Lifetime @ Temp.         1000 Hrs @ 125°C           Mounting Type         Surface Mount           Package / Case         2917 (7343 Metric)           Size / Dimension         0.287" L x 0.169" W (7.30mm x 4.30mm)           Height - Seated (Max)         0.079" (2.00mm)           Lead Spacing         -           Manufacturer Size Code         D2E           Features         General Purpose	Manufacturer Part Number	6TCE100M
Tantalum - Polymer CapacitorsPackage2917 (7343 Metric)SeriesPOSCAP? TCCapacitance100μFTolerance±20%Voltage - Rated6.3 VTypeMoldedESR (Equivalent Series Resistance)25 mOhmOperating Temperature-55°C ~ 125°CLifetime @ Temp.1000 Hrs @ 125°CMounting TypeSurface MountPackage / Case2917 (7343 Metric)Size / Dimension0.287" L x 0.169" W (7.30mm x 4.30mm)Height - Seated (Max)0.079" (2.00mm)Lead Spacing-Manufacturer Size CodeD2EFeaturesGeneral Purpose	Manufacturer	Panasonic Electronic Components
Package         2917 (7343 Metric)           Series         POSCAP? TC           Capacitance         100μF           Tolerance         ±20%           Voltage - Rated         6.3V           Type         Molded           ESR (Equivalent Series Resistance)         25 mOhm           Operating Temperature         -55°C ~ 125°C           Lifetime @ Temp.         1000 Hrs @ 125°C           Mounting Type         Surface Mount           Package / Case         2917 (7343 Metric)           Size / Dimension         0.287" L x 0.169" W (7.30mm x 4.30mm)           Height - Seated (Max)         0.079" (2.00mm)           Lead Spacing         -           Manufacturer Size Code         D2E           Features         General Purpose	Category	Capacitors
Series         POSCAP? TC           Capacitance         100µF           Tolerance         ±20%           Voltage - Rated         6.3V           Type         Molded           ESR (Equivalent Series Resistance)         25 mOhm           Operating Temperature         -55°C ~ 125°C           Lifetime @ Temp.         1000 Hrs @ 125°C           Mounting Type         Surface Mount           Package / Case         2917 (7343 Metric)           Size / Dimension         0.287" L x 0.169" W (7.30mm x 4.30mm)           Height - Seated (Max)         0.079" (2.00mm)           Lead Spacing         -           Manufacturer Size Code         D2E           Features         General Purpose		Tantalum - Polymer Capacitors
Capacitance $100\mu F$ Tolerance $\pm 20\%$ Voltage - Rated $6.3V$ TypeMoldedESR (Equivalent Series Resistance) $25 \text{ mOhm}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Lifetime @ Temp. $1000 \text{ Hrs @ 125°C}$ Mounting TypeSurface MountPackage / Case $2917 (7343 \text{ Metric})$ Size / Dimension $0.287^{\circ}\text{L x 0.169° W (7.30mm x 4.30mm)}$ Height - Seated (Max) $0.079^{\circ}$ (2.00mm)Lead Spacing-Manufacturer Size CodeD2EFeaturesGeneral Purpose	Package	2917 (7343 Metric)
Tolerance ±20%  Voltage - Rated 6.3V  Type Molded  ESR (Equivalent Series Resistance) 25 mOhm  Operating Temperature -55°C ~ 125°C  Lifetime @ Temp. 1000 Hrs @ 125°C  Mounting Type Surface Mount  Package / Case 2917 (7343 Metric)  Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm)  Height - Seated (Max) 0.079" (2.00mm)  Lead Spacing -  Manufacturer Size Code D2E  Features General Purpose	Series	POSCAP? TC
Voltage - Rated  Type  Molded  ESR (Equivalent Series Resistance)  Operating Temperature  Lifetime @ Temp.  1000 Hrs @ 125°C  Mounting Type  Surface Mount  Package / Case  2917 (7343 Metric)  Size / Dimension  0.287" L x 0.169" W (7.30mm x 4.30mm)  Height - Seated (Max)  Lead Spacing  -  Manufacturer Size Code  Features  6.3V  6.45°C  6.5°C ~ 125°C  6.70  6.	Capacitance	100μF
Type Molded  ESR (Equivalent Series Resistance) 25 mOhm  Operating Temperature -55°C ~ 125°C  Lifetime @ Temp. 1000 Hrs @ 125°C  Mounting Type Surface Mount  Package / Case 2917 (7343 Metric)  Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm)  Height - Seated (Max) 0.079" (2.00mm)  Lead Spacing -  Manufacturer Size Code D2E  Features General Purpose	Tolerance	±20%
ESR (Equivalent Series Resistance)  Operating Temperature  -55°C ~ 125°C  Lifetime @ Temp.  1000 Hrs @ 125°C  Mounting Type  Surface Mount  Package / Case  2917 (7343 Metric)  Size / Dimension  0.287" L x 0.169" W (7.30mm x 4.30mm)  Height - Seated (Max)  0.079" (2.00mm)  Lead Spacing  Manufacturer Size Code  Features  General Purpose	Voltage - Rated	6.3V
Operating Temperature  Lifetime @ Temp.  1000 Hrs @ 125°C  Mounting Type  Surface Mount  Package / Case  2917 (7343 Metric)  Size / Dimension  0.287" L x 0.169" W (7.30mm x 4.30mm)  Height - Seated (Max)  0.079" (2.00mm)  Lead Spacing  -  Manufacturer Size Code  Peatures  General Purpose	Туре	Molded
Lifetime @ Temp.  1000 Hrs @ 125°C  Mounting Type Surface Mount  Package / Case 2917 (7343 Metric)  Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm)  Height - Seated (Max) 0.079" (2.00mm)  Lead Spacing - Manufacturer Size Code D2E  Features General Purpose	ESR (Equivalent Series Resistance)	25 mOhm
Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)  Lead Spacing - Manufacturer Size Code D2E Features General Purpose	Operating Temperature	-55°C ~ 125°C
Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)  Lead Spacing - Manufacturer Size Code D2E Features General Purpose	Lifetime @ Temp.	1000 Hrs @ 125°C
Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm)  Height - Seated (Max) 0.079" (2.00mm)  Lead Spacing -  Manufacturer Size Code D2E  Features General Purpose	Mounting Type	Surface Mount
Height - Seated (Max)  Lead Spacing  - Manufacturer Size Code  Features  O.079" (2.00mm)  - General Purpose	Package / Case	2917 (7343 Metric)
Lead Spacing-Manufacturer Size CodeD2EFeaturesGeneral Purpose	Size / Dimension	0.287" L x 0.169" W (7.30mm x 4.30mm)
Manufacturer Size Code D2E Features General Purpose	Height - Seated (Max)	0.079" (2.00mm)
Features General Purpose	Lead Spacing	-
	Manufacturer Size Code	D2E
Report errors?	Features	General Purpose
		Report errors?

#### **6TCE100M Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## **6TCE100M Payment Methods**



















### **6TCE100M Shipping Methods**













If you have any question about 6TCE100M, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com