

# 6TPC330MA

a Quote

### **6TPC330MA Information**

	.helsener.com	Part Number Manufacturer Category Description Package	6TPC330MA Panasonic Electronic Components Capacitors Tantalum - Polymer Capacitors CAP TANT POLY 330UF 6.3V 2917 2917 (7343 Metric) For the pricing/inventory/lead time, please contact	
For F	Reference Only		us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



# **6TPC330MA Specifications**

Manufacturer Part Number   GTPC330MA     Manufacturer   Panasonic Electronic Components     Category   Capacitors     Tantalum - Polymer Capacitors   Tantalum - Polymer Capacitors     Package   2917 (7343 Metric)     Series   POSCAP? TPC     Capacitance   330µF     Tolerance   ±20%     Voltage - Rated   6.3V     Type   Molded     ESR (Equivalent Series Resistance)   40 mOhm     Operating Temperature   -     Mounting Type   Surface Mount     Package / Case   2917 (7343 Metric)     Size / Dimension   0.287" L x 0.169" W (7.30mm x 4.30mm)     Height - Seated (Max)   0.079" (2.00mm)     Lead Spacing   -     Manufacturer Size Code   D2     Features   General Purpose		
CategoryCapacitorsTantalum - Polymer CapacitorsPackage2917 (7343 Metric)SeriesPOSCAP? TPCCapacitance330µFTolerance±20%Voltage - Rated6.3VTypeMoldedESR (Equivalent Series Resistance)40 mOhmOperating Temperature-55°C ~ 105°CLifetime @ TempMounting TypeSurface MountPackage / Case2917 (7343 Metric)Size / Dimension0.287" L x 0.169" W (7.30mm x 4.30mm)Height - Seated (Max)0.709" (2.00mm)Lead Spacing-Manufacturer Size CodeD2FeaturesGeneral Purpose	Manufacturer Part Number	6TPC330MA
Tantalum - Polymer CapacitorsPackage2917 (7343 Metric)SeriesPOSCAP? TPCCapacitance330µFTolerance±20%Voltage - Rated6.3VTypeMoldedESR (Equivalent Series Resistance)40 mOhmOperating Temperature-55°C ~ 105°CLifetime @ TempMounting TypeSurface MountPackage / Case2917 (7343 Metric)Size / Dimension0.287" L x 0.169" W (7.30mm x 4.30mm)Height - Seated (Max)0.079" (2.00mm)Lead Spacing-Manufacturer Size CodeD2FeaturesGeneral Purpose	Manufacturer	Panasonic Electronic Components
Package2917 (7343 Metric)SeriesPOSCAP? TPCCapacitance330µFTolerance±20%Voltage - Rated6.3VTypeMoldedESR (Equivalent Series Resistance)40 mOhmOperating Temperature-55°C ~ 105°CLifetime @ TempMounting TypeSurface MountPackage / Case2917 (7343 Metric)Size / Dimension0.287" L x 0.169" W (7.30mm x 4.30mm)Height - Seated (Max)0.079" (2.00mm)Lead Spacing-FeaturesGeneral Purpose	Category	Capacitors
SeriesPOSCAP? TPCCapacitance330µFTolerance±20%Voltage - Rated6.3VTypeMoledESR (Equivalent Series Resistance)40 mOhmOperating Temperature-55°C ~ 105°CLifetime @ TempMounting TypeSurface MountPackage / Case2917 (7343 Metric)Size / Dimension0.0287" L x 0.169" W (7.30mm x 4.30mm)Height - Seated (Max)0.079" (2.00mm)Lead Spacing52FeaturesGeneral Purpose		Tantalum - Polymer Capacitors
Capacitance330μFTolerance±20%Voltage - Rated6.3VTypeMoldedESR (Equivalent Series Resistance)40 mOhmOperating Temperature-55°C ~ 105°CLifetime @ TempMounting TypeSurface MountPackage / Case017 (7343 Metric)Size / Dimension0.287" L x 0.169" W (7.30mm x 4.30mm)Height - Seated (Max)0.079" (2.00mm)Lead Spacing52FeaturesGeneral Purpose	Package	2917 (7343 Metric)
Tolerance±20%Voltage - Rated6.3VTypeMoldedESR (Equivalent Series Resistance)40 mOhmOperating Temperature-55°C ~ 105°CLifetime @ TempMounting TypeSurface MountPackage / Case2917 (7343 Metric)Size / Dimension0.287" L x 0.169" W (7.30mm x 4.30mm)Height - Seated (Max)0.079" (2.00mm)Lead Spacing-FeaturesD2FeaturesGeneral Purpose	Series	POSCAP? TPC
Voltage - Rated6.3VYopeMoldedESR (Equivalent Series Resistance)40 mOhmOperating Temperature-55°C ~ 105°CLifetime @ TempMounting TypeSurface MountPackage / Case2917 (7343 Metric)Size / Dimension0.287" L x 0.169" W (7.30mm x 4.30mm)Height - Seated (Max)0.709" (2.00mm)Lead Spacing-Manufacturer Size CodeD2FeaturesGeneral Purpose	Capacitance	330µF
TypeMoldedESR (Equivalent Series Resistance)40 mOhmOperating Temperature-55°C ~ 105°CLifetime @ TempMounting TypeSurface MountPackage / Case2917 (7343 Metric)Size / Dimension0.287" L x 0.169" W (7.30mm x 4.30mm)Height - Seated (Max)-Lead Spacing-Mundracturer Size CodeD2FeaturesGeneral Purpose	Tolerance	±20%
AT40 mOhmESR (Equivalent Series Resistance)40 mOhmOperating Temperature-55°C ~ 105°CLifetime @ TempMounting TypeSurface MountPackage / Case2917 (7343 Metric)Size / Dimension0.287" L x 0.169" W (7.30mm x 4.30mm)Height - Seated (Max)0.079" (2.00mm)Lead Spacing-Manufacturer Size CodeD2FeaturesGeneral Purpose	Voltage - Rated	6.3V
Note-55°C ~ 105°CLifetime @ TempMounting TypeSurface MountPackage / Case2917 (7343 Metric)Size / Dimension0.287" L x 0.169" W (7.30mm x 4.30mm)Height - Seated (Max)0.079" (2.00mm)Lead Spacing-Manufacturer Size CodeD2FeaturesGeneral Purpose	Туре	Molded
Lifetime @ TempMounting TypeSurface MountPackage / Case2917 (7343 Metric)Size / Dimension0.287" L x 0.169" W (7.30mm x 4.30mm)Height - Seated (Max)0.079" (2.00mm)Lead Spacing-Manufacturer Size CodeD2FeaturesGeneral Purpose	ESR (Equivalent Series Resistance)	40 mOhm
Mounting TypeSurface MountPackage / Case2917 (7343 Metric)Size / Dimension0.287" L x 0.169" W (7.30mm x 4.30mm)Height - Seated (Max)0.079" (2.00mm)Lead Spacing-Manufacturer Size CodeD2FeaturesGeneral Purpose	Operating Temperature	-55°C ~ 105°C
Package / Case2917 (7343 Metric)Size / Dimension0.287" L x 0.169" W (7.30mm x 4.30mm)Height - Seated (Max)0.079" (2.00mm)Lead Spacing-Manufacturer Size CodeD2FeaturesGeneral Purpose	Lifetime @ Temp.	-
Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm)   Height - Seated (Max) 0.079" (2.00mm)   Lead Spacing -   Manufacturer Size Code D2   Features General Purpose	Mounting Type	Surface Mount
Height - Seated (Max)0.079" (2.00mm)Lead Spacing-Manufacturer Size CodeD2FeaturesGeneral Purpose	Package / Case	2917 (7343 Metric)
Lead Spacing-Manufacturer Size CodeD2FeaturesGeneral Purpose	Size / Dimension	0.287" L x 0.169" W (7.30mm x 4.30mm)
Manufacturer Size CodeD2FeaturesGeneral Purpose	Height - Seated (Max)	0.079" (2.00mm)
Features General Purpose	Lead Spacing	-
	Manufacturer Size Code	D2
Report errors?	Features	General Purpose
		Report errors?

#### **6TPC330MA Guarantees**



#### Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

# SERVICE EUARANTEE

#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

#### **6TPC330MA Payment Methods**



# **6TPC330MA Shipping Methods**



If you have any question about 6TPC330MA, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com