



## **6TPE220M Information**



For Reference Only

Part Number 6TPE220M

Manufacturer Panasonic Electronic Components

**Category** Capacitors

**Tantalum - Polymer Capacitors** 

**Description** CAP TANT POLY 220UF 6.3V 2917

**Package** 2917 (7343 Metric)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **6TPE220M Specifications**

Manufacturer Part Number6TPE220MManufacturerPanasonic Electronic ComponentsCategoryCapacitorsPackage2917 (7343 Metric)SeriesPOSCAP? TPECapacitance220µFTolerance±20%Voltage - Rated6.3VTypeMoldedESR (Equivalent Series Resistance)25 mOhmOperating Temperature-55°C ~ 105°CLifetime @ TempMounting TypeSurface MountPackage / Case2917 (7343 Metric)Size / Dimension0.287" L x 0.169" W (7.30mm x 4.30mm)Height - Seated (Max)0.079" (2.00mm)Lead Spacing-Manufacturer Size CodeD2EFeaturesGeneral Purpose		
Category         Capacitors           Tantalum - Polymer Capacitors           Package         2917 (7343 Metric)           Series         POSCAP? TPE           Capacitance         220μF           Tolerance         ±20%           Voltage - Rated         6.3V           Type         Molded           ESR (Equivalent Series Resistance)         25 mOhm           Operating Temperature         -55°C ~ 105°C           Lifetime @ Temp.         -           Mounting Type         Surface Mount           Package / Case         2917 (7343 Metric)           Size / Dimension         0.287" L x 0.169" W (7.30mm x 4.30mm)           Height - Seated (Max)         0.079" (2.00mm)           Lead Spacing         -           Manufacturer Size Code         D2E           Features         General Purpose	Manufacturer Part Number	6TPE220M
Tantalum - Polymer Capacitors         Package       2917 (7343 Metric)         Series       POSCAP? TPE         Capacitance       220μF         Tolerance       ±20%         Voltage - Rated       6.3V         Type       Molded         ESR (Equivalent Series Resistance)       25 mOhm         Operating Temperature       -55°C ~ 105°C         Lifetime @ Temp.       -         Mounting Type       Surface Mount         Package / Case       2917 (7343 Metric)         Size / Dimension       0.287" L x 0.169" W (7.30mm x 4.30mm)         Height - Seated (Max)       0.079" (2.00mm)         Lead Spacing       -         Manufacturer Size Code       D2E         Features       General Purpose	Manufacturer	Panasonic Electronic Components
Package         2917 (7343 Metric)           Series         POSCAP? TPE           Capacitance         220μF           Tolerance         ±20%           Voltage - Rated         6.3V           Type         Molded           ESR (Equivalent Series Resistance)         25 mOhm           Operating Temperature         -55°C ~ 105°C           Lifetime @ Temp.         -           Mounting Type         Surface Mount           Package / Case         2917 (7343 Metric)           Size / Dimension         0.287" L x 0.169" W (7.30mm x 4.30mm)           Height - Seated (Max)         0.079" (2.00mm)           Lead Spacing         -           Manufacturer Size Code         D2E           Features         General Purpose	Category	Capacitors
Series         POSCAP? TPE           Capacitance         220µF           Tolerance         ±20%           Voltage - Rated         6.3V           Type         Molded           ESR (Equivalent Series Resistance)         25 mOhm           Operating Temperature         -55°C ~ 105°C           Lifetime @ Temp.         -           Mounting Type         Surface Mount           Package / Case         2917 (7343 Metric)           Size / Dimension         0.287" L x 0.169" W (7.30mm x 4.30mm)           Height - Seated (Max)         0.079" (2.00mm)           Lead Spacing         -           Manufacturer Size Code         D2E           Features         General Purpose		Tantalum - Polymer Capacitors
Capacitance       220μF         Tolerance       ±20%         Voltage - Rated       6.3V         Type       Molded         ESR (Equivalent Series Resistance)       25 mOhm         Operating Temperature       -55°C ~ 105°C         Lifetime @ Temp.       -         Mounting Type       Surface Mount         Package / Case       2917 (7343 Metric)         Size / Dimension       0.287" L x 0.169" W (7.30mm x 4.30mm)         Height - Seated (Max)       0.079" (2.00mm)         Lead Spacing       -         Manufacturer Size Code       D2E         Features       General Purpose	Package	2917 (7343 Metric)
Tolerance         ±20%           Voltage - Rated         6.3V           Type         Molded           ESR (Equivalent Series Resistance)         25 mOhm           Operating Temperature         -55°C ~ 105°C           Lifetime @ Temp.         -           Mounting Type         Surface Mount           Package / Case         2917 (7343 Metric)           Size / Dimension         0.287" L x 0.169" W (7.30mm x 4.30mm)           Height - Seated (Max)         0.079" (2.00mm)           Lead Spacing         -           Manufacturer Size Code         D2E           Features         General Purpose	Series	POSCAP? TPE
Voltage - Rated  Type  Molded  ESR (Equivalent Series Resistance)  Operating Temperature  -55°C ~ 105°C  Lifetime @ Temp.  Mounting Type  Surface Mount  Package / Case  2917 (7343 Metric)  Size / Dimension  0.287" L x 0.169" W (7.30mm x 4.30mm)  Height - Seated (Max)  Lead Spacing  Manufacturer Size Code  Features  General Purpose	Capacitance	220μF
Type Molded  ESR (Equivalent Series Resistance) 25 mOhm  Operating Temperature -55°C ~ 105°C  Lifetime @ Temp.  Mounting Type Surface Mount  Package / Case 2917 (7343 Metric)  Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm)  Height - Seated (Max) 0.079" (2.00mm)  Lead Spacing -  Manufacturer Size Code D2E  Features General Purpose	Tolerance	±20%
ESR (Equivalent Series Resistance)  Operating Temperature  -55°C ~ 105°C  Lifetime @ Temp.  Mounting Type  Surface Mount  Package / Case  2917 (7343 Metric)  Size / Dimension  Height - Seated (Max)  Lead Spacing  Manufacturer Size Code  Features  25 mOhm  -55°C ~ 105°C  -00000000000000000000000000000000000	Voltage - Rated	6.3V
Operating Temperature  Lifetime @ Temp.  Mounting Type  Surface Mount  Package / Case  2917 (7343 Metric)  Size / Dimension  0.287" L x 0.169" W (7.30mm x 4.30mm)  Height - Seated (Max)  Lead Spacing  Manufacturer Size Code  Features  General Purpose	Туре	Molded
Lifetime @ Temp.  Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)  Lead Spacing - Manufacturer Size Code Features General Purpose	ESR (Equivalent Series Resistance)	25 mOhm
Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)  Lead Spacing - Manufacturer Size Code Features General Purpose	Operating Temperature	-55°C ~ 105°C
Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)  Lead Spacing - Manufacturer Size Code D2E Features General Purpose	Lifetime @ Temp.	-
Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm)  Height - Seated (Max) 0.079" (2.00mm)  Lead Spacing -  Manufacturer Size Code D2E  Features General Purpose	Mounting Type	Surface Mount
Height - Seated (Max)  Lead Spacing  Manufacturer Size Code  Features  O.079" (2.00mm)  -  D2E  General Purpose	Package / Case	2917 (7343 Metric)
Lead Spacing - Manufacturer Size Code D2E Features General Purpose	Size / Dimension	0.287" L x 0.169" W (7.30mm x 4.30mm)
Manufacturer Size Code D2E Features General Purpose	Height - Seated (Max)	0.079" (2.00mm)
Features General Purpose	Lead Spacing	-
_	Manufacturer Size Code	D2E
Report errors?	Features	General Purpose
		Report errors?

#### **6TPE220M Guarantees**



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## **6TPE220M Payment Methods**



















## **6TPE220M Shipping Methods**













If you have any question about 6TPE220M, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com